

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	180	842	24	60.5	120	295	8.3	177	122	3.15	570	4			95.8	-24	7.36
Havre, kärna, hög NDF (002)	1	25	847	28	75.0	122		8.0	321	392	2.00	496				83.0	3.5	6.40
Vete, kärna (005)	1	87	851	19	59.6	125	327	9.4	121	135	3.50	628	7			114	-43	7.97
Rågvete (015)	1	22	865	18	58.4	114	375	6.5	116	131	3.50	641	12			109	-47	7.85
Blandsäd, kärna, 50%havre/50%korn (096)	1	12	845	23	80.5	107		6.8	256	304	2.50	606				90.3	-25	6.94
Blandsäd, kärna, 50%korn/50%vete (114)	1	27	852	21	87.0	121		6.0	192	173	3.30	636				104	-33	7.55
Blandsäd, kärna, 50%havre/50%vete (115)	1	13	840	24	81.6	129		10.5	214	324	2.50	572				102	-19	7.25
Åkerböna, kärna (007)	1	18	864	35	84.5	295	754	4.0	180	32	4.70	374	34			101	143	7.86
Majs hela plantan, grönmassa (030)	1	152	365	30	75.0	72	363		387	190	3.22	306	27	0.0	6.4	88.9	-67	6.24
Prognos, blandvall (1-50% baljv) (042)	0	12	171	90	81.5	194			424	83	6.23		105			108	21.6	6.65
Prognos, blandvall (1-50% baljv) (042)	1	14	199	87	84.7	195			416	58	9.70		120			112	15.5	6.96
Grönmassa, gräs (0% baljv.) (161)	1	87	465	65	66.5	116	385	4.0	514	251	3.34	12	110	0.0	2.2	80.9	-7.8	5.21
Grönmassa, gräs (0% baljv.) (161)	2	11	600	69	70.0	127	427		519	198	3.86		103	0.0	0.0	82.0	0.0	5.57
Ensilage, gräs (0% klöver) (162)	1	137	472	66	71.0	126	577	72.0	511	187	3.97	52	70	40.4	12.2	79.3	3.7	5.77
Ensilage, gräs (0% klöver) (162)	2	71	432	79	73.1	149	537	76.8	466	175	4.04		54	46.3	12.6	81.7	20.8	5.94
Ensilage, gräs (0% klöver) (162)	3	38	431	85	74.8	151	534	73.1	435	166	4.14		62	50.1	11.6	82.6	20.8	6.02
Ensilage, gräs (0% klöver) (162)	4	11	370	94	74.2	157	544	90.6	438	173	4.12		48	51.8	15.5	80.9	28.6	5.99
Grönmassa blandvall (1-50 % baljväxter) (164)	0	38	456	79	71.2	138			501	185	4.15		88			79.6	16.1	5.79
Grönmassa blandvall (1-50 % baljväxter) (164)	1	531	423	72	72.1	136	428	51.0	511	174	4.28	21	95	0.0	6.6	83.6	7.8	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	2	278	483	83	72.4	142	426		494	176	4.28		86	0.0	7.5	82.3	15.6	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	3	188	438	93	74.0	157	404		460	168	4.39		75	0.0	7.4	83.6	27.2	5.98
Grönmassa blandvall (1-50 % baljväxter) (164)	4	67	405	96	75.1	163	401		441	160	4.48		84	0.0	4.8	85.2	30.4	6.05
Ensilage, blandvall (1-50% klöver) (165)	0	237	409	78	72.3	138	579	89.6	478	184	4.05	19	53	48.5	12.0	80.5	15.1	5.87
Ensilage, blandvall (1-50% klöver) (165)	1	2563	399	69	72.6	135	614	84.8	495	175	4.17	71	56	50.2	13.9	80.3	11.8	5.97
Ensilage, blandvall (1-50% klöver) (165)	2	1702	414	79	72.7	144	540	79.8	463	188	3.96	42	55	49.4	13.6	81.3	18.5	5.91
Ensilage, blandvall (1-50% klöver) (165)	3	1015	410	85	73.7	152	535	80.1	439	183	4.01	54	56	51.0	14.0	82.1	24.6	5.99

\*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Ensilage, blandvall (1-50% klöver) (165)	4	250	373	90	75.0	160	567	78.1	417	177	4.15		52	62.5	15.9	81.4	33.7	6.12
Ensilage, blandvall (1-50% klöver) (165)	5	16	399	91	75.3	173	548	63.0	416	177	4.23		47	62.3	14.0	83.1	42.5	6.19
Korn, helsädesensilage (250)	1	123	428	58	66.9	107	603	98.7	452	271	2.63	124	52	39.5	13.7	69.8	-6.6	5.39
Havre-ärt, helsädesensilage, 50% ärter (251)	1	30	392	72	65.5	130	636	109	477	268	2.72	51	30	56.0	17.8	67.8	22.2	5.35
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	13	359	62	62.9	122	523	77.5	451	329	2.11	109	37	50.2	15.6	67.6	15.3	5.13
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	53	367	72	66.6	121	607	98.2	459	395	5.99	74	39	52.0	17.0	69.5	10.2	5.45
Majskolv, ensilerad (257)	1	26	527	15	79.9	75	404	33.2	241	224	2.57	515	2	37.5	3.1	93.1	-72	6.96
Havre helsädesensilage degmognad (296)	1	38	368	66	65.1	109	605	96.0	490	275	2.83	76	35	48.3	17.2	71.1	-4.9	5.34
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	52	383	74	65.9	125	633	113	463	282	2.68	70	37	49.1	17.6	66.6	18.8	5.32
Vete, helsäd ensilage (299)	1	82	442	60	67.5	108	621	94.4	457	265	2.81	108	66	38.4	14.2	70.5	-7.6	5.49
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	80	383	63	67.1	114	619	96.2	436	287	2.59	106	40	51.7	16.9	70.3	2.3	5.46
Majs, helsädesensilage (305)	1	628	356	30	75.7	73	521	52.5	378	203	3.35	298	13	45.5	14.4	82.8	-57	6.42
Råg, helsädesensilage, axgång (311)	1	18	371	59	69.0	107	725	98.5	529	207	3.69	19	71	46.7	16.8	68.6	-3.5	5.56
Hö, blandvall, 0-50% baljväxter (383)	0	19	843	58	63.5	85			559	251	3.09		123			81.1	-35	4.85
Hö, blandvall, 0-50% baljväxter (383)	1	113	844	53	64.4	76	425	24.0	556	248	3.14		137	0.0	9.8	81.8	-45	4.93
Hö, blandvall, 0-50% baljväxter (383)	2	22	805	70	68.8	109	417		506	209	3.58		107	0.0	4.3	88.8	-26	5.34
Grönmassa, blandvall (51-100% baljväxter) (437)	3	10	411	102	73.7	162	381		399	253	4.79		84	0.0	1.7	82.4	37.4	5.85
Ensilage, blandvall (51-100% klöver) (438)	1	29	376	79	74.3	147	612	80.4	441	222	5.36	14	47	61.7	17.5	78.6	29.7	6.15
Ensilage, blandvall (51-100% klöver) (438)	2	19	432	83	72.4	144	527	73.9	433	262	4.90		53	52.9	14.9	78.5	27.1	5.90
Ensilage, blandvall (51-100% klöver) (438)	3	18	394	87	72.6	155	554	90.6	426	266	5.01		47	54.2	16.3	78.0	38.4	5.95
Grunnblanding Middels ford.grovför (326)	1	78	392	65	70.2	133	527	87.6	388	270	3.02	131	42	38.0	22.8	80.5	13.2	6.03
Fullfoder (TMR) ej kompletta data (1E3)	1	34	394	74	67.6	147	541	76.7	386	210	3.27	130	38					0.00

\*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	103	0.7	3.6	1.3	5.8	0.2		1.4	38	103	75.3	19.3	33.9	5.6	1.0
Havre, kärna, hög NDF (002)	1	14	1.0	4.5	1.6	5.5	0.1		1.8	15	14	111.0	64.2	42.9	5.2	0.1
Vete, kärna (005)	1	54	0.5	3.4	1.3	5.1	0.2		1.4	27	54	53.9	36.9	38.3	6.7	0.0
Rågvete (015)	1	12	0.4	3.2	1.2	5.4	0.1		1.3	40	12	43.3	36.8	39.3	5.3	0.0
Blandsäd, kärna, 50%havre/50%korn (096)	1	10	0.6	3.6	1.3	5.5	0.1		1.3	39	10	86.8	40.7	31.9	4.8	
Blandsäd, kärna, 50%korn/50%vete (114)	1	12	0.5	3.4	1.2	5.8	0.1		1.3	43	12	49.5	26.1	33.1	4.5	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	10	0.8	3.7	1.4	6.1	0.2		1.4	55	10	80.9	41.7	36.4	5.9	0.0
Åkerböna, kärna (007)	1	14	1.4	5.4	1.5	13.2	0.2		1.7	209	14	78.5	18.3	52.1	18.8	0.0
Majs hela plantan, grönmassa (030)	1	127	1.8	1.9	1.1	8.9	0.2	1.7	0.9	140	83	113.8	30.6	24.8	4.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	85	4.7	2.4	1.7	18.5	0.5	4.6	1.9	244	60	157.0	235.3	31.2	5.2	0.0
Grönmassa, gräs (0% baljv.) (161)	2	9	4.9	2.6	2.3	18.5	0.9	3.2	2.1	257	6	71.8	76.0	23.3	5.3	0.0
Ensilage, gräs (0% klöver) (162)	1	125	5.1	2.5	1.7	21.9	0.8	4.7	1.9	339	103	186.9	68.2	28.9	5.9	0.0
Ensilage, gräs (0% klöver) (162)	2	65	6.5	2.9	2.3	22.9	1.1	6.3	2.5	308	57	194.2	97.7	30.2	7.1	0.0
Ensilage, gräs (0% klöver) (162)	3	35	6.6	3.0	2.5	23.6	1.1	6.5	2.5	324	33	302.9	95.5	28.1	6.9	0.0
Ensilage, gräs (0% klöver) (162)	4	10	6.7	3.2	2.8	25.3	1.9	10.7	2.4	328	10	287.2	81.5	25.8	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	33	6.1	2.7	2.2	20.6	1.6		2.1	328	33	166.9	91.7	29.9	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	490	5.1	2.7	1.8	23.1	0.8	4.1	2.0	376	389	155.4	73.7	30.4	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	259	6.4	3.0	2.2	24.1	0.9	5.3	2.3	377	229	146.5	80.6	29.6	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	166	7.8	3.2	2.6	25.8	1.1	5.1	2.5	420	147	195.7	86.9	28.1	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	62	8.0	3.2	2.6	24.8	1.7	4.5	2.7	412	54	209.1	91.6	27.9	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	210	6.3	2.7	2.2	23.2	0.8	5.6	2.0	347	210	263.0	81.5	30.6	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	2438	5.4	2.6	1.8	22.5	0.9	4.4	1.9	370	2132	186.8	66.2	30.0	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1616	7.1	2.9	2.3	23.0	1.0	5.1	2.3	346	1430	224.0	82.0	30.8	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	958	7.6	3.0	2.5	24.5	1.2	5.6	2.5	368	831	230.5	90.1	29.8	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	242	7.4	3.2	2.6	24.4	1.6	6.4	2.7	350	188	335.5	101.9	35.0	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	5	16	7.1	3.4	2.5	25.3	1.9	6.9	2.7	366	11	323.5	72.7	99.5	7.5	0.1

\*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, helsädesensilage (250)	1	110	4.1	2.7	1.6	16.8	0.9	3.7	1.8	256	84	220.2	65.6	30.0	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	22	6.0	3.0	1.9	20.6	1.1	4.9	1.9	324	22	236.7	86.2	36.6	6.3	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	11	5.0	2.7	1.8	16.5	0.9	2.3	1.5	307	10	150.5	84.0	34.8	7.5	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	46	5.4	2.7	1.8	20.1	0.9	3.8	1.8	333	42	341.2	73.2	39.7	5.7	0.0
Majskolv, ensilerad (257)	1	25	0.7	2.2	0.9	5.2	0.3	0.7	0.9	60	13	54.2	7.8	21.0	2.4	
Havre helsädesensilage degmognad (296)	1	32	4.0	3.0	1.7	20.2	1.3	4.0	1.9	341	24	219.8	103.9	28.8	4.7	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	46	6.2	2.8	1.9	18.6	0.5	4.1	1.8	267	42	317.0	75.2	35.8	6.7	0.0
Vete, helsäd ensilage (299)	1	68	3.5	2.6	1.5	17.9	0.5	3.5	1.8	279	60	173.5	64.4	28.8	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	71	5.7	2.6	1.7	17.2	0.7	3.5	1.6	279	64	223.6	61.2	39.5	5.7	0.0
Majs, helsädesensilage (305)	1	584	1.8	1.9	1.1	9.0	0.3	1.7	0.9	143	451	118.0	27.4	24.9	3.9	0.0
Råg, helsädesensilage, axgång (311)	1	15	3.4	2.7	1.2	21.9	0.4	1.6	1.5	438	15	101.8	35.1	25.1	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	17	3.9	1.8	1.5	15.1	0.6		1.4	185	17	96.8	84.9	23.0	4.8	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	92	3.5	2.0	1.4	15.3	0.4	2.6	1.3	195	72	97.2	84.4	23.8	4.1	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	22	5.8	2.5	1.9	19.0	0.8	4.0	1.9	267	19	173.8	112.4	24.5	5.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	9	10.7	3.1	3.1	27.4	1.0	5.3	2.2	471	7	105.3	61.0	24.7	10.3	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	28	7.3	3.0	2.0	25.8	0.9	4.2	1.9	461	18	150.9	49.9	27.6	6.4	0.0
Ensilage, blandvall (51-100% klöver) (438)	2	19	8.9	3.1	2.5	23.7	1.1	5.0	2.1	380	13	132.7	58.8	26.0	7.6	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	17	9.1	3.3	2.7	25.2	1.1	4.6	2.5	408	14	178.6	82.2	34.1	7.6	0.0
Grunnblanding Middels ford.grovför (326)	1	77	7.3	3.6	2.8	17.6	2.5	6.1	2.5	231	42	329.3	74.1	65.7	13.9	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	27	6.2	3.5	3.3	17.7	2.7	7.1	2.3	228	27	370.8	88.9	64.3	13.4	0.4

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	180	841.561	62.050	795.000	898.500
Aska	180	24.259	7.406	19.950	27.000
OS smbh	182	60.484	39.394	0.000	86.000
Råprot	180	120.103	31.714	98.550	135.300
sRåprot	54	295.370	108.906	212.000	348.000
NH3-N	33	8.333	9.027	6.000	9.000
NDF	93	176.785	40.231	134.000	226.000
iNDF	182	122.104	62.413	25.000	162.000
nhNDF	182	3.150	0.000	3.150	3.150
Stä	180	570.219	112.924	481.000	667.250
Socket	57	4.193	15.439	0.000	0.000
TAF	182	0.000	0.000	0.000	0.000
AAT20	182	95.784	2.086	93.393	99.042
PBV20	182	-23.960	31.747	-47.974	-10.916
NEL20	182	7.364	0.184	7.131	7.564
Ca	103	0.651	0.904	0.400	0.800
P	103	3.561	0.890	2.900	4.100
Mg	103	1.295	0.587	1.000	1.400
K	103	5.823	1.388	4.500	6.800
Na	101	0.200	0.655	0.100	0.200
S	103	1.373	0.543	1.100	1.500
CAB	103	37.941	28.920	5.519	64.886
Fe	103	75.301	77.807	41.000	105.000
Mn	103	19.320	9.969	12.000	25.000
Zn	103	33.913	9.329	25.000	43.000
Cu	103	5.650	2.683	3.400	8.000
Se	16	0.964	3.743	0.005	0.136

## Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	25	847.320	31.527	811.000	880.000
Aska	25	27.532	7.175	21.300	33.000
OS smbh	25	75.000	0.000	75.000	75.000
Råprot	25	121.688	66.334	95.800	127.000
iNDF	25	392.000	0.000	392.000	392.000
nhNDF	25	2.000	0.000	2.000	2.000
Stä	25	496.376	127.050	367.000	581.300
TAF	25	0.000	0.000	0.000	0.000
AAT20	25	82.960	2.509	80.577	87.062

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	25	3.498	63.494	-20.814	2.776
NEL20	25	6.399	0.271	6.059	6.648
Ca	14	0.957	0.658	0.600	1.000
P	14	4.450	2.570	3.400	4.300
Mg	14	1.600	1.044	1.100	1.500
K	14	5.500	0.882	4.500	6.800
Na	14	0.129	0.107	0.100	0.100
S	14	1.779	1.224	1.300	1.700
CAB	14	15.376	81.291	3.411	65.080
Fe	14	111.000	32.361	87.000	142.000
Mn	14	64.214	34.977	39.000	86.000
Zn	14	42.929	29.103	30.000	47.000
Cu	14	5.150	2.823	3.600	6.500

## Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	87	850.977	48.6528	797.000	900.000
Aska	88	19.138	5.0361	15.100	23.000
OS smbh	96	59.583	41.3640	0.000	88.000
Råprot	88	124.684	19.2642	101.000	157.000
sRåprot	31	326.710	54.4715	289.000	382.000
NH3-N	20	9.350	13.1720	5.000	10.000
NDF	48	121.075	21.4539	93.000	150.000
iNDF	96	134.688	76.1474	25.000	187.000
nhNDF	96	3.500	0.0000	3.500	3.500
Stä	87	628.087	68.2535	545.000	706.400
Socket	33	7.485	16.4528	0.000	41.000
TAF	96	0.000	0.0000	0.000	0.000
AAT20	96	114.094	2.3765	111.185	117.475
PBV20	96	-42.940	15.9663	-62.030	-17.796
NEL20	96	7.969	0.1247	7.828	8.115
Ca	54	0.483	0.4356	0.300	0.600
P	54	3.391	0.5488	2.900	3.800
Mg	54	1.331	1.1144	1.000	1.400
K	54	5.133	0.5569	4.500	5.700
Na	44	0.195	0.5886	0.100	0.100
S	54	1.380	0.3536	1.200	1.600
CAB	54	27.438	15.9575	9.143	44.661
Fe	54	53.889	44.1510	34.000	68.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Vete, kärna (005) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
Mn	54	36.944	23.9263	17.000	48.000
Zn	54	38.333	47.7707	25.000	43.000
Cu	54	6.665	13.5111	3.300	6.300
Se	11	0.022	0.0157	0.006	0.050

**Type=Rågvede (015) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	22	865.000	41.8819	831.000	925.000
Aska	22	18.423	2.1963	16.000	21.000
OS smbh	23	58.356	43.5749	0.000	89.479
Råprot	22	113.727	12.5342	97.000	130.200
NDF	10	115.600	25.1317	94.000	153.500
iNDF	23	130.652	78.8915	25.000	187.000
nhNDF	23	3.500	0.0000	3.500	3.500
Stä	22	641.473	60.2983	566.000	713.000
TAF	23	0.000	0.0000	0.000	0.000
AAT20	23	109.360	1.0651	108.146	110.489
PBV20	23	-46.903	12.4151	-63.067	-28.722
NEL20	23	7.848	0.1134	7.674	7.988
Ca	12	0.392	0.0900	0.300	0.500
P	12	3.233	0.2871	2.800	3.500
Mg	12	1.183	0.1528	0.900	1.300
K	12	5.417	0.4282	4.800	6.000
S	12	1.325	0.1055	1.200	1.500
CAB	12	40.351	10.8799	30.122	56.832
Fe	12	43.333	11.6098	32.000	50.000
Mn	12	36.750	14.4545	23.000	49.000
Zn	12	39.250	7.4116	30.000	52.000
Cu	12	5.317	0.3786	5.000	5.800

**Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	12	844.917	29.6570	815.000	880.000
Aska	12	22.950	3.2548	19.000	26.000
OS smbh	12	80.500	0.0000	80.500	80.500
Råprot	12	107.108	10.9901	93.200	118.400
iNDF	12	304.000	0.0000	304.000	304.000
nhNDF	12	2.500	0.0000	2.500	2.500
Stä	12	605.692	44.5809	541.000	655.500

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	90.319	2.6505	87.187	92.755
PBV20	12	-25.200	11.6285	-38.629	-12.520
NEL20	12	6.942	0.1697	6.733	7.178
Ca	10	0.610	0.1524	0.500	0.850
P	10	3.590	0.4533	2.900	4.050
Mg	10	1.260	0.1713	1.050	1.500
K	10	5.460	0.7230	4.550	6.600
Na	10	0.110	0.0316	0.100	0.150
S	10	1.280	0.1476	1.100	1.450
CAB	10	39.072	13.9381	25.623	63.419
Fe	10	86.800	23.9527	62.500	122.500
Mn	10	40.700	10.1768	28.500	55.500
Zn	10	31.900	6.1183	22.500	39.000
Cu	10	4.770	1.3174	2.900	6.450

## Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	27	851.519	25.6701	829.000	879.000
Aska	27	20.959	2.9281	17.500	26.000
OS smbh	28	87.000	0.0000	87.000	87.000
Råprot	27	121.256	12.9203	106.600	139.900
NH3-N	10	6.000	0.6667	5.000	7.000
NDF	18	192.389	28.5165	154.000	236.000
iNDF	28	173.000	0.0000	173.000	173.000
nhNDF	28	3.300	0.0000	3.300	3.300
Stä	27	636.163	47.7695	564.000	689.700
TAF	28	0.000	0.0000	0.000	0.000
AAT20	28	104.304	1.7965	101.173	106.251
PBV20	28	-32.624	11.2729	-46.655	-17.943
NEL20	28	7.551	0.1688	7.356	7.773
Ca	12	0.492	0.1379	0.400	0.600
P	12	3.417	0.3129	3.000	3.700
Mg	12	1.200	0.1044	1.100	1.300
K	12	5.750	0.8888	4.600	6.700
Na	12	0.100	0.0000	0.100	0.100
S	12	1.283	0.1267	1.100	1.400
CAB	12	43.029	19.6152	16.556	63.727
Fe	12	49.500	12.7671	36.000	56.000

\*= Parametrar från det gamla svenska fodervärderingssystemet



**Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
Mn	12	26.083	8.9591	13.000	38.000
Zn	12	33.083	4.3996	27.000	38.000
Cu	12	4.542	0.6762	3.700	5.400

**Type=Blandsäd, kärna, 50%havre/50%vete (115) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	13	840.385	17.5762	815.000	864.000
Aska	13	24.123	5.7465	18.000	32.000
OS smbh	13	81.600	0.0000	81.600	81.600
Råprot	13	129.492	32.0491	102.000	141.000
iNDF	13	324.000	0.0000	324.000	324.000
nhNDF	13	2.500	0.0000	2.500	2.500
Stä	13	571.877	77.8444	453.000	645.900
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	102.009	3.8952	99.907	105.388
PBV20	13	-18.591	27.9987	-42.998	-5.621
NEL20	13	7.251	0.2839	7.098	7.489
Ca	10	0.840	0.4300	0.450	1.550
P	10	3.710	0.4458	3.150	4.350
Mg	10	1.380	0.2741	1.200	1.800
K	10	6.080	1.9338	4.400	9.000
Na	10	0.180	0.2530	0.100	0.500
S	10	1.380	0.1874	1.150	1.650
CAB	10	54.540	39.9495	12.671	111.992
Fe	10	80.900	31.8484	47.500	129.000
Mn	10	41.700	13.1153	25.500	61.500
Zn	10	36.400	12.9803	28.000	57.000
Cu	10	5.910	2.1810	4.000	9.450

**Type=Åkerböna, kärna (007) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	18	864.000	55.3417	815.000	924.000
Aska	13	35.308	2.5944	32.000	38.000
OS smbh	20	84.511	19.8918	88.959	88.959
Råprot	18	295.000	12.6119	274.000	310.000
NH3-N	11	4.000	5.3292	2.000	3.000
iNDF	20	31.650	1.5652	32.000	32.000
nhNDF	20	4.700	0.0000	4.700	4.700
Stä	18	373.500	30.2076	341.000	406.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Åkerböna, kärna (007) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	101.218	1.8772	99.012	102.634
PBV20	20	143.085	9.9523	129.995	153.267
NEL20	20	7.857	0.1881	7.737	7.932
Ca	14	1.443	0.5996	1.100	1.700
P	14	5.379	0.6447	4.500	6.200
Mg	14	1.521	0.1188	1.400	1.700
K	14	13.207	0.9017	12.300	14.400
Na	14	0.193	0.1439	0.100	0.500
S	14	1.743	0.1989	1.500	1.900
CAB	14	209.066	21.7090	185.162	236.313
Fe	14	78.500	38.5562	53.000	126.000
Mn	14	18.286	3.1238	15.000	22.000
Zn	14	52.071	5.4837	45.000	60.000
Cu	14	18.771	3.1277	13.200	23.100

## Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	152	365.428	118.632	274.000	444.000
Aska	152	29.928	6.153	23.000	39.000
OS smbh	152	75.046	3.794	69.700	79.300
Råprot	152	71.862	8.017	63.000	83.000
sRåprot	152	363.230	56.773	310.000	425.000
NDF	152	387.026	46.404	333.000	447.000
iNDF	152	189.942	29.316	160.109	224.000
nhNDF	152	3.216	0.776	2.161	4.080
Stä	152	306.454	61.534	228.000	377.000
Socker	152	27.414	34.490	1.000	86.000
TAF	152	31.783	24.900	3.000	57.000
Mjölksyra	78	0.000	0.000	0.000	0.000
Ättiksyra	78	6.385	3.994	2.000	11.000
PRF	78	1.474	1.439	0.000	4.000
BUF	78	0.000	0.000	0.000	0.000
AAT20	152	88.862	3.138	84.645	92.540
PBV20	152	-67.295	7.919	-77.269	-57.757
NEL20	152	6.240	0.346	5.796	6.668
Ca	127	1.774	0.588	1.200	2.300
P	127	1.890	0.255	1.600	2.100
Mg	127	1.066	0.234	0.800	1.300

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Majs hela plantan, grönmassa (030) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
K	127	8.916	1.467	7.100	10.800
Na	115	0.234	0.156	0.100	0.400
Cl	74	1.681	0.514	1.100	2.300
S	127	0.882	0.179	0.700	1.000
CAB	127	140.140	37.002	94.515	186.011
Fe	83	113.783	187.745	58.000	147.000
Mn	83	30.602	16.186	12.000	50.000
Zn	83	24.771	9.546	17.000	33.000
Cu	83	4.406	4.598	2.400	5.200
Se	20	0.045	0.040	0.006	0.110

**Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0**

Variabel	Number	Mean	STD	P10	P90
TS	12	170.833	17.6111	161.000	197.000
Aska	12	90.167	10.8279	79.000	103.000
OS smbh	12	81.492	2.3294	78.100	83.900
Råprot	12	194.000	26.3163	173.000	232.000
NDF	12	424.167	54.1124	354.000	491.000
iNDF	12	82.740	23.1516	56.497	113.923
nhNDF	12	6.230	0.7075	5.370	7.154
Socket	12	105.333	36.4426	64.000	154.000
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	108.371	3.7052	104.491	113.115
PBV20	12	21.551	19.2965	1.653	47.277
NEL20	12	6.645	0.1968	6.428	6.922

**Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	14	198.500	29.2042	165.000	237.000
Aska	14	87.286	10.6658	76.000	99.000
OS smbh	14	84.693	2.1974	81.400	87.100
Råprot	14	194.500	32.1170	155.000	234.000
NDF	14	416.357	34.1233	373.000	459.000
iNDF	14	58.489	16.5442	46.404	88.549
nhNDF	14	9.695	3.7624	6.020	15.279
Socket	14	120.214	40.9299	70.000	199.000
TAF	14	0.000	0.0000	0.000	0.000
AAT20	14	112.225	4.9451	105.104	117.349

**Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
PBV20	14	15.531	22.7864	-14.904	47.333
NEL20	14	6.965	0.2886	6.503	7.229

**Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	87	465.299	217.436	221.000	816.000
Aska	87	64.609	17.560	44.000	86.000
OS smbh	87	66.545	5.907	57.500	74.300
Råprot	87	116.184	50.838	59.000	192.000
sRåprot	56	385.393	97.945	222.000	471.000
NDF	87	513.885	60.531	435.000	584.000
iNDF	87	250.501	85.224	159.000	344.000
nhNDF	87	3.335	0.969	2.332	4.461
Socket	87	109.828	48.393	54.000	179.000
TAF	87	27.092	26.147	1.000	61.000
Mjölksyra	56	0.000	0.000	0.000	0.000
Ättiksyra	56	2.161	4.151	0.000	9.000
PRF	56	3.357	3.787	0.000	8.000
BUF	56	2.804	3.397	0.000	8.000
AAT20	87	80.884	9.666	67.824	94.025
PBV20	87	-7.837	33.295	-44.186	42.713
NEL20	87	5.214	0.564	4.423	5.999
Ca	85	4.656	1.961	2.500	7.200
P	85	2.442	0.894	1.400	3.800
Mg	85	1.662	0.591	0.900	2.300
K	85	18.452	6.509	11.200	27.500
Na	84	0.531	0.590	0.100	1.100
Cl	56	4.605	3.591	1.700	9.200
S	85	1.882	0.760	1.000	3.100
CAB	85	243.915	164.059	72.726	420.396
Fe	60	156.967	115.823	54.500	353.000
Mn	60	235.250	412.938	32.500	573.500
Zn	60	31.233	15.409	15.000	54.000
Cu	60	5.187	1.909	3.000	7.000

**Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2**

Variabel	Number	Mean	STD	P10	P90
TS	11	599.727	165.470	391.000	793.000
Aska	11	69.455	11.978	57.000	79.000
OS smbh	11	70.000	4.277	64.300	74.600
Råprot	11	127.182	43.245	86.000	163.000
NDF	11	518.727	31.604	485.000	549.000
iNDF	11	197.607	54.897	159.973	255.000
nhNDF	11	3.863	0.535	3.107	4.490
Socket	11	103.182	37.148	64.000	137.000
TAF	11	45.182	27.140	2.000	61.000
AAT20	11	82.034	5.396	75.731	86.693
PBV20	11	0.037	34.479	-34.674	25.253
NEL20	11	5.571	0.455	5.027	6.014

**Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	137	471.599	175.878	273.000	736.000
Aska	137	66.380	12.422	50.000	81.000
OS smbh	137	70.977	4.786	64.700	76.200
Råprot	137	126.489	31.138	84.000	165.000
sRåprot	137	577.270	110.539	406.000	685.000
NH3-N	136	71.993	35.109	20.000	116.000
NDF	137	511.102	56.159	442.000	579.000
iNDF	137	187.156	49.267	131.175	251.000
nhNDF	137	3.970	0.724	3.157	4.838
Socket	137	70.263	41.942	17.000	134.000
TAF	137	55.580	29.766	18.500	93.700
Mjölksyra	137	40.358	23.568	12.000	72.000
Ättiksyra	137	12.182	7.542	3.000	22.000
PRF	48	2.979	1.550	1.000	5.000
BUF	137	1.347	3.363	0.000	2.700
AAT20	137	79.320	4.739	73.987	84.880
PBV20	137	3.684	26.861	-33.149	35.597
NEL20	137	5.767	0.494	4.984	6.323
Ca	125	5.082	1.976	2.900	7.400
P	125	2.534	0.650	1.700	3.400
Mg	125	1.710	0.379	1.200	2.100
K	125	21.918	5.886	15.200	29.800
Na	125	0.778	0.620	0.100	1.700
Cl	137	4.668	2.742	1.500	8.500

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
S	125	1.937	0.489	1.300	2.600
CAB	125	338.653	134.726	157.611	485.100
Fe	103	186.854	162.654	73.000	332.000
Mn	103	68.214	50.125	26.000	104.000
Zn	103	28.903	7.595	22.000	37.000
Cu	103	5.912	2.316	3.800	8.000
Se	36	0.022	0.015	0.008	0.050

## Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	71	431.549	157.745	251.000	687.000
Aska	71	79.028	12.214	64.000	92.000
OS smbh	72	73.078	4.208	69.500	77.100
Råprot	71	149.493	27.071	120.000	178.000
sRåprot	71	536.901	98.854	427.000	634.000
NH3-N	71	76.817	38.378	32.000	114.000
NDF	71	466.338	43.146	414.000	519.000
iNDF	72	175.119	39.994	132.913	229.930
nhNDF	72	4.044	0.629	3.271	4.732
Socket	71	53.606	31.926	16.000	97.000
TAF	72	62.260	31.283	19.500	100.100
Mjölksyra	71	46.268	25.382	11.000	73.000
Ättiksyra	71	12.577	6.620	4.000	20.000
PRF	17	2.412	2.476	0.000	6.000
BUF	71	2.052	5.705	0.000	3.400
AAT20	72	81.672	5.019	75.926	88.919
PBV20	72	20.801	23.016	-9.285	52.723
NEL20	72	5.942	0.425	5.458	6.419
Ca	65	6.528	1.840	4.800	8.800
P	65	2.949	0.652	2.300	3.700
Mg	65	2.312	0.513	1.800	2.900
K	65	22.929	5.060	15.800	28.900
Na	65	1.125	0.883	0.100	2.200
Cl	70	6.277	3.279	2.050	10.500
S	65	2.452	0.508	1.800	3.000
CAB	65	308.445	117.509	127.493	460.612
Fe	57	194.228	122.453	86.000	395.000
Mn	57	97.737	49.350	40.000	167.000
Zn	57	30.211	6.646	23.000	39.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2**

Variabel	Number	Mean	STD	P10	P90
Cu	57	7.118	1.459	5.600	9.100
Se	14	0.038	0.040	0.010	0.091

**Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3**

Variabel	Number	Mean	STD	P10	P90
TS	38	430.789	152.280	281.000	668.000
Aska	38	84.842	21.319	61.000	99.000
OS smbh	38	74.763	3.302	70.600	78.800
Råprot	38	151.211	28.444	112.000	190.000
sRåprot	38	534.263	104.348	377.000	635.000
NH3-N	38	73.079	29.573	21.000	112.000
NDF	38	434.816	47.342	375.000	488.000
iNDF	38	166.315	35.408	121.447	205.000
nhNDF	38	4.141	0.565	3.492	4.922
Socker	38	61.553	37.865	18.000	126.000
TAF	38	63.392	31.535	14.000	105.100
Mjölksyra	38	50.079	27.144	9.000	86.000
Ättiksyra	38	11.553	5.356	3.000	18.000
BUF	38	0.761	1.342	0.000	3.500
AAT20	38	82.573	5.033	77.706	89.305
PBV20	38	20.822	25.944	-19.946	54.677
NEL20	38	6.023	0.364	5.522	6.554
Ca	35	6.609	1.616	4.600	8.200
P	35	2.957	0.405	2.400	3.400
Mg	35	2.503	0.592	1.700	3.400
K	35	23.614	5.751	14.900	31.700
Na	35	1.109	0.881	0.300	2.900
Cl	36	6.475	2.815	3.000	9.800
S	35	2.451	0.453	2.000	2.900
CAB	35	324.202	118.364	125.444	488.629
Fe	33	302.939	385.521	94.000	565.000
Mn	33	95.485	45.156	54.000	160.000
Zn	33	28.121	6.066	22.000	36.000
Cu	33	6.942	1.500	5.000	9.200

## Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	11	370.182	111.092	273.000	526.000
Aska	11	94.182	17.730	74.000	113.000
OS smbh	11	74.200	2.462	71.100	76.500
Råprot	11	156.727	17.240	137.000	172.000
sRåprot	11	543.909	64.888	482.000	610.000
NH3-N	11	90.636	34.448	67.000	130.000
NDF	11	437.818	30.265	398.000	470.000
iNDF	11	172.602	28.526	141.946	212.328
nhNDF	11	4.120	0.497	3.423	4.670
Socket	11	48.182	34.773	10.000	86.000
TAF	11	71.936	31.544	37.300	107.400
Mjölksyra	11	51.818	26.529	24.000	74.000
Ättiksyra	11	15.545	8.858	9.000	21.000
BUF	11	3.300	7.576	0.100	6.600
AAT20	11	80.880	4.155	76.600	86.357
PBV20	11	28.569	14.476	12.524	44.313
NEL20	11	5.988	0.242	5.757	6.299
Ca	10	6.650	1.870	4.800	9.200
P	10	3.170	0.395	2.650	3.700
Mg	10	2.800	0.450	2.200	3.350
K	10	25.320	2.242	22.700	28.900
Na	10	1.900	1.244	0.600	3.750
Cl	10	10.670	5.401	4.850	18.350
S	10	2.440	0.327	2.100	2.900
CAB	10	328.383	67.879	256.843	423.045
Fe	10	287.200	239.747	133.500	658.500
Mn	10	81.500	35.728	51.500	139.500
Zn	10	25.800	3.645	21.000	31.000
Cu	10	7.370	1.386	5.450	9.000

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	38	456.026	191.318	219.000	800.000
Aska	37	78.757	12.595	64.000	94.000
OS smbh	38	71.237	6.241	63.700	80.400
Råprot	37	137.784	32.633	97.000	188.000
NDF	37	500.649	51.825	436.000	565.000
iNDF	38	185.190	57.517	97.819	284.692
nhNDF	38	4.149	1.011	2.517	5.737

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Socket	37	88.000	41.108	35.000	150.000
TAF	38	84.000	0.000	84.000	84.000
AAT20	38	79.576	7.393	70.847	89.693
PBV20	38	16.131	21.234	-10.073	47.868
NEL20	38	5.793	0.607	5.044	6.561
Ca	33	6.085	1.951	3.200	8.500
P	33	2.709	0.602	2.000	3.400
Mg	33	2.167	0.641	1.400	3.200
K	33	20.603	6.012	13.200	27.500
Na	33	1.561	1.556	0.200	3.300
S	33	2.142	0.692	1.400	3.000
CAB	33	328.488	141.106	121.937	485.540
Fe	33	166.939	134.103	78.000	342.000
Mn	33	91.697	55.445	41.000	150.000
Zn	33	29.879	10.455	20.000	42.000
Cu	33	6.255	1.882	4.000	7.500

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	531	423.377	145.540	258.000	605.000
Aska	530	71.745	13.045	53.000	88.000
OS smbh	531	72.052	4.958	66.100	78.500
Råprot	530	135.955	30.418	95.000	176.000
sRåprot	173	427.699	85.735	328.000	544.000
NDF	530	511.317	57.496	436.000	583.500
iNDF	531	174.497	51.758	113.000	238.000
nhNDF	531	4.278	0.872	3.298	5.422
Socket	530	95.064	46.533	32.000	158.500
TAF	531	59.412	35.767	3.000	84.000
Mjölksyra	173	0.000	0.000	0.000	0.000
Ättiksyra	173	6.595	7.842	0.000	19.000
PRF	173	1.387	2.067	0.000	4.000
BUF	173	0.549	1.305	0.000	2.000
AAT20	531	83.632	6.607	75.509	91.928
PBV20	531	7.801	22.731	-21.881	37.833
NEL20	531	5.856	0.477	5.253	6.451
Ca	490	5.087	1.733	3.200	7.100
P	490	2.690	0.575	1.950	3.400
Mg	490	1.798	0.426	1.300	2.300

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	490	23.122	6.202	14.800	31.000
Na	485	0.807	0.729	0.100	1.500
Cl	160	4.083	3.007	0.950	8.050
S	490	1.980	0.481	1.400	2.500
CAB	490	375.903	147.344	169.764	557.527
Fe	389	155.429	126.105	69.000	266.000
Mn	389	73.668	65.477	35.000	106.000
Zn	389	30.429	11.122	22.000	39.000
Cu	389	5.784	1.542	4.000	7.600
Se	105	0.021	0.024	0.007	0.040

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	278	483.144	160.763	286.000	724.000
Aska	278	82.698	12.127	65.000	99.000
OS smbh	278	72.361	4.365	66.400	77.500
Råprot	278	142.129	29.059	105.000	180.000
sRåprot	54	426.241	85.056	343.000	578.000
NDF	278	494.493	44.227	440.000	556.000
iNDF	278	176.049	45.911	118.000	233.000
nhNDF	278	4.276	0.752	3.406	5.199
Socket	278	86.464	41.329	29.000	144.000
TAF	278	69.424	30.090	5.000	84.000
Mjölksyra	54	0.000	0.000	0.000	0.000
Ättiksyra	54	7.463	9.428	0.000	19.000
PRF	54	1.185	1.844	0.000	4.000
BUF	54	0.315	0.907	0.000	1.000
AAT20	278	82.284	6.610	74.504	90.928
PBV20	278	15.611	22.945	-15.721	44.763
NEL20	278	5.859	0.412	5.358	6.363
Ca	259	6.409	1.881	4.200	8.800
P	259	3.008	0.506	2.400	3.700
Mg	259	2.245	0.494	1.600	2.900
K	259	24.070	5.434	16.900	30.900
Na	259	0.943	0.987	0.200	1.900
Cl	51	5.329	4.883	1.300	9.700
S	259	2.300	0.471	1.600	2.900
CAB	259	376.959	135.404	191.663	528.347
Fe	229	146.546	116.315	70.000	245.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mn	229	80.598	41.779	42.000	121.000
Zn	229	29.603	11.247	20.000	38.000
Cu	229	6.957	2.040	5.000	9.000
Se	63	0.023	0.023	0.008	0.040

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	188	438.043	149.386	268.000	660.000
Aska	187	93.471	15.147	76.000	111.000
OS smbh	188	74.001	3.573	69.500	78.500
Råprot	187	156.947	24.421	126.000	186.000
sRåprot	33	403.788	99.922	306.000	541.000
NDF	187	460.283	38.338	410.000	503.000
iNDF	188	168.233	50.802	106.286	225.692
nhNDF	188	4.392	0.825	3.365	5.537
Socket	187	74.658	36.132	25.000	120.000
TAF	188	70.830	28.970	7.000	84.000
Mjölksyra	33	0.000	0.000	0.000	0.000
Ättiksyra	33	7.424	9.083	0.000	17.000
PRF	33	1.242	1.803	0.000	3.000
BUF	33	0.303	0.918	0.000	1.000
AAT20	188	83.595	6.216	76.711	93.187
PBV20	188	27.205	20.642	2.695	50.384
NEL20	188	5.978	0.351	5.545	6.437
Ca	166	7.766	2.348	5.100	11.000
P	166	3.183	0.541	2.500	3.800
Mg	166	2.567	0.511	2.000	3.300
K	166	25.842	5.885	18.500	33.100
Na	166	1.117	0.857	0.300	2.300
Cl	32	5.056	2.658	1.900	9.100
S	166	2.480	0.488	1.900	3.200
CAB	166	420.174	142.023	249.159	602.948
Fe	147	195.735	198.591	86.000	410.000
Mn	147	86.925	42.635	46.000	147.000
Zn	147	28.068	5.880	21.000	36.000
Cu	147	7.439	1.550	5.800	9.100
Se	36	0.028	0.025	0.010	0.065

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	67	405.313	142.855	271.000	630.000
Aska	67	95.627	15.484	74.000	112.000
OS smbh	67	75.143	3.639	70.400	80.300
Råprot	67	163.149	26.603	127.000	190.000
sRåprot	15	401.133	81.787	296.000	487.000
NDF	67	441.448	40.559	387.000	502.000
iNDF	67	160.027	45.794	97.654	218.812
nhNDF	67	4.482	0.846	3.521	5.628
Socket	67	83.537	32.542	37.000	124.000
TAF	67	66.418	33.102	3.000	84.000
Mjölksyra	15	0.000	0.000	0.000	0.000
Ättiksyra	15	4.800	6.014	0.000	16.000
PRF	15	0.467	0.834	0.000	1.000
BUF	15	0.200	0.561	0.000	1.000
AAT20	67	85.220	6.356	78.264	93.930
PBV20	67	30.419	21.881	4.233	58.805
NEL20	67	6.052	0.371	5.704	6.529
Ca	62	8.029	2.781	5.700	11.400
P	62	3.184	0.484	2.600	3.800
Mg	62	2.640	0.497	2.100	3.100
K	62	24.774	6.843	16.400	33.800
Na	62	1.727	1.055	0.700	2.400
Cl	15	4.513	2.803	1.300	9.300
S	62	2.652	0.506	2.100	3.300
CAB	62	411.868	158.718	197.929	605.889
Fe	54	209.130	221.148	100.000	313.000
Mn	54	91.593	43.910	45.000	154.000
Zn	54	27.852	5.761	20.000	35.000
Cu	54	7.617	1.491	6.000	9.600
Se	17	0.037	0.034	0.011	0.100

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	237	409.242	140.348	272.000	634.000
Aska	229	77.773	20.706	56.000	96.000
OS smbh	241	72.311	4.589	67.100	77.200
Råprot	233	138.127	30.557	100.000	176.000
sRåprot	228	578.646	102.038	437.000	699.000
NH3-N	230	89.591	36.138	43.005	125.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
NDF	231	478.476	58.766	403.000	551.000
iNDF	241	183.952	42.820	137.622	234.783
nhNDF	241	4.050	0.734	3.165	4.862
Socket	230	53.001	35.996	13.000	109.500
TAF	241	64.702	28.199	25.500	100.100
Mjölksyra	230	48.528	24.178	15.500	81.000
Ättiksyra	230	12.008	6.186	5.000	19.000
BUF	227	2.496	5.546	0.100	4.100
AAT20	241	80.454	5.544	74.090	87.141
PBV20	241	15.109	25.398	-16.599	47.201
NEL20	241	5.873	0.461	5.306	6.341
Ca	210	6.294	2.439	3.500	9.250
P	210	2.738	0.570	2.000	3.400
Mg	210	2.170	0.635	1.500	3.018
K	210	23.199	5.687	15.250	29.600
Na	210	0.840	0.960	0.100	1.750
Cl	225	5.642	3.513	2.000	9.700
S	210	2.010	0.521	1.400	2.700
CAB	210	347.044	126.153	184.151	501.877
Fe	210	262.958	398.640	75.000	439.000
Mn	210	81.482	53.958	40.000	126.000
Zn	210	30.614	14.601	20.000	39.000
Cu	210	6.831	2.592	4.350	9.450
Se	45	0.036	0.104	0.007	0.043

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	2563	399.026	124.208	273.000	573.000
Aska	2557	68.971	12.155	54.000	83.000
OS smbh	2577	72.622	3.867	67.700	77.100
Råprot	2557	134.502	26.165	99.000	167.000
sRåprot	2557	614.157	82.513	509.000	705.000
NH3-N	2546	84.802	32.738	46.000	125.000
NDF	2557	495.467	46.210	436.000	554.000
iNDF	2577	175.330	41.057	130.000	225.473
nhNDF	2577	4.174	0.617	3.421	4.956
Socket	2557	56.386	38.847	14.000	112.000
TAF	2577	67.651	27.860	28.000	103.000
Mjölksyra	2557	50.249	23.244	18.000	80.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	2557	13.877	6.823	6.000	22.000
PRF	720	3.549	2.407	1.000	6.000
BUF	2557	1.719	3.271	0.000	3.900
AAT20	2577	80.281	4.109	75.360	85.399
PBV20	2577	11.787	22.035	-17.907	38.326
NEL20	2577	5.971	0.405	5.428	6.420
Ca	2438	5.409	1.653	3.700	7.600
P	2438	2.586	0.575	1.900	3.300
Mg	2438	1.805	0.375	1.400	2.200
K	2438	22.524	5.419	15.500	29.300
Na	2438	0.859	0.677	0.100	1.800
Cl	2514	4.376	2.557	1.500	7.600
S	2438	1.923	0.449	1.400	2.500
CAB	2438	370.451	131.043	196.164	533.262
Fe	2132	186.766	174.181	76.000	336.000
Mn	2132	66.219	31.110	34.000	98.000
Zn	2132	30.023	17.205	21.000	38.000
Cu	2132	5.998	1.877	4.200	8.000
Se	372	0.026	0.044	0.007	0.050

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2**

Variabel	Number	Mean	STD	P10	P90
TS	1702	413.666	135.970	266.000	627.000
Aska	1700	78.596	12.774	65.000	92.000
OS smbh	1709	72.660	3.493	68.200	76.900
Råprot	1700	143.500	26.093	112.000	177.000
sRåprot	1699	539.572	85.784	426.000	641.000
NH3-N	1695	79.783	32.181	42.000	119.000
NDF	1700	462.626	41.315	411.000	514.000
iNDF	1709	187.705	39.881	139.817	237.363
nhNDF	1709	3.962	0.573	3.245	4.674
Socket	1700	54.951	36.508	13.000	108.000
TAF	1709	66.252	29.350	25.000	104.000
Mjölksyra	1699	49.354	23.592	17.000	79.000
Ättiksyra	1699	13.633	7.682	5.000	22.000
PRF	439	3.850	2.732	1.000	7.000
BUF	1699	1.454	2.836	0.000	3.400
AAT20	1709	81.282	4.411	75.884	86.813
PBV20	1709	18.475	23.546	-10.935	48.766

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NEL20	1709	5.915	0.378	5.459	6.375
Ca	1616	7.068	2.173	4.800	9.900
P	1616	2.871	0.493	2.300	3.500
Mg	1616	2.289	0.455	1.800	2.800
K	1616	22.972	4.795	16.800	28.700
Na	1615	0.982	0.777	0.200	2.000
Cl	1687	5.093	2.856	1.700	8.700
S	1616	2.263	0.479	1.700	2.900
CAB	1616	345.835	116.133	195.726	486.343
Fe	1430	223.969	588.014	84.000	367.500
Mn	1430	81.999	40.304	44.000	121.500
Zn	1430	30.803	19.232	21.000	38.000
Cu	1430	7.227	1.675	5.200	9.300
Se	224	0.030	0.034	0.009	0.055

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	1015	410.369	124.853	268.000	596.000
Aska	1012	85.237	13.793	69.000	101.000
OS smbh	1017	73.732	3.103	69.900	77.300
Råprot	1012	151.573	22.426	123.000	179.000
sRåprot	1010	534.550	77.933	433.000	623.000
NH3-N	1008	80.064	32.644	42.000	119.000
NDF	1012	439.407	38.758	391.000	488.000
iNDF	1017	182.981	42.565	134.000	234.299
nhNDF	1017	4.011	0.584	3.270	4.723
Socket	1012	55.652	35.728	15.000	106.000
TAF	1017	68.347	30.180	25.000	105.000
Mjölksyra	1010	51.034	24.740	16.000	82.500
Ättiksyra	1010	13.972	7.366	6.000	23.000
PRF	320	3.184	2.338	0.000	6.000
BUF	1010	1.575	3.440	0.000	3.500
AAT20	1017	82.081	4.880	76.275	88.349
PBV20	1017	24.608	20.685	-3.629	51.226
NEL20	1017	5.986	0.329	5.579	6.366
Ca	958	7.555	2.295	5.200	10.700
P	958	3.047	0.499	2.500	3.600
Mg	958	2.511	0.477	2.000	3.100
K	958	24.530	5.145	17.800	31.100

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3**

Variabel	Number	Mean	STD	P10	P90
Na	958	1.192	0.998	0.300	2.100
Cl	1005	5.561	2.924	2.100	9.400
S	958	2.482	0.495	1.900	3.100
CAB	958	368.105	121.398	210.562	514.578
Fe	831	230.516	232.715	90.000	390.000
Mn	831	90.110	38.993	48.000	139.000
Zn	831	29.812	23.883	22.000	37.000
Cu	831	7.650	2.123	5.800	9.800
Se	126	0.035	0.033	0.012	0.070

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4**

Variabel	Number	Mean	STD	P10	P90
TS	250	373.008	99.218	263.000	493.500
Aska	250	90.096	16.261	74.000	104.000
OS smbh	250	74.980	3.034	71.350	78.300
Råprot	250	160.232	23.081	132.000	188.000
sRåprot	250	567.072	63.524	481.500	632.500
NH3-N	249	78.100	27.669	47.000	111.000
NDF	250	416.976	35.508	372.500	461.000
iNDF	250	177.022	44.112	130.473	231.528
nhNDF	250	4.148	0.553	3.518	4.743
Socker	250	52.368	34.709	17.000	97.000
TAF	250	81.134	30.890	35.750	119.000
Mjölksyra	250	62.456	25.786	24.500	94.500
Ättiksyra	250	15.860	7.698	8.000	22.000
PRF	108	2.981	2.499	0.000	6.000
BUF	250	0.962	1.689	0.000	2.800
AAT20	250	81.399	4.611	75.732	87.125
PBV20	250	33.700	22.049	8.614	62.136
NEL20	250	6.118	0.309	5.777	6.434
Ca	242	7.410	1.824	5.600	9.900
P	242	3.245	0.468	2.600	3.800
Mg	242	2.562	0.369	2.100	3.000
K	242	24.442	4.417	19.200	30.100
Na	242	1.643	0.776	0.700	2.600
Cl	249	6.386	3.016	2.800	10.600
S	242	2.710	0.491	2.100	3.300
CAB	242	349.866	105.421	224.340	465.203
Fe	188	335.500	424.979	116.000	644.000

\*= Parametrar från det gamla svenska fodervärderingssystemet



**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4**

Variabel	Number	Mean	STD	P10	P90
Mn	188	101.888	34.702	61.000	144.000
Zn	188	34.952	53.485	21.000	40.000
Cu	188	7.722	2.733	6.000	9.200
Se	27	0.044	0.023	0.016	0.080

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=5**

Variabel	Number	Mean	STD	P10	P90
TS	16	398.500	123.167	265.000	577.000
Aska	16	91.000	10.073	79.000	103.000
OS smbh	16	75.275	2.610	71.400	77.800
Råprot	16	172.563	18.583	157.000	189.000
sRåprot	16	548.188	68.866	405.000	595.000
NH3-N	16	63.000	18.203	30.000	84.000
NDF	16	415.563	30.195	383.000	457.000
iNDF	16	177.290	54.374	118.000	235.000
nhNDF	16	4.227	0.463	3.644	4.445
Socket	16	47.375	29.667	20.000	87.000
TAF	16	78.913	36.410	24.000	126.100
Mjölksyra	16	62.313	32.749	15.000	105.000
Ättiksyra	16	14.000	5.099	6.000	20.000
PRF	11	2.909	1.700	1.000	5.000
BUF	16	0.288	0.515	0.000	1.400
AAT20	16	83.140	5.872	75.428	93.029
PBV20	16	42.457	16.119	28.165	69.328
NEL20	16	6.188	0.210	5.846	6.428
Ca	16	7.106	1.834	5.000	10.300
P	16	3.438	0.538	2.900	4.100
Mg	16	2.519	0.290	2.200	2.900
K	16	25.275	4.092	20.400	31.400
Na	16	1.938	0.866	0.700	2.800
Cl	16	6.900	3.398	2.800	11.700
S	16	2.725	0.542	2.100	3.500
CAB	16	365.980	77.874	231.816	458.045
Fe	11	323.455	316.778	121.000	564.000
Mn	11	72.727	31.730	26.000	109.000
Zn	11	99.455	220.470	27.000	45.000
Cu	11	7.455	0.950	6.300	9.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	123	428.089	117.461	289.000	580.000
Aska	123	58.463	16.204	41.000	76.000
OS smbh	124	66.943	3.784	62.200	70.900
Råprot	123	106.520	24.161	81.000	129.000
sRåprot	123	602.642	101.056	464.000	731.000
NH3-N	123	98.650	38.943	55.000	143.000
NDF	123	451.602	54.573	379.000	515.000
iNDF	124	270.723	45.784	222.608	324.000
nhNDF	124	2.632	0.702	1.874	3.441
Stä	122	124.164	77.288	26.000	222.000
Socket	123	51.829	36.200	17.000	98.000
TAF	124	56.109	29.897	16.700	90.000
Mjölksyra	123	39.488	23.756	10.000	69.000
Ättiksyra	123	13.667	8.230	4.000	22.000
PRF	49	3.224	2.695	0.000	8.000
BUF	49	1.306	1.140	0.000	3.000
AAT20	124	69.795	4.699	63.576	75.092
PBV20	124	-6.567	20.701	-31.174	17.345
NEL20	124	5.390	0.359	4.960	5.885
Ca	110	4.113	1.939	2.300	6.250
P	110	2.704	0.531	2.100	3.450
Mg	110	1.600	0.445	1.100	2.300
K	110	16.788	6.136	10.900	23.950
Na	110	0.897	0.589	0.200	1.600
Cl	115	3.671	2.920	1.000	6.000
S	110	1.805	0.608	1.300	2.300
CAB	110	256.125	131.708	122.022	403.923
Fe	84	220.214	226.003	63.000	490.000
Mn	84	65.583	60.554	22.000	116.000
Zn	84	29.952	9.658	20.000	44.000
Cu	84	5.373	1.422	3.800	7.300

## Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	30	391.567	179.315	264.500	458.000
Aska	30	72.333	19.117	49.500	96.000
OS smbh	30	65.510	3.423	62.200	70.300
Råprot	30	130.433	26.551	93.500	166.000
sRåprot	30	636.300	67.644	522.000	716.500

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	30	108.500	36.107	52.500	153.000
NDF	30	477.233	39.584	421.500	524.000
iNDF	30	267.638	35.195	219.298	315.866
nhNDF	30	2.716	0.498	2.019	3.432
Stä	30	50.867	46.749	17.000	128.000
Socket	30	29.867	19.116	10.500	54.000
TAF	30	75.767	16.929	58.500	97.500
Mjölksyra	30	55.967	14.540	37.500	74.000
Ättiksyra	30	17.800	5.786	9.500	24.500
AAT20	30	67.848	4.453	61.353	73.185
PBV20	30	22.190	21.827	-6.564	51.811
NEL20	30	5.349	0.297	5.070	5.752
Ca	22	6.023	1.861	4.500	7.900
P	22	2.959	0.604	1.800	3.500
Mg	22	1.914	0.278	1.500	2.200
K	22	20.650	7.479	12.300	30.200
Na	22	1.050	1.020	0.400	2.800
Cl	30	4.867	2.391	1.500	7.750
S	22	1.927	0.441	1.500	2.700
CAB	22	324.393	132.195	183.502	481.380
Fe	22	236.727	243.437	96.000	395.000
Mn	22	86.182	42.640	38.000	126.000
Zn	22	36.636	10.126	25.000	51.000
Cu	22	6.273	1.686	4.100	8.500

## Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	359.462	51.301	276.000	417.000
Aska	13	62.462	12.286	47.000	84.000
OS smbh	13	62.877	4.331	55.700	67.600
Råprot	13	122.231	22.950	94.000	145.000
sRåprot	13	523.000	111.824	422.000	669.000
NH3-N	12	77.500	56.640	25.000	120.000
NDF	13	450.846	55.484	351.000	510.000
iNDF	13	328.527	42.194	286.937	397.739
nhNDF	13	2.114	0.503	1.310	2.622
Stä	12	109.333	45.781	57.000	162.000
Socket	13	37.385	19.151	14.000	59.000
TAF	13	67.623	30.115	31.900	94.900

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	13	50.231	27.971	19.000	77.000
Ättiksyra	13	15.615	9.224	9.000	30.000
AAT20	13	67.571	4.374	63.490	72.441
PBV20	13	15.316	21.280	-12.287	45.441
NEL20	13	5.133	0.400	4.492	5.624
Ca	11	5.000	1.202	3.600	6.500
P	11	2.718	0.623	2.300	3.100
Mg	11	1.827	0.541	1.400	2.400
K	11	16.536	3.592	12.500	20.000
Na	11	0.918	0.506	0.500	1.500
Cl	13	2.292	1.257	0.700	4.000
S	11	1.491	0.423	1.200	1.800
CAB	11	306.924	67.365	238.155	410.505
Fe	10	150.500	105.690	88.500	305.000
Mn	10	84.000	23.152	50.500	112.500
Zn	10	34.800	9.864	23.000	49.500
Cu	10	7.470	3.299	3.750	12.500

## Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	53	367.472	98.441	262.000	475.000
Aska	53	72.094	16.524	54.000	93.000
OS smbh	53	66.626	4.100	61.800	71.700
Råprot	53	120.528	20.237	101.000	142.000
sRåprot	53	606.736	94.290	471.000	720.000
NH3-N	53	98.189	37.030	50.000	149.000
NDF	53	458.981	44.142	408.000	509.000
iNDF	53	394.502	89.069	273.542	509.139
nhNDF	53	5.986	2.034	2.911	8.499
Stä	53	73.943	44.883	18.000	135.000
Socker	53	38.774	29.465	15.000	77.000
TAF	53	70.755	24.576	42.500	100.000
Mjölksyra	53	51.962	19.930	24.000	73.000
Ättiksyra	53	16.962	6.765	9.000	26.000
PRF	15	3.800	2.981	1.000	7.000
BUF	15	1.400	1.502	0.000	4.000
AAT20	53	69.532	5.607	64.307	75.054
PBV20	53	10.223	18.589	-9.724	35.743
NEL20	53	5.455	0.359	5.021	5.873

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	46	5.359	1.487	3.800	7.500
P	46	2.726	0.555	2.000	3.400
Mg	46	1.754	0.385	1.300	2.300
K	46	20.100	5.334	14.800	25.900
Na	46	0.909	0.668	0.200	1.600
Cl	51	3.839	2.359	1.700	7.600
S	46	1.807	0.500	1.300	2.300
CAB	46	333.258	102.162	218.408	445.959
Fe	42	341.238	310.867	114.000	784.000
Mn	42	73.214	29.358	45.000	119.000
Zn	42	39.738	52.904	24.000	42.000
Cu	42	5.707	1.035	4.500	6.900
Se	18	0.023	0.021	0.006	0.050

## Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	26	527.115	66.9844	428.000	587.000
Aska	26	15.077	2.7411	12.000	19.000
OS smbh	26	79.931	3.5335	76.100	84.600
Råprot	26	75.115	6.1795	68.000	85.000
sRåprot	26	403.692	90.2582	312.000	505.000
NH3-N	20	33.200	16.5485	7.000	51.000
NDF	26	241.462	59.1731	195.000	337.000
iNDF	26	223.768	37.8782	177.784	258.000
nhNDF	26	2.570	0.9050	1.535	3.481
Stä	26	515.231	65.3999	441.000	572.000
Socket	26	2.000	4.8826	0.000	11.000
TAF	26	40.515	9.5468	27.000	50.000
Mjölksyra	22	37.500	9.0172	26.000	46.000
Ättiksyra	22	3.136	2.4161	0.000	6.000
PRF	22	0.318	0.4767	0.000	1.000
BUF	22	0.000	0.0000	0.000	0.000
AAT20	26	93.083	2.7887	90.319	95.386
PBV20	26	-71.652	6.8432	-78.295	-64.179
NEL20	26	6.963	0.3609	6.451	7.448
Ca	25	0.660	0.5074	0.200	1.400
P	25	2.228	0.3518	1.900	2.600
Mg	25	0.896	0.2371	0.500	1.200
K	25	5.244	1.1969	3.800	6.600

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Na	24	0.342	0.1412	0.200	0.500
S	25	0.916	0.1106	0.800	1.000
CAB	25	60.438	31.8058	28.379	101.525
Fe	13	54.154	12.9862	38.000	69.000
Mn	13	7.846	1.9513	6.000	11.000
Zn	13	21.000	5.6421	16.000	30.000
Cu	13	2.408	0.7262	2.000	3.000

## Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	38	368.026	102.255	235.000	525.000
Aska	38	66.316	18.297	47.000	88.000
OS smbh	38	65.100	4.768	58.800	71.300
Råprot	38	109.000	26.303	75.000	142.000
sRåprot	38	605.053	110.202	439.000	737.000
NH3-N	38	96.000	36.177	50.000	151.000
NDF	38	489.737	54.823	410.000	564.000
iNDF	38	274.904	53.764	191.505	340.000
nhNDF	38	2.826	0.711	1.993	3.885
Stä	37	76.459	67.186	17.000	202.000
Socker	38	34.579	22.946	11.000	62.000
TAF	38	67.895	28.457	27.000	106.000
Mjölksyra	38	48.316	21.385	17.000	77.000
Ättiksyra	38	17.237	10.197	5.000	31.000
PRF	11	5.545	2.911	2.000	8.000
BUF	11	2.545	2.734	0.000	6.000
AAT20	38	71.097	5.066	65.507	78.388
PBV20	38	-4.944	23.960	-34.297	24.032
NEL20	38	5.336	0.410	4.841	5.825
Ca	32	4.019	1.691	2.300	5.700
P	32	2.950	0.588	2.200	3.700
Mg	32	1.681	0.443	1.100	2.300
K	32	20.163	7.367	12.600	32.500
Na	32	1.253	1.312	0.300	3.200
Cl	37	4.032	2.490	0.800	7.800
S	32	1.850	0.657	1.300	2.500
CAB	32	341.469	148.028	190.664	545.794
Fe	24	219.792	276.277	75.000	423.000
Mn	24	103.917	77.470	34.000	221.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	24	28.750	9.176	18.000	43.000
Cu	24	4.729	1.426	3.700	7.000

## Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	52	383.442	112.854	263.000	508.000
Aska	49	73.551	17.550	53.000	96.000
OS smbh	52	65.875	3.284	62.500	71.000
Råprot	49	125.490	22.621	101.000	164.000
sRåprot	49	632.633	91.986	498.000	740.000
NH3-N	49	112.592	39.753	63.000	177.000
NDF	49	463.020	41.471	415.000	507.000
iNDF	52	281.908	38.857	254.412	329.000
nhNDF	52	2.684	0.533	2.130	3.124
Stä	48	70.125	49.843	17.000	131.000
Socket	49	37.143	22.647	14.000	66.000
TAF	52	67.949	25.554	38.000	98.000
Mjölksyra	49	49.143	21.638	22.000	77.000
Ättiksyra	49	17.551	8.211	8.000	30.000
PRF	10	1.900	1.197	0.000	3.500
BUF	10	0.500	0.850	0.000	2.000
AAT20	52	66.574	3.822	61.157	71.367
PBV20	52	18.805	21.313	-2.717	50.667
NEL20	52	5.316	0.337	4.992	5.779
Ca	46	6.224	2.351	3.600	9.200
P	46	2.750	0.485	2.200	3.400
Mg	46	1.865	0.431	1.300	2.400
K	46	18.561	4.558	13.700	25.800
Na	46	0.461	0.413	0.100	1.100
Cl	49	4.076	2.487	1.100	7.400
S	46	1.824	0.356	1.400	2.300
CAB	46	267.274	94.385	171.344	409.214
Fe	42	317.024	337.251	91.000	615.000
Mn	42	75.190	33.901	33.000	128.000
Zn	42	35.833	9.394	26.000	48.000
Cu	42	6.731	1.440	5.000	8.600

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	82	442.390	143.868	323.000	602.000
Aska	81	60.272	14.355	44.000	79.000
OS smbh	82	67.490	3.806	62.700	71.100
Råprot	81	107.840	26.746	77.000	137.000
sRåprot	81	620.593	120.958	442.000	764.000
NH3-N	81	94.420	41.225	51.000	138.000
NDF	81	457.025	61.223	397.000	520.000
iNDF	82	265.411	54.035	203.910	327.000
nhNDF	82	2.812	0.794	1.979	3.772
Stä	81	107.728	89.176	18.000	213.000
Socker	81	65.926	44.487	18.000	122.000
TAF	82	55.901	29.902	21.500	94.000
Mjölksyra	81	38.358	24.437	11.000	70.000
Ättiksyra	81	14.185	7.523	5.000	23.000
PRF	31	2.839	2.945	0.000	7.000
BUF	31	1.452	2.063	0.000	3.000
AAT20	82	70.491	4.577	64.408	76.209
PBV20	82	-7.606	23.979	-36.185	17.369
NEL20	82	5.486	0.391	5.058	5.967
Ca	68	3.479	1.802	1.900	5.800
P	68	2.606	0.627	2.000	3.300
Mg	68	1.474	0.440	1.000	2.100
K	68	17.866	6.212	11.100	28.500
Na	68	0.510	0.507	0.100	1.100
Cl	74	3.482	2.580	1.000	7.900
S	68	1.766	0.464	1.200	2.400
CAB	68	279.287	138.251	125.428	522.809
Fe	60	173.500	137.803	74.500	294.500
Mn	60	64.383	28.721	27.000	97.500
Zn	60	28.817	6.604	21.000	38.500
Cu	60	5.322	1.526	3.750	7.250
Se	20	0.018	0.012	0.007	0.034

## Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	80	382.588	106.277	277.500	489.000
Aska	80	62.825	15.134	46.500	80.500
OS smbh	80	67.055	2.849	63.350	70.800
Råprot	80	113.538	20.010	89.500	135.500

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
sRåprot	80	618.813	107.370	467.500	739.500
NH3-N	80	96.175	37.799	50.000	149.500
NDF	80	435.913	42.808	377.500	497.000
iNDF	80	286.599	40.106	236.109	340.735
nhNDF	80	2.586	0.513	1.953	3.271
Stä	77	106.377	62.197	30.000	198.000
Socket	80	40.225	29.028	12.000	76.500
TAF	80	70.238	28.511	38.500	106.500
Mjölksyra	80	51.688	23.212	25.000	84.500
Ättiksyra	80	16.888	7.026	9.000	26.000
PRF	23	4.478	3.203	0.000	10.000
BUF	23	1.304	2.771	0.000	3.000
AAT20	80	70.323	4.146	65.339	75.532
PBV20	80	2.313	19.920	-18.898	26.141
NEL20	80	5.463	0.290	5.065	5.822
Ca	71	5.708	1.675	3.900	7.300
P	71	2.561	0.430	2.000	3.100
Mg	71	1.714	0.391	1.300	2.200
K	71	17.170	4.268	12.900	21.600
Na	71	0.687	0.431	0.200	1.200
Cl	76	3.484	2.070	1.200	6.900
S	71	1.631	0.375	1.200	2.100
CAB	71	279.018	90.211	159.120	398.912
Fe	64	223.578	182.491	83.000	529.000
Mn	64	61.172	39.037	25.000	103.000
Zn	64	39.484	48.618	20.000	44.000
Cu	64	5.741	1.496	4.000	7.600
Se	10	0.045	0.031	0.015	0.098

## Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	628	355.584	54.018	287.000	424.000
Aska	626	30.018	8.774	22.000	37.000
OS smbh	631	75.676	2.583	72.300	78.700
Råprot	626	72.754	8.448	63.000	83.000
sRåprot	626	520.505	77.670	433.000	629.000
NH3-N	607	52.496	24.510	24.000	83.000
NDF	626	377.966	43.711	332.000	436.000
iNDF	631	202.662	29.421	169.261	242.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
nhNDF	631	3.348	0.537	2.627	3.993
Stä	624	298.417	59.994	221.000	363.000
Socker	626	12.847	16.021	0.000	30.000
TAF	631	62.918	14.670	46.000	80.000
Mjölksyra	625	45.507	11.466	33.000	58.000
Ättiksyra	625	14.410	5.556	8.000	22.000
PRF	286	3.045	1.531	1.000	5.000
BUF	288	0.035	0.342	0.000	0.000
AAT20	631	82.849	3.085	79.103	86.630
PBV20	631	-57.036	8.969	-67.647	-45.440
NEL20	631	6.424	0.246	6.111	6.697
Ca	584	1.807	0.713	1.200	2.400
P	585	1.856	0.279	1.600	2.100
Mg	585	1.086	0.227	0.900	1.300
K	585	9.046	1.673	7.300	10.900
Na	578	0.285	0.294	0.100	0.500
Cl	341	1.735	0.749	1.200	2.300
S	585	0.893	0.253	0.800	1.000
CAB	584	142.553	39.630	99.083	186.551
Fe	451	117.996	181.196	53.000	166.000
Mn	451	27.386	16.189	12.000	45.000
Zn	451	24.851	12.329	16.000	33.000
Cu	451	3.920	2.652	2.600	5.000
Se	71	0.029	0.024	0.005	0.050

## Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	370.500	110.919	270.000	456.000
Aska	18	58.889	10.105	43.000	73.000
OS smbh	18	69.011	4.099	62.300	73.800
Råprot	18	107.278	23.184	69.000	123.000
sRåprot	18	724.667	118.452	524.000	877.000
NH3-N	18	98.500	41.377	48.000	164.000
NDF	18	529.056	55.540	469.000	606.000
iNDF	18	207.391	34.297	180.309	286.972
nhNDF	18	3.688	0.538	2.503	4.178
Stä	18	18.833	4.829	17.000	19.000
Socker	18	71.444	47.226	17.000	138.000
TAF	18	63.500	31.020	17.000	114.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	18	46.667	27.755	8.000	88.000
Ättiksyra	18	16.833	6.680	5.000	26.000
AAT20	18	68.592	5.894	60.066	76.935
PBV20	18	-3.484	21.707	-48.667	17.213
NEL20	18	5.561	0.350	4.984	5.933
Ca	15	3.360	1.011	2.300	5.200
P	15	2.700	0.455	2.100	3.200
Mg	15	1.180	0.254	0.900	1.600
K	15	21.893	4.553	16.600	26.000
Na	15	0.360	0.534	0.100	0.500
Cl	18	1.589	1.753	0.500	5.500
S	15	1.453	0.280	1.000	1.700
CAB	15	437.614	106.120	327.932	540.791
Fe	15	101.800	44.229	57.000	178.000
Mn	15	35.133	18.181	15.000	62.000
Zn	15	25.067	4.621	21.000	30.000
Cu	15	4.200	0.885	3.000	5.700

**Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0**

Variabel	Number	Mean	STD	P10	P90
TS	19	843.000	50.647	785.000	915.000
Aska	18	58.444	10.761	46.000	76.000
OS smbh	20	63.525	6.317	54.550	69.600
Råprot	18	84.611	20.771	66.000	124.000
NDF	18	558.889	40.217	526.000	622.000
iNDF	20	250.610	55.660	191.891	336.303
nhNDF	20	3.091	0.764	1.924	3.898
Socket	18	123.278	35.885	72.000	173.000
TAF	20	0.000	0.000	0.000	0.000
AAT20	20	81.099	6.924	71.407	88.486
PBV20	20	-34.661	14.861	-51.211	-14.158
NEL20	20	4.854	0.537	4.099	5.413
Ca	17	3.912	1.454	1.500	6.000
P	17	1.824	0.527	1.200	2.700
Mg	17	1.494	0.544	0.800	2.400
K	17	15.147	5.293	8.500	23.300
Na	17	0.565	0.590	0.100	1.500
S	17	1.376	0.340	1.000	2.000
CAB	17	185.071	122.433	35.785	371.911

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0**

Variabel	Number	Mean	STD	P10	P90
Fe	17	96.765	40.958	53.000	156.000
Mn	17	84.882	62.861	12.000	148.000
Zn	17	23.000	9.307	13.000	36.000
Cu	17	4.800	1.496	3.100	6.400

**Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	113	843.646	68.169	761.000	904.000
Aska	113	53.080	10.858	40.000	67.000
OS smbh	113	64.388	4.609	59.000	69.400
Råprot	113	76.416	21.634	53.000	107.000
sRåprot	32	425.031	50.020	370.000	477.000
NDF	113	556.150	44.672	493.000	605.000
iNDF	113	247.924	43.009	203.000	307.459
nhNDF	113	3.135	0.523	2.365	3.656
Socket	113	136.788	40.633	85.000	186.000
TAF	113	3.274	6.474	0.000	13.000
Mjölksyra	32	0.000	0.000	0.000	0.000
Ättiksyra	32	9.844	6.994	0.000	20.000
PRF	32	1.313	1.786	0.000	4.000
BUF	32	0.406	0.946	0.000	2.000
AAT20	113	81.827	6.302	74.343	90.475
PBV20	113	-44.887	14.124	-60.970	-26.753
NEL20	113	4.925	0.426	4.383	5.400
Ca	92	3.500	1.594	1.700	5.900
P	94	1.977	0.507	1.400	2.600
Mg	94	1.359	0.469	0.900	2.000
K	94	15.262	4.873	8.500	21.000
Na	89	0.446	0.539	0.100	1.200
Cl	13	2.608	2.203	0.200	5.700
S	94	1.297	0.408	0.900	1.900
CAB	92	194.888	128.542	35.993	322.886
Fe	72	97.153	88.963	45.000	158.000
Mn	72	84.361	71.866	35.000	124.000
Zn	72	23.806	11.665	16.000	30.000
Cu	72	4.069	1.274	2.600	6.000
Se	11	0.016	0.008	0.007	0.030

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2**

Variabel	Number	Mean	STD	P10	P90
TS	22	804.864	85.149	654.000	889.000
Aska	22	69.545	13.539	50.000	85.000
OS smbh	22	68.791	7.855	66.100	74.100
Råprot	22	108.636	40.036	57.000	132.000
NDF	22	506.136	54.861	457.000	546.000
iNDF	22	209.435	59.689	156.000	254.000
nhNDF	22	3.581	0.835	2.978	4.585
Socket	22	107.318	36.777	69.000	142.000
TAF	22	2.409	5.637	0.000	5.000
AAT20	22	88.764	10.045	80.465	95.060
PBV20	22	-26.430	27.558	-54.481	-12.833
NEL20	22	5.341	0.668	5.055	5.775
Ca	22	5.759	2.446	2.100	8.700
P	22	2.464	0.742	1.300	3.400
Mg	22	1.918	0.769	0.900	3.200
K	22	19.027	7.537	8.300	28.100
Na	22	0.786	0.581	0.100	1.400
S	22	1.945	0.672	1.000	2.600
CAB	22	267.476	174.808	30.654	462.847
Fe	19	173.842	137.381	63.000	311.000
Mn	19	112.421	113.863	33.000	334.000
Zn	19	24.474	7.366	14.000	36.000
Cu	19	5.747	1.877	2.100	8.600

**Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3**

Variabel	Number	Mean	STD	P10	P90
TS	10	411.000	111.070	253.000	537.500
Aska	10	101.500	17.759	81.500	127.000
OS smbh	10	73.710	3.653	68.500	78.000
Råprot	10	161.500	19.501	138.000	192.500
NDF	10	399.400	32.935	356.500	445.500
iNDF	10	253.207	94.265	138.390	370.057
nhNDF	10	4.788	0.596	3.866	5.488
Socket	10	83.500	25.348	48.000	108.500
TAF	10	50.900	33.988	0.500	72.000
AAT20	10	82.394	5.644	76.164	91.470
PBV20	10	37.449	19.433	10.704	63.715
NEL20	10	5.847	0.344	5.343	6.235

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	29	376.241	99.1930	253.000	535.000
Aska	29	78.828	13.3070	61.000	101.000
OS smbh	29	74.324	3.1393	69.600	78.200
Råprot	29	147.069	29.3452	121.000	183.000
sRåprot	29	611.862	64.8965	485.000	677.000
NH3-N	29	80.379	24.8746	54.000	124.000
NDF	29	440.897	69.6642	343.000	528.000
iNDF	29	221.633	79.5039	139.000	355.000
nhNDF	29	5.359	1.5888	3.741	8.003
Socket	29	47.138	29.8899	19.000	104.000
TAF	29	82.510	30.3908	30.300	108.000
Mjölksyra	29	61.690	26.8210	22.000	89.000
Ättiksyra	29	17.483	6.4455	8.000	27.000
PRF	12	4.000	1.8091	2.000	5.000
BUF	29	1.097	1.7759	0.000	3.900
AAT20	29	78.551	3.7075	74.110	84.039
PBV20	29	29.722	27.3345	-2.051	66.742
NEL20	29	6.152	0.3159	5.701	6.527
Ca	28	7.293	3.0150	4.300	12.800
P	28	3.000	0.6206	2.200	3.700
Mg	28	1.979	0.4833	1.500	2.700
K	28	25.818	5.0087	21.500	33.200
Na	28	0.857	0.5527	0.200	1.600
Cl	29	4.172	2.5664	1.200	8.300
S	28	1.900	0.4154	1.300	2.400
CAB	28	460.913	95.7882	341.032	619.083
Fe	18	150.889	89.9116	71.000	220.000
Mn	18	49.889	18.1202	22.000	75.000
Zn	18	27.556	13.8870	18.000	32.000
Cu	18	6.389	1.4438	4.900	9.100

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	19	432.053	139.553	269.000	719.000
Aska	19	82.526	9.559	66.000	94.000
OS smbh	19	72.379	3.066	68.500	76.400
Råprot	19	144.158	22.214	118.000	171.000
sRåprot	19	526.895	89.774	359.000	623.000
NH3-N	19	73.947	33.855	26.000	122.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NDF	19	433.105	39.111	386.000	484.000
iNDF	19	262.016	69.121	175.788	368.000
nhNDF	19	4.900	1.110	3.551	6.395
Socket	19	52.737	28.254	21.000	91.000
TAF	19	71.084	27.544	20.500	108.000
Mjölksyra	19	52.895	21.116	18.000	80.000
Ättiksyra	19	14.947	7.692	5.000	22.000
BUF	19	1.137	1.186	0.000	3.000
AAT20	19	78.526	4.751	74.126	84.830
PBV20	19	27.103	21.399	-6.543	57.236
NEL20	19	5.904	0.323	5.267	6.286
Ca	19	8.895	2.953	6.100	13.000
P	19	3.095	0.517	2.200	3.900
Mg	19	2.458	0.561	1.800	3.300
K	19	23.716	2.870	19.700	28.000
Na	19	1.084	0.629	0.300	2.300
Cl	19	4.974	1.809	2.200	7.100
S	19	2.142	0.395	1.600	2.800
CAB	19	379.696	60.004	301.169	468.360
Fe	13	132.692	49.363	86.000	203.000
Mn	13	58.846	17.102	43.000	84.000
Zn	13	26.000	3.808	21.000	32.000
Cu	13	7.585	2.195	5.600	11.400

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	393.667	113.529	248.000	592.000
Aska	18	87.333	11.951	72.000	103.000
OS smbh	18	72.611	3.665	66.500	76.200
Råprot	18	155.111	19.253	127.000	179.000
sRåprot	18	554.056	57.199	493.000	636.000
NH3-N	18	90.611	58.960	12.000	129.000
NDF	18	426.278	54.327	364.000	500.000
iNDF	18	265.588	56.965	198.411	346.339
nhNDF	18	5.007	1.106	3.457	6.268
Socket	18	46.889	28.970	13.000	99.000
TAF	18	75.267	28.701	34.900	118.000
Mjölksyra	18	54.222	23.856	23.000	92.000
Ättiksyra	18	16.278	7.676	8.000	31.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3**

Variabel	Number	Mean	STD	P10	P90
BUF	18	2.156	4.130	0.000	3.800
AAT20	18	78.046	5.208	70.491	85.227
PBV20	18	38.414	16.461	16.893	61.854
NEL20	18	5.947	0.327	5.427	6.275
Ca	17	9.053	2.047	6.300	13.000
P	17	3.300	0.659	2.500	3.900
Mg	17	2.653	0.332	2.100	3.000
K	17	25.188	7.058	16.000	35.600
Na	17	1.106	0.572	0.400	1.800
Cl	18	4.600	2.636	1.400	8.100
S	17	2.459	0.443	1.800	3.100
CAB	17	407.537	184.987	159.865	623.882
Fe	14	178.571	76.926	102.000	241.000
Mn	14	82.214	26.583	53.000	121.000
Zn	14	34.143	23.158	23.000	37.000
Cu	14	7.607	1.365	6.000	9.200

**Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	78	392.359	84.132	277.000	480.000
Aska	78	65.269	15.111	51.000	85.000
OS smbh	78	70.224	8.963	65.200	76.100
Råprot	78	132.718	26.841	104.000	163.000
sRåprot	77	527.377	64.092	461.000	621.000
NH3-N	77	87.649	61.366	32.000	175.000
NDF	78	387.615	73.295	310.000	471.000
iNDF	78	270.346	77.415	195.000	408.000
nhNDF	78	3.020	0.700	2.134	3.772
Stä	72	131.236	62.605	53.000	210.000
Socket	78	41.500	26.201	10.000	73.000
TAF	78	70.910	34.961	36.000	117.000
Mjölksyra	77	37.987	22.092	2.000	66.000
Ättiksyra	77	22.792	16.332	7.000	53.000
PRF	77	5.494	3.157	2.000	10.000
BUF	77	4.961	10.334	0.000	26.000
AAT20	78	80.511	7.325	70.709	89.904
PBV20	78	13.206	22.654	-5.662	33.249
NEL20	78	6.035	0.406	5.434	6.523
Ca	77	7.297	2.624	4.700	9.900

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
P	77	3.588	0.709	2.900	4.500
Mg	77	2.769	0.809	2.000	3.700
K	77	17.600	5.067	12.200	23.700
Na	77	2.461	1.415	0.800	4.900
Cl	77	6.082	3.358	2.900	11.200
S	77	2.471	0.436	2.000	3.000
CAB	77	231.346	137.995	17.282	382.284
Fe	42	329.310	191.905	175.000	470.000
Mn	42	74.071	31.861	25.000	116.000
Zn	42	65.667	30.048	35.000	102.000
Cu	42	13.929	6.361	7.000	25.000

## Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	34	394.441	60.666	318.000	470.000
Aska	34	73.676	11.227	62.000	85.000
OS smbh	37	67.605	20.843	62.700	79.000
Råprot	34	146.559	21.584	112.000	168.000
sRåprot	34	541.029	85.276	417.000	663.000
NH3-N	34	76.735	31.542	46.000	133.000
NDF	34	386.441	71.176	295.000	465.000
iNDF	34	210.278	38.938	171.105	251.767
nhNDF	34	3.271	0.560	2.766	3.934
Stä	34	129.765	68.942	31.000	226.000
Socket	34	38.059	14.824	21.000	57.000
NEL20	37	0.000	0.000	0.000	0.000
Ca	27	6.159	1.356	4.000	7.400
P	27	3.522	0.708	2.800	4.600
Mg	27	3.348	1.491	1.900	4.700
K	27	17.663	3.108	14.600	22.200
Na	27	2.678	2.014	0.300	5.400
Cl	34	7.106	5.176	3.300	13.600
S	27	2.274	0.488	1.600	2.900
CAB	27	228.016	155.157	128.908	324.812
Fe	27	370.778	133.634	209.000	572.000
Mn	27	88.889	26.333	64.000	128.000
Zn	27	64.259	24.952	34.000	102.000
Cu	27	13.370	6.583	6.300	22.400

\*= Parametrar från det gamla svenska fodervärderingssystemet