

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	178	841	24	61.2	120	295	8.3	177	123	3.15	571	4			95.8	-24	7.36
Havre, kärna, hög NDF (002)	1	25	847	28	75.0	122		8.0	321	392	2.00	496				83.0	3.5	6.40
Vete, kärna (005)	1	87	851	19	59.6	125	327	9.4	121	135	3.50	628	7			114	-43	7.97
Rågvete (015)	1	22	865	18	58.4	114	375	6.5	116	131	3.50	641	12			109	-47	7.85
Blandsäd, kärna, 50%havre/50%korn (096)	1	12	845	23	80.5	107		6.8	256	304	2.50	606				90.3	-25	6.94
Blandsäd, kärna, 50%korn/50%vete (114)	1	27	852	21	87.0	121		6.0	192	173	3.30	636				104	-33	7.55
Blandsäd, kärna, 50%havre/50%vete (115)	1	13	840	24	81.6	129		10.5	214	324	2.50	572				102	-19	7.25
Åkerböna, kärna (007)	1	18	864	35	84.5	295	754	4.0	180	32	4.70	374	34			101	143	7.86
Majs hela plantan, grönmassa (030)	1	151	366	30	75.0	72	363		387	190	3.21	307	27	0.0	6.4	88.9	-67	6.24
Prognos, blandvall (1-50% baljv) (042)	0	12	171	90	81.5	194			424	83	6.23		105			108	21.6	6.65
Prognos, blandvall (1-50% baljv) (042)	1	14	199	87	84.7	195			416	58	9.70		120			112	15.5	6.96
Grönmassa, gräs (0% baljv.) (161)	1	87	465	65	66.5	116	385	4.0	514	251	3.34	12	110	0.0	2.2	80.9	-7.8	5.21
Grönmassa, gräs (0% baljv.) (161)	2	11	600	69	70.0	127	427		519	198	3.86		103	0.0	0.0	82.0	0.0	5.57
Ensilage, gräs (0% klöver) (162)	1	135	472	66	71.1	127	577	71.7	510	186	3.99	52	71	40.6	12.3	79.5	3.9	5.78
Ensilage, gräs (0% klöver) (162)	2	68	434	79	73.0	149	534	76.9	467	175	4.03		54	45.6	12.4	81.7	20.3	5.93
Ensilage, gräs (0% klöver) (162)	3	38	431	85	74.8	151	534	73.1	435	166	4.14		62	50.1	11.6	82.6	20.8	6.02
Ensilage, gräs (0% klöver) (162)	4	11	370	94	74.2	157	544	90.6	438	173	4.12		48	51.8	15.5	80.9	28.6	5.99
Grönmassa blandvall (1-50 % baljväxter) (164)	0	38	456	79	71.2	138			501	185	4.15		88			79.6	16.1	5.79
Grönmassa blandvall (1-50 % baljväxter) (164)	1	530	423	72	72.1	136	428	51.0	511	174	4.28	21	95	0.0	6.6	83.7	7.8	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	2	277	483	83	72.4	142	426		494	176	4.27		86	0.0	7.5	82.3	15.6	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	3	188	438	93	74.0	157	404		460	168	4.39		75	0.0	7.4	83.6	27.2	5.98
Grönmassa blandvall (1-50 % baljväxter) (164)	4	67	405	96	75.1	163	401		441	160	4.48		84	0.0	4.8	85.2	30.4	6.05
Ensilage, blandvall (1-50% klöver) (165)	0	232	410	78	72.4	138	580	89.3	479	183	4.06	19	53	48.7	12.0	80.5	14.9	5.88
Ensilage, blandvall (1-50% klöver) (165)	1	2546	399	69	72.6	135	614	84.7	495	175	4.18	71	56	50.3	13.9	80.3	11.8	5.97
Ensilage, blandvall (1-50% klöver) (165)	2	1673	413	79	72.7	144	540	79.7	463	188	3.96	42	55	49.4	13.6	81.3	18.5	5.92
Ensilage, blandvall (1-50% klöver) (165)	3	993	410	85	73.7	152	535	79.9	439	183	4.01	54	56	51.0	14.0	82.1	24.8	5.99

\*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Ensilage, blandvall (1-50% klöver) (165)	4	242	372	90	75.0	160	567	78.3	417	177	4.14		52	62.4	15.9	81.4	33.9	6.12
Ensilage, blandvall (1-50% klöver) (165)	5	16	399	91	75.3	173	548	63.0	416	177	4.23		47	62.3	14.0	83.1	42.5	6.19
Korn, helsädesensilage (250)	1	119	428	58	67.0	107	600	98.1	452	270	2.65	122	53	39.3	13.4	69.9	-6.5	5.39
Havre-ärt, helsädesensilage, 50% ärter (251)	1	30	392	72	65.5	130	636	109	477	268	2.72	51	30	56.0	17.8	67.8	22.2	5.35
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	12	358	62	62.8	121	519	77.4	451	330	2.12	108	39	50.2	16.2	67.5	14.1	5.12
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	52	369	72	66.6	120	606	98.2	459	396	6.03	75	39	51.3	16.8	69.6	9.8	5.45
Majskolv, ensilerad (257)	1	26	527	15	79.9	75	404	33.2	241	224	2.57	515	2	37.5	3.1	93.1	-72	6.96
Havre helsädesensilage degmognad (296)	1	38	368	66	65.1	109	605	96.0	490	275	2.83	76	35	48.3	17.2	71.1	-4.9	5.34
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	51	382	74	65.8	125	633	113	463	282	2.69	70	37	49.1	17.6	66.5	19.0	5.31
Vete, helsäd ensilage (299)	1	82	442	60	67.5	108	621	94.4	457	265	2.81	108	66	38.4	14.2	70.5	-7.6	5.49
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	80	383	63	67.1	114	619	96.2	436	287	2.59	106	40	51.7	16.9	70.3	2.3	5.46
Majs, helsädesensilage (305)	1	596	356	30	75.8	73	523	52.2	377	202	3.37	298	13	45.9	14.6	82.9	-57	6.44
Råg, helsädesensilage, axgång (311)	1	18	371	59	69.0	107	725	98.5	529	207	3.69	19	71	46.7	16.8	68.6	-3.5	5.56
Hö, blandvall, 0-50% baljväxter (383)	0	19	843	58	63.5	85			559	251	3.09		123			81.1	-35	4.85
Hö, blandvall, 0-50% baljväxter (383)	1	112	843	53	64.4	77	425	24.0	556	248	3.13		136	0.0	9.8	81.9	-45	4.93
Hö, blandvall, 0-50% baljväxter (383)	2	21	805	71	68.9	111	414		505	207	3.60		106	0.0	2.4	89.2	-25	5.35
Grönmassa, blandvall (51-100% baljväxter) (437)	3	10	411	102	73.7	162	381		399	253	4.79		84	0.0	1.7	82.4	37.4	5.85
Ensilage, blandvall (51-100% klöver) (438)	1	27	370	80	74.2	148	613	81.6	441	222	5.27	14	45	61.9	17.8	78.3	31.4	6.14
Ensilage, blandvall (51-100% klöver) (438)	2	19	432	83	72.4	144	527	73.9	433	262	4.90		53	52.9	14.9	78.5	27.1	5.90
Ensilage, blandvall (51-100% klöver) (438)	3	17	390	87	72.3	154	558	91.6	429	269	5.00		46	54.7	16.6	77.6	38.2	5.93
Grunnblanding Middels ford.grovför (326)	1	76	391	65	70.1	132	528	88.9	389	271	3.02	129	42	38.2	22.9	80.3	13.1	6.02
Fullfoder (TMR) ej kompletta data (1E3)	1	28	398	74	74.0	149	532	72.6	376	211	3.24	133	39					0.00

\*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	102	0.7	3.6	1.3	5.8	0.2		1.4	38	102	75.5	19.4	34.0	5.7	1.0
Havre, kärna, hög NDF (002)	1	14	1.0	4.5	1.6	5.5	0.1		1.8	15	14	111.0	64.2	42.9	5.2	0.1
Vete, kärna (005)	1	54	0.5	3.4	1.3	5.1	0.2		1.4	27	54	53.9	36.9	38.3	6.7	0.0
Rågvete (015)	1	12	0.4	3.2	1.2	5.4	0.1		1.3	40	12	43.3	36.8	39.3	5.3	0.0
Blandsäd, kärna, 50%havre/50%korn (096)	1	10	0.6	3.6	1.3	5.5	0.1		1.3	39	10	86.8	40.7	31.9	4.8	
Blandsäd, kärna, 50%korn/50%vete (114)	1	12	0.5	3.4	1.2	5.8	0.1		1.3	43	12	49.5	26.1	33.1	4.5	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	10	0.8	3.7	1.4	6.1	0.2		1.4	55	10	80.9	41.7	36.4	5.9	0.0
Åkerböna, kärna (007)	1	14	1.4	5.4	1.5	13.2	0.2		1.7	209	14	78.5	18.3	52.1	18.8	0.0
Majs hela plantan, grönmassa (030)	1	126	1.8	1.9	1.1	8.9	0.2	1.7	0.9	140	82	113.8	30.3	24.8	4.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	85	4.7	2.4	1.7	18.5	0.5	4.6	1.9	244	60	157.0	235.3	31.2	5.2	0.0
Grönmassa, gräs (0% baljv.) (161)	2	9	4.9	2.6	2.3	18.5	0.9	3.2	2.1	257	6	71.8	76.0	23.3	5.3	0.0
Ensilage, gräs (0% klöver) (162)	1	123	5.1	2.5	1.7	22.0	0.8	4.7	1.9	341	101	180.0	66.0	28.9	5.9	0.0
Ensilage, gräs (0% klöver) (162)	2	62	6.6	2.9	2.3	22.9	1.1	6.2	2.4	309	56	192.9	96.6	30.0	7.1	0.0
Ensilage, gräs (0% klöver) (162)	3	35	6.6	3.0	2.5	23.6	1.1	6.5	2.5	324	33	302.9	95.5	28.1	6.9	0.0
Ensilage, gräs (0% klöver) (162)	4	10	6.7	3.2	2.8	25.3	1.9	10.7	2.4	328	10	287.2	81.5	25.8	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	33	6.1	2.7	2.2	20.6	1.6		2.1	328	33	166.9	91.7	29.9	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	489	5.1	2.7	1.8	23.1	0.8	4.1	2.0	376	388	155.5	73.8	30.5	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	258	6.4	3.0	2.2	24.1	0.9	5.3	2.3	377	228	146.6	80.6	29.6	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	166	7.8	3.2	2.6	25.8	1.1	5.1	2.5	420	147	195.7	86.9	28.1	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	62	8.0	3.2	2.6	24.8	1.7	4.5	2.7	412	54	209.1	91.6	27.9	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	207	6.3	2.7	2.2	23.2	0.8	5.6	2.0	346	207	263.3	81.8	30.6	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	2421	5.4	2.6	1.8	22.5	0.9	4.4	1.9	371	2119	187.0	66.2	30.0	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1589	7.1	2.9	2.3	23.0	1.0	5.1	2.3	346	1413	224.1	82.1	30.8	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	939	7.6	3.0	2.5	24.5	1.2	5.5	2.5	368	816	229.9	90.2	29.8	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	234	7.4	3.2	2.6	24.4	1.7	6.4	2.7	347	183	338.4	101.2	35.1	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	5	16	7.1	3.4	2.5	25.3	1.9	6.9	2.7	366	11	323.5	72.7	99.5	7.5	0.1

\*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, helsädesensilage (250)	1	107	4.1	2.7	1.6	16.8	0.9	3.7	1.8	257	81	216.6	66.1	29.8	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	22	6.0	3.0	1.9	20.6	1.1	4.9	1.9	324	22	236.7	86.2	36.6	6.3	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	11	5.0	2.7	1.8	16.5	0.9	2.2	1.5	307	10	150.5	84.0	34.8	7.5	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	45	5.3	2.7	1.7	20.1	0.9	3.8	1.8	333	42	341.2	73.2	39.7	5.7	0.0
Majskolv, ensilerad (257)	1	25	0.7	2.2	0.9	5.2	0.3	0.7	0.9	60	13	54.2	7.8	21.0	2.4	
Havre helsädesensilage degmognad (296)	1	32	4.0	3.0	1.7	20.2	1.3	4.0	1.9	341	24	219.8	103.9	28.8	4.7	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	46	6.2	2.8	1.9	18.6	0.5	4.1	1.8	267	42	317.0	75.2	35.8	6.7	0.0
Vete, helsäd ensilage (299)	1	68	3.5	2.6	1.5	17.9	0.5	3.5	1.8	279	60	173.5	64.4	28.8	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	71	5.7	2.6	1.7	17.2	0.7	3.5	1.6	279	64	223.6	61.2	39.5	5.7	0.0
Majs, helsädesensilage (305)	1	554	1.8	1.9	1.1	9.1	0.3	1.7	0.9	143	442	118.4	27.5	24.9	3.9	0.0
Råg, helsädesensilage, axgång (311)	1	15	3.4	2.7	1.2	21.9	0.4	1.6	1.5	438	15	101.8	35.1	25.1	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	17	3.9	1.8	1.5	15.1	0.6		1.4	185	17	96.8	84.9	23.0	4.8	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	92	3.5	2.0	1.4	15.3	0.4	2.6	1.3	195	72	97.2	84.4	23.8	4.1	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	21	6.0	2.5	2.0	19.2	0.8	4.0	2.0	269	19	173.8	112.4	24.5	5.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	9	10.7	3.1	3.1	27.4	1.0	5.3	2.2	471	7	105.3	61.0	24.7	10.3	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	26	7.4	3.1	2.0	26.1	0.9	4.4	1.9	464	16	154.1	49.6	28.1	6.5	0.0
Ensilage, blandvall (51-100% klöver) (438)	2	19	8.9	3.1	2.5	23.7	1.1	5.0	2.1	380	13	132.7	58.8	26.0	7.6	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	16	8.9	3.3	2.6	25.2	1.1	4.4	2.4	414	12	170.2	84.2	34.7	7.7	0.0
Grunnblanding Middels ford.grovför (326)	1	75	7.3	3.6	2.8	17.7	2.4	6.0	2.5	236	42	329.3	74.1	65.7	13.9	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	21	6.2	3.6	3.5	17.8	2.7	7.3	2.3	220	21	350.0	90.2	65.5	13.5	0.4

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	178	841.376	62.257	795.000	899.000
Aska	178	24.279	7.441	19.900	27.000
OS smbh	180	61.156	39.088	0.000	86.000
Råprot	178	120.278	31.842	99.000	135.600
sRåprot	52	295.385	110.882	212.000	348.000
NH3-N	33	8.333	9.027	6.000	9.000
NDF	91	177.099	40.167	135.000	226.000
iNDF	180	123.183	61.907	25.000	162.000
nhNDF	180	3.150	0.000	3.150	3.150
Stä	178	570.829	113.316	482.000	667.400
Socket	55	4.345	15.701	0.000	0.000
TAF	180	0.000	0.000	0.000	0.000
AAT20	180	95.753	2.072	93.290	99.010
PBV20	180	-23.732	31.846	-47.574	-10.163
NEL20	180	7.363	0.184	7.130	7.564
Ca	102	0.654	0.909	0.400	0.800
P	102	3.566	0.893	2.900	4.100
Mg	102	1.298	0.589	1.000	1.400
K	102	5.819	1.394	4.500	6.800
Na	101	0.200	0.655	0.100	0.200
S	102	1.370	0.545	1.100	1.500
CAB	102	38.064	29.036	5.519	64.886
Fe	102	75.510	78.162	41.000	105.000
Mn	102	19.353	10.013	12.000	25.000
Zn	102	34.010	9.322	25.000	43.000
Cu	102	5.685	2.671	3.600	8.000
Se	15	1.025	3.866	0.005	0.136

## Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	25	847.320	31.527	811.000	880.000
Aska	25	27.532	7.175	21.300	33.000
OS smbh	25	75.000	0.000	75.000	75.000
Råprot	25	121.688	66.334	95.800	127.000
iNDF	25	392.000	0.000	392.000	392.000
nhNDF	25	2.000	0.000	2.000	2.000
Stä	25	496.376	127.050	367.000	581.300
TAF	25	0.000	0.000	0.000	0.000
AAT20	25	82.960	2.509	80.577	87.062

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	25	3.498	63.494	-20.814	2.776
NEL20	25	6.399	0.271	6.059	6.648
Ca	14	0.957	0.658	0.600	1.000
P	14	4.450	2.570	3.400	4.300
Mg	14	1.600	1.044	1.100	1.500
K	14	5.500	0.882	4.500	6.800
Na	14	0.129	0.107	0.100	0.100
S	14	1.779	1.224	1.300	1.700
CAB	14	15.376	81.291	3.411	65.080
Fe	14	111.000	32.361	87.000	142.000
Mn	14	64.214	34.977	39.000	86.000
Zn	14	42.929	29.103	30.000	47.000
Cu	14	5.150	2.823	3.600	6.500

## Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	87	850.977	48.6528	797.000	900.000
Aska	88	19.138	5.0361	15.100	23.000
OS smbh	96	59.583	41.3640	0.000	88.000
Råprot	88	124.684	19.2642	101.000	157.000
sRåprot	31	326.710	54.4715	289.000	382.000
NH3-N	20	9.350	13.1720	5.000	10.000
NDF	48	121.075	21.4539	93.000	150.000
iNDF	96	134.688	76.1474	25.000	187.000
nhNDF	96	3.500	0.0000	3.500	3.500
Stä	87	628.087	68.2535	545.000	706.400
Socket	33	7.485	16.4528	0.000	41.000
TAF	96	0.000	0.0000	0.000	0.000
AAT20	96	114.094	2.3765	111.185	117.475
PBV20	96	-42.940	15.9663	-62.030	-17.796
NEL20	96	7.969	0.1247	7.828	8.115
Ca	54	0.483	0.4356	0.300	0.600
P	54	3.391	0.5488	2.900	3.800
Mg	54	1.331	1.1144	1.000	1.400
K	54	5.133	0.5569	4.500	5.700
Na	44	0.195	0.5886	0.100	0.100
S	54	1.380	0.3536	1.200	1.600
CAB	54	27.438	15.9575	9.143	44.661
Fe	54	53.889	44.1510	34.000	68.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Vete, kärna (005) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
Mn	54	36.944	23.9263	17.000	48.000
Zn	54	38.333	47.7707	25.000	43.000
Cu	54	6.665	13.5111	3.300	6.300
Se	11	0.022	0.0157	0.006	0.050

**Type=Rågvede (015) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	22	865.000	41.8819	831.000	925.000
Aska	22	18.423	2.1963	16.000	21.000
OS smbh	23	58.356	43.5749	0.000	89.479
Råprot	22	113.727	12.5342	97.000	130.200
NDF	10	115.600	25.1317	94.000	153.500
iNDF	23	130.652	78.8915	25.000	187.000
nhNDF	23	3.500	0.0000	3.500	3.500
Stä	22	641.473	60.2983	566.000	713.000
TAF	23	0.000	0.0000	0.000	0.000
AAT20	23	109.360	1.0651	108.146	110.489
PBV20	23	-46.903	12.4151	-63.067	-28.722
NEL20	23	7.848	0.1134	7.674	7.988
Ca	12	0.392	0.0900	0.300	0.500
P	12	3.233	0.2871	2.800	3.500
Mg	12	1.183	0.1528	0.900	1.300
K	12	5.417	0.4282	4.800	6.000
S	12	1.325	0.1055	1.200	1.500
CAB	12	40.351	10.8799	30.122	56.832
Fe	12	43.333	11.6098	32.000	50.000
Mn	12	36.750	14.4545	23.000	49.000
Zn	12	39.250	7.4116	30.000	52.000
Cu	12	5.317	0.3786	5.000	5.800

**Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	12	844.917	29.6570	815.000	880.000
Aska	12	22.950	3.2548	19.000	26.000
OS smbh	12	80.500	0.0000	80.500	80.500
Råprot	12	107.108	10.9901	93.200	118.400
iNDF	12	304.000	0.0000	304.000	304.000
nhNDF	12	2.500	0.0000	2.500	2.500
Stä	12	605.692	44.5809	541.000	655.500

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	90.319	2.6505	87.187	92.755
PBV20	12	-25.200	11.6285	-38.629	-12.520
NEL20	12	6.942	0.1697	6.733	7.178
Ca	10	0.610	0.1524	0.500	0.850
P	10	3.590	0.4533	2.900	4.050
Mg	10	1.260	0.1713	1.050	1.500
K	10	5.460	0.7230	4.550	6.600
Na	10	0.110	0.0316	0.100	0.150
S	10	1.280	0.1476	1.100	1.450
CAB	10	39.072	13.9381	25.623	63.419
Fe	10	86.800	23.9527	62.500	122.500
Mn	10	40.700	10.1768	28.500	55.500
Zn	10	31.900	6.1183	22.500	39.000
Cu	10	4.770	1.3174	2.900	6.450

## Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	27	851.519	25.6701	829.000	879.000
Aska	27	20.959	2.9281	17.500	26.000
OS smbh	28	87.000	0.0000	87.000	87.000
Råprot	27	121.256	12.9203	106.600	139.900
NH3-N	10	6.000	0.6667	5.000	7.000
NDF	18	192.389	28.5165	154.000	236.000
iNDF	28	173.000	0.0000	173.000	173.000
nhNDF	28	3.300	0.0000	3.300	3.300
Stä	27	636.163	47.7695	564.000	689.700
TAF	28	0.000	0.0000	0.000	0.000
AAT20	28	104.304	1.7965	101.173	106.251
PBV20	28	-32.624	11.2729	-46.655	-17.943
NEL20	28	7.551	0.1688	7.356	7.773
Ca	12	0.492	0.1379	0.400	0.600
P	12	3.417	0.3129	3.000	3.700
Mg	12	1.200	0.1044	1.100	1.300
K	12	5.750	0.8888	4.600	6.700
Na	12	0.100	0.0000	0.100	0.100
S	12	1.283	0.1267	1.100	1.400
CAB	12	43.029	19.6152	16.556	63.727
Fe	12	49.500	12.7671	36.000	56.000

\*= Parametrar från det gamla svenska fodervärderingssystemet



**Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
Mn	12	26.083	8.9591	13.000	38.000
Zn	12	33.083	4.3996	27.000	38.000
Cu	12	4.542	0.6762	3.700	5.400

**Type=Blandsäd, kärna, 50%havre/50%vete (115) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	13	840.385	17.5762	815.000	864.000
Aska	13	24.123	5.7465	18.000	32.000
OS smbh	13	81.600	0.0000	81.600	81.600
Råprot	13	129.492	32.0491	102.000	141.000
iNDF	13	324.000	0.0000	324.000	324.000
nhNDF	13	2.500	0.0000	2.500	2.500
Stä	13	571.877	77.8444	453.000	645.900
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	102.009	3.8952	99.907	105.388
PBV20	13	-18.591	27.9987	-42.998	-5.621
NEL20	13	7.251	0.2839	7.098	7.489
Ca	10	0.840	0.4300	0.450	1.550
P	10	3.710	0.4458	3.150	4.350
Mg	10	1.380	0.2741	1.200	1.800
K	10	6.080	1.9338	4.400	9.000
Na	10	0.180	0.2530	0.100	0.500
S	10	1.380	0.1874	1.150	1.650
CAB	10	54.540	39.9495	12.671	111.992
Fe	10	80.900	31.8484	47.500	129.000
Mn	10	41.700	13.1153	25.500	61.500
Zn	10	36.400	12.9803	28.000	57.000
Cu	10	5.910	2.1810	4.000	9.450

**Type=Åkerböna, kärna (007) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	18	864.000	55.3417	815.000	924.000
Aska	13	35.308	2.5944	32.000	38.000
OS smbh	20	84.511	19.8918	88.959	88.959
Råprot	18	295.000	12.6119	274.000	310.000
NH3-N	11	4.000	5.3292	2.000	3.000
iNDF	20	31.650	1.5652	32.000	32.000
nhNDF	20	4.700	0.0000	4.700	4.700
Stä	18	373.500	30.2076	341.000	406.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Åkerböna, kärna (007) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	101.218	1.8772	99.012	102.634
PBV20	20	143.085	9.9523	129.995	153.267
NEL20	20	7.857	0.1881	7.737	7.932
Ca	14	1.443	0.5996	1.100	1.700
P	14	5.379	0.6447	4.500	6.200
Mg	14	1.521	0.1188	1.400	1.700
K	14	13.207	0.9017	12.300	14.400
Na	14	0.193	0.1439	0.100	0.500
S	14	1.743	0.1989	1.500	1.900
CAB	14	209.066	21.7090	185.162	236.313
Fe	14	78.500	38.5562	53.000	126.000
Mn	14	18.286	3.1238	15.000	22.000
Zn	14	52.071	5.4837	45.000	60.000
Cu	14	18.771	3.1277	13.200	23.100

## Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	151	365.821	118.927	274.000	444.000
Aska	151	29.887	6.153	23.000	39.000
OS smbh	151	75.031	3.802	69.700	79.300
Råprot	151	71.914	8.017	63.000	83.000
sRåprot	151	362.874	56.791	310.000	425.000
NDF	151	386.927	46.542	333.000	447.000
iNDF	151	190.089	29.356	160.109	224.000
nhNDF	151	3.210	0.775	2.161	4.072
Stä	151	306.609	61.709	228.000	377.000
Socket	151	27.212	34.514	1.000	86.000
TAF	151	31.616	24.898	3.000	57.000
Mjölksyra	78	0.000	0.000	0.000	0.000
Ättiksyra	78	6.385	3.994	2.000	11.000
PRF	78	1.474	1.439	0.000	4.000
BUF	78	0.000	0.000	0.000	0.000
AAT20	151	88.872	3.146	84.645	92.540
PBV20	151	-67.263	7.935	-77.269	-57.757
NEL20	151	6.239	0.347	5.796	6.668
Ca	126	1.775	0.590	1.200	2.300
P	126	1.891	0.256	1.600	2.100
Mg	126	1.066	0.235	0.800	1.300

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Majs hela plantan, grönmassa (030) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
K	126	8.911	1.472	7.100	10.800
Na	114	0.235	0.156	0.100	0.400
Cl	73	1.682	0.517	1.100	2.300
S	126	0.883	0.179	0.700	1.000
CAB	126	139.995	37.113	94.515	186.011
Fe	82	113.841	188.899	58.000	147.000
Mn	82	30.256	15.974	12.000	49.000
Zn	82	24.793	9.603	17.000	33.000
Cu	82	4.422	4.624	2.400	5.200
Se	20	0.045	0.040	0.006	0.110

**Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0**

Variabel	Number	Mean	STD	P10	P90
TS	12	170.833	17.6111	161.000	197.000
Aska	12	90.167	10.8279	79.000	103.000
OS smbh	12	81.492	2.3294	78.100	83.900
Råprot	12	194.000	26.3163	173.000	232.000
NDF	12	424.167	54.1124	354.000	491.000
iNDF	12	82.740	23.1516	56.497	113.923
nhNDF	12	6.230	0.7075	5.370	7.154
Socket	12	105.333	36.4426	64.000	154.000
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	108.371	3.7052	104.491	113.115
PBV20	12	21.551	19.2965	1.653	47.277
NEL20	12	6.645	0.1968	6.428	6.922

**Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	14	198.500	29.2042	165.000	237.000
Aska	14	87.286	10.6658	76.000	99.000
OS smbh	14	84.693	2.1974	81.400	87.100
Råprot	14	194.500	32.1170	155.000	234.000
NDF	14	416.357	34.1233	373.000	459.000
iNDF	14	58.489	16.5442	46.404	88.549
nhNDF	14	9.695	3.7624	6.020	15.279
Socket	14	120.214	40.9299	70.000	199.000
TAF	14	0.000	0.0000	0.000	0.000
AAT20	14	112.225	4.9451	105.104	117.349

**Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
PBV20	14	15.531	22.7864	-14.904	47.333
NEL20	14	6.965	0.2886	6.503	7.229

**Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	87	465.299	217.436	221.000	816.000
Aska	87	64.609	17.560	44.000	86.000
OS smbh	87	66.545	5.907	57.500	74.300
Råprot	87	116.184	50.838	59.000	192.000
sRåprot	56	385.393	97.945	222.000	471.000
NDF	87	513.885	60.531	435.000	584.000
iNDF	87	250.501	85.224	159.000	344.000
nhNDF	87	3.335	0.969	2.332	4.461
Socket	87	109.828	48.393	54.000	179.000
TAF	87	27.092	26.147	1.000	61.000
Mjölksyra	56	0.000	0.000	0.000	0.000
Ättiksyra	56	2.161	4.151	0.000	9.000
PRF	56	3.357	3.787	0.000	8.000
BUF	56	2.804	3.397	0.000	8.000
AAT20	87	80.884	9.666	67.824	94.025
PBV20	87	-7.837	33.295	-44.186	42.713
NEL20	87	5.214	0.564	4.423	5.999
Ca	85	4.656	1.961	2.500	7.200
P	85	2.442	0.894	1.400	3.800
Mg	85	1.662	0.591	0.900	2.300
K	85	18.452	6.509	11.200	27.500
Na	84	0.531	0.590	0.100	1.100
Cl	56	4.605	3.591	1.700	9.200
S	85	1.882	0.760	1.000	3.100
CAB	85	243.915	164.059	72.726	420.396
Fe	60	156.967	115.823	54.500	353.000
Mn	60	235.250	412.938	32.500	573.500
Zn	60	31.233	15.409	15.000	54.000
Cu	60	5.187	1.909	3.000	7.000

**Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2**

Variabel	Number	Mean	STD	P10	P90
TS	11	599.727	165.470	391.000	793.000
Aska	11	69.455	11.978	57.000	79.000
OS smbh	11	70.000	4.277	64.300	74.600
Råprot	11	127.182	43.245	86.000	163.000
NDF	11	518.727	31.604	485.000	549.000
iNDF	11	197.607	54.897	159.973	255.000
nhNDF	11	3.863	0.535	3.107	4.490
Socket	11	103.182	37.148	64.000	137.000
TAF	11	45.182	27.140	2.000	61.000
AAT20	11	82.034	5.396	75.731	86.693
PBV20	11	0.037	34.479	-34.674	25.253
NEL20	11	5.571	0.455	5.027	6.014

**Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1**

Variabel	Number	Mean	STD	P10	P90
TS	135	471.800	176.730	273.000	736.000
Aska	135	66.326	12.504	50.000	81.000
OS smbh	135	71.147	4.584	64.800	76.200
Råprot	135	127.030	31.043	84.000	165.000
sRåprot	135	577.252	111.295	406.000	685.000
NH3-N	134	71.664	35.206	20.000	116.000
NDF	135	510.119	55.922	442.000	579.000
iNDF	135	185.754	47.861	131.175	246.550
nhNDF	135	3.989	0.708	3.165	4.838
Socket	135	70.511	42.200	17.000	134.000
TAF	135	55.878	29.795	20.000	93.700
Mjölksyra	135	40.563	23.574	12.000	72.000
Ättiksyra	135	12.267	7.566	3.000	22.000
PRF	48	2.979	1.550	1.000	5.000
BUF	135	1.344	3.388	0.000	2.700
AAT20	135	79.478	4.547	74.138	84.880
PBV20	135	3.916	26.951	-33.149	35.597
NEL20	135	5.783	0.476	5.052	6.323
Ca	123	5.107	1.981	2.900	7.400
P	123	2.542	0.649	1.800	3.400
Mg	123	1.708	0.379	1.200	2.100
K	123	22.003	5.820	15.600	29.800
Na	123	0.777	0.618	0.100	1.700
Cl	135	4.650	2.757	1.500	8.500

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
S	123	1.937	0.489	1.300	2.600
CAB	123	341.296	131.685	160.591	485.100
Fe	101	179.970	144.390	73.000	305.000
Mn	101	65.990	45.050	26.000	102.000
Zn	101	28.921	7.622	22.000	37.000
Cu	101	5.926	2.334	3.800	8.000
Se	36	0.022	0.015	0.008	0.050

## Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	68	434.074	160.308	250.000	697.000
Aska	68	78.985	12.479	61.000	94.000
OS smbh	69	72.994	4.277	69.400	77.700
Råprot	68	148.926	27.230	117.000	178.000
sRåprot	68	534.471	100.247	400.000	635.000
NH3-N	68	76.868	39.214	29.000	117.000
NDF	68	467.441	43.720	411.000	525.000
iNDF	69	175.365	40.672	130.000	230.554
nhNDF	69	4.034	0.640	3.158	4.825
Socket	68	54.426	32.215	16.000	104.000
TAF	69	61.487	31.595	14.000	101.100
Mjölksyra	68	45.603	25.587	8.000	73.000
Ättiksyra	68	12.441	6.695	3.000	21.000
PRF	15	2.267	2.604	0.000	6.000
BUF	68	2.126	5.819	0.000	3.400
AAT20	69	81.694	5.126	75.814	89.280
PBV20	69	20.255	23.067	-9.788	52.723
NEL20	69	5.931	0.431	5.394	6.430
Ca	62	6.574	1.867	4.800	8.800
P	62	2.945	0.663	2.300	3.700
Mg	62	2.311	0.517	1.800	2.900
K	62	22.882	5.170	15.800	28.900
Na	62	1.081	0.874	0.100	2.200
Cl	67	6.175	3.306	2.000	10.700
S	62	2.440	0.513	1.800	3.000
CAB	62	309.357	119.469	127.493	460.612
Fe	56	192.875	123.131	86.000	395.000
Mn	56	96.643	49.095	40.000	167.000
Zn	56	29.982	6.477	23.000	38.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2**

Variabel	Number	Mean	STD	P10	P90
Cu	56	7.093	1.460	5.600	9.100
Se	14	0.038	0.040	0.010	0.091

**Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3**

Variabel	Number	Mean	STD	P10	P90
TS	38	430.789	152.280	281.000	668.000
Aska	38	84.842	21.319	61.000	99.000
OS smbh	38	74.763	3.302	70.600	78.800
Råprot	38	151.211	28.444	112.000	190.000
sRåprot	38	534.263	104.348	377.000	635.000
NH3-N	38	73.079	29.573	21.000	112.000
NDF	38	434.816	47.342	375.000	488.000
iNDF	38	166.315	35.408	121.447	205.000
nhNDF	38	4.141	0.565	3.492	4.922
Socket	38	61.553	37.865	18.000	126.000
TAF	38	63.392	31.535	14.000	105.100
Mjölksyra	38	50.079	27.144	9.000	86.000
Ättiksyra	38	11.553	5.356	3.000	18.000
BUF	38	0.761	1.342	0.000	3.500
AAT20	38	82.573	5.033	77.706	89.305
PBV20	38	20.822	25.944	-19.946	54.677
NEL20	38	6.023	0.364	5.522	6.554
Ca	35	6.609	1.616	4.600	8.200
P	35	2.957	0.405	2.400	3.400
Mg	35	2.503	0.592	1.700	3.400
K	35	23.614	5.751	14.900	31.700
Na	35	1.109	0.881	0.300	2.900
Cl	36	6.475	2.815	3.000	9.800
S	35	2.451	0.453	2.000	2.900
CAB	35	324.202	118.364	125.444	488.629
Fe	33	302.939	385.521	94.000	565.000
Mn	33	95.485	45.156	54.000	160.000
Zn	33	28.121	6.066	22.000	36.000
Cu	33	6.942	1.500	5.000	9.200

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	11	370.182	111.092	273.000	526.000
Aska	11	94.182	17.730	74.000	113.000
OS smbh	11	74.200	2.462	71.100	76.500
Råprot	11	156.727	17.240	137.000	172.000
sRåprot	11	543.909	64.888	482.000	610.000
NH3-N	11	90.636	34.448	67.000	130.000
NDF	11	437.818	30.265	398.000	470.000
iNDF	11	172.602	28.526	141.946	212.328
nhNDF	11	4.120	0.497	3.423	4.670
Socket	11	48.182	34.773	10.000	86.000
TAF	11	71.936	31.544	37.300	107.400
Mjölksyra	11	51.818	26.529	24.000	74.000
Ättiksyra	11	15.545	8.858	9.000	21.000
BUF	11	3.300	7.576	0.100	6.600
AAT20	11	80.880	4.155	76.600	86.357
PBV20	11	28.569	14.476	12.524	44.313
NEL20	11	5.988	0.242	5.757	6.299
Ca	10	6.650	1.870	4.800	9.200
P	10	3.170	0.395	2.650	3.700
Mg	10	2.800	0.450	2.200	3.350
K	10	25.320	2.242	22.700	28.900
Na	10	1.900	1.244	0.600	3.750
Cl	10	10.670	5.401	4.850	18.350
S	10	2.440	0.327	2.100	2.900
CAB	10	328.383	67.879	256.843	423.045
Fe	10	287.200	239.747	133.500	658.500
Mn	10	81.500	35.728	51.500	139.500
Zn	10	25.800	3.645	21.000	31.000
Cu	10	7.370	1.386	5.450	9.000

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	38	456.026	191.318	219.000	800.000
Aska	37	78.757	12.595	64.000	94.000
OS smbh	38	71.237	6.241	63.700	80.400
Råprot	37	137.784	32.633	97.000	188.000
NDF	37	500.649	51.825	436.000	565.000
iNDF	38	185.190	57.517	97.819	284.692
nhNDF	38	4.149	1.011	2.517	5.737

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Socket	37	88.000	41.108	35.000	150.000
TAF	38	84.000	0.000	84.000	84.000
AAT20	38	79.576	7.393	70.847	89.693
PBV20	38	16.131	21.234	-10.073	47.868
NEL20	38	5.793	0.607	5.044	6.561
Ca	33	6.085	1.951	3.200	8.500
P	33	2.709	0.602	2.000	3.400
Mg	33	2.167	0.641	1.400	3.200
K	33	20.603	6.012	13.200	27.500
Na	33	1.561	1.556	0.200	3.300
S	33	2.142	0.692	1.400	3.000
CAB	33	328.488	141.106	121.937	485.540
Fe	33	166.939	134.103	78.000	342.000
Mn	33	91.697	55.445	41.000	150.000
Zn	33	29.879	10.455	20.000	42.000
Cu	33	6.255	1.882	4.000	7.500

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	530	422.964	145.366	257.500	603.500
Aska	529	71.762	13.052	53.000	88.000
OS smbh	530	72.075	4.935	66.150	78.500
Råprot	529	136.060	30.350	95.000	176.000
sRåprot	173	427.699	85.735	328.000	544.000
NDF	529	511.155	57.430	436.000	583.000
iNDF	530	174.320	51.647	112.743	237.954
nhNDF	530	4.281	0.871	3.302	5.423
Socket	529	95.011	46.561	32.000	159.000
TAF	530	59.366	35.785	2.500	84.000
Mjölksyra	173	0.000	0.000	0.000	0.000
Ättiksyra	173	6.595	7.842	0.000	19.000
PRF	173	1.387	2.067	0.000	4.000
BUF	173	0.549	1.305	0.000	2.000
AAT20	530	83.663	6.573	75.555	92.007
PBV20	530	7.848	22.727	-22.171	37.833
NEL20	530	5.859	0.475	5.258	6.453
Ca	489	5.091	1.731	3.200	7.100
P	489	2.691	0.575	1.900	3.400
Mg	489	1.800	0.425	1.300	2.300

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	489	23.131	6.206	14.800	31.000
Na	484	0.809	0.729	0.100	1.500
Cl	160	4.083	3.007	0.950	8.050
S	489	1.981	0.481	1.400	2.500
CAB	489	376.114	147.421	169.204	558.462
Fe	388	155.549	126.246	69.000	266.000
Mn	388	73.781	65.523	35.000	106.000
Zn	388	30.454	11.126	23.000	39.000
Cu	388	5.789	1.541	4.000	7.600
Se	105	0.021	0.024	0.007	0.040

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	277	482.505	160.701	286.000	724.000
Aska	277	82.704	12.148	65.000	99.000
OS smbh	277	72.352	4.370	66.400	77.500
Råprot	277	142.123	29.111	105.000	180.000
sRåprot	54	426.241	85.056	343.000	578.000
NDF	277	494.404	44.282	440.000	556.000
iNDF	277	176.169	45.951	118.000	233.000
nhNDF	277	4.274	0.752	3.406	5.199
Socker	277	86.401	41.390	29.000	144.000
TAF	277	69.372	30.131	5.000	84.000
Mjölksyra	54	0.000	0.000	0.000	0.000
Ättiksyra	54	7.463	9.428	0.000	19.000
PRF	54	1.185	1.844	0.000	4.000
BUF	54	0.315	0.907	0.000	1.000
AAT20	277	82.279	6.621	74.504	90.928
PBV20	277	15.614	22.986	-15.721	44.763
NEL20	277	5.858	0.412	5.358	6.363
Ca	258	6.414	1.883	4.200	8.800
P	258	3.007	0.506	2.400	3.700
Mg	258	2.248	0.493	1.600	2.900
K	258	24.057	5.440	16.900	30.900
Na	258	0.947	0.988	0.200	1.900
Cl	51	5.329	4.883	1.300	9.700
S	258	2.303	0.470	1.600	2.900
CAB	258	376.612	135.552	191.663	528.347
Fe	228	146.566	116.571	70.000	245.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mn	228	80.640	41.867	42.000	121.000
Zn	228	29.627	11.265	20.000	38.000
Cu	228	6.959	2.044	5.000	9.000
Se	63	0.023	0.023	0.008	0.040

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	188	438.043	149.386	268.000	660.000
Aska	187	93.471	15.147	76.000	111.000
OS smbh	188	74.001	3.573	69.500	78.500
Råprot	187	156.947	24.421	126.000	186.000
sRåprot	33	403.788	99.922	306.000	541.000
NDF	187	460.283	38.338	410.000	503.000
iNDF	188	168.233	50.802	106.286	225.692
nhNDF	188	4.392	0.825	3.365	5.537
Socket	187	74.658	36.132	25.000	120.000
TAF	188	70.830	28.970	7.000	84.000
Mjölksyra	33	0.000	0.000	0.000	0.000
Ättiksyra	33	7.424	9.083	0.000	17.000
PRF	33	1.242	1.803	0.000	3.000
BUF	33	0.303	0.918	0.000	1.000
AAT20	188	83.595	6.216	76.711	93.187
PBV20	188	27.205	20.642	2.695	50.384
NEL20	188	5.978	0.351	5.545	6.437
Ca	166	7.766	2.348	5.100	11.000
P	166	3.183	0.541	2.500	3.800
Mg	166	2.567	0.511	2.000	3.300
K	166	25.842	5.885	18.500	33.100
Na	166	1.117	0.857	0.300	2.300
Cl	32	5.056	2.658	1.900	9.100
S	166	2.480	0.488	1.900	3.200
CAB	166	420.174	142.023	249.159	602.948
Fe	147	195.735	198.591	86.000	410.000
Mn	147	86.925	42.635	46.000	147.000
Zn	147	28.068	5.880	21.000	36.000
Cu	147	7.439	1.550	5.800	9.100
Se	36	0.028	0.025	0.010	0.065

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	67	405.313	142.855	271.000	630.000
Aska	67	95.627	15.484	74.000	112.000
OS smbh	67	75.143	3.639	70.400	80.300
Råprot	67	163.149	26.603	127.000	190.000
sRåprot	15	401.133	81.787	296.000	487.000
NDF	67	441.448	40.559	387.000	502.000
iNDF	67	160.027	45.794	97.654	218.812
nhNDF	67	4.482	0.846	3.521	5.628
Socket	67	83.537	32.542	37.000	124.000
TAF	67	66.418	33.102	3.000	84.000
Mjölksyra	15	0.000	0.000	0.000	0.000
Ättiksyra	15	4.800	6.014	0.000	16.000
PRF	15	0.467	0.834	0.000	1.000
BUF	15	0.200	0.561	0.000	1.000
AAT20	67	85.220	6.356	78.264	93.930
PBV20	67	30.419	21.881	4.233	58.805
NEL20	67	6.052	0.371	5.704	6.529
Ca	62	8.029	2.781	5.700	11.400
P	62	3.184	0.484	2.600	3.800
Mg	62	2.640	0.497	2.100	3.100
K	62	24.774	6.843	16.400	33.800
Na	62	1.727	1.055	0.700	2.400
Cl	15	4.513	2.803	1.300	9.300
S	62	2.652	0.506	2.100	3.300
CAB	62	411.868	158.718	197.929	605.889
Fe	54	209.130	221.148	100.000	313.000
Mn	54	91.593	43.910	45.000	154.000
Zn	54	27.852	5.761	20.000	35.000
Cu	54	7.617	1.491	6.000	9.600
Se	17	0.037	0.034	0.011	0.100

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	232	410.114	140.259	275.000	634.000
Aska	225	77.600	20.760	56.000	96.000
OS smbh	236	72.364	4.598	67.100	77.400
Råprot	229	137.989	30.741	98.000	176.000
sRåprot	224	579.689	102.627	437.000	699.000
NH3-N	226	89.336	36.225	43.000	125.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
NDF	227	478.692	59.105	403.000	553.000
iNDF	236	183.282	42.724	136.695	234.385
nhNDF	236	4.062	0.733	3.175	4.863
Socket	226	53.151	36.026	14.000	110.000
TAF	236	64.751	27.987	26.400	100.100
Mjölksyra	226	48.665	23.936	17.000	80.000
Ättiksyra	226	11.972	6.182	5.000	19.000
BUF	223	2.496	5.594	0.100	4.100
AAT20	236	80.483	5.545	74.090	87.245
PBV20	236	14.898	25.477	-16.760	47.201
NEL20	236	5.878	0.463	5.306	6.343
Ca	207	6.268	2.444	3.500	9.400
P	207	2.741	0.572	2.000	3.400
Mg	207	2.167	0.639	1.500	3.037
K	207	23.168	5.715	15.100	29.600
Na	207	0.850	0.964	0.100	1.800
Cl	221	5.641	3.541	2.000	9.700
S	207	2.014	0.523	1.400	2.700
CAB	207	346.197	126.704	179.964	502.482
Fe	207	263.271	401.322	75.000	442.000
Mn	207	81.817	54.269	40.000	128.000
Zn	207	30.589	14.694	20.000	39.000
Cu	207	6.817	2.605	4.300	9.500
Se	44	0.036	0.105	0.007	0.043

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	2546	398.653	124.086	273.000	572.000
Aska	2540	69.004	12.155	54.000	83.000
OS smbh	2560	72.634	3.865	67.700	77.100
Råprot	2540	134.577	26.095	99.000	166.500
sRåprot	2540	613.928	82.363	509.000	704.000
NH3-N	2529	84.741	32.746	46.000	125.000
NDF	2540	495.447	46.215	436.000	554.000
iNDF	2560	175.145	41.017	130.000	225.223
nhNDF	2560	4.177	0.617	3.424	4.958
Socket	2540	56.374	38.828	14.000	112.000
TAF	2560	67.674	27.857	28.000	103.000
Mjölksyra	2540	50.294	23.247	18.000	80.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	2540	13.860	6.816	6.000	21.500
PRF	715	3.543	2.412	1.000	6.000
BUF	2540	1.715	3.270	0.000	3.900
AAT20	2560	80.298	4.105	75.410	85.404
PBV20	2560	11.828	21.963	-17.878	38.315
NEL20	2560	5.973	0.404	5.430	6.420
Ca	2421	5.406	1.644	3.700	7.600
P	2421	2.586	0.575	1.900	3.300
Mg	2421	1.805	0.375	1.400	2.200
K	2421	22.547	5.420	15.500	29.300
Na	2421	0.860	0.677	0.100	1.800
Cl	2497	4.375	2.560	1.500	7.600
S	2421	1.924	0.449	1.400	2.500
CAB	2421	371.009	131.148	196.277	533.572
Fe	2119	187.012	174.638	76.000	339.000
Mn	2119	66.169	31.055	34.000	98.000
Zn	2119	30.012	17.158	21.000	38.000
Cu	2119	6.003	1.881	4.200	8.000
Se	371	0.026	0.044	0.007	0.050

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	1673	413.421	135.315	267.000	624.000
Aska	1672	78.639	12.825	65.000	92.000
OS smbh	1680	72.669	3.485	68.200	76.900
Råprot	1672	143.551	26.098	112.000	177.000
sRåprot	1671	539.828	85.604	427.000	642.000
NH3-N	1667	79.653	32.193	42.000	118.000
NDF	1672	462.597	41.298	411.000	514.000
iNDF	1680	187.540	39.864	139.705	237.342
nhNDF	1680	3.963	0.573	3.246	4.674
Socket	1672	55.066	36.495	13.000	108.000
TAF	1680	66.222	29.210	25.200	103.650
Mjölksyra	1671	49.395	23.492	17.000	79.000
Ättiksyra	1671	13.579	7.624	5.000	22.000
PRF	427	3.824	2.711	1.000	7.000
BUF	1671	1.457	2.853	0.000	3.400
AAT20	1680	81.288	4.412	75.878	86.804
PBV20	1680	18.510	23.539	-10.966	48.784

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NEL20	1680	5.916	0.378	5.459	6.375
Ca	1589	7.071	2.174	4.800	9.800
P	1589	2.871	0.494	2.300	3.500
Mg	1589	2.287	0.455	1.800	2.800
K	1589	23.000	4.791	16.800	28.800
Na	1588	0.976	0.769	0.200	2.000
Cl	1660	5.099	2.859	1.700	8.700
S	1589	2.265	0.479	1.700	2.900
CAB	1589	345.990	115.860	195.726	486.206
Fe	1413	224.053	591.286	84.000	366.000
Mn	1413	82.109	40.461	44.000	122.000
Zn	1413	30.795	19.308	21.000	38.000
Cu	1413	7.234	1.677	5.200	9.300
Se	222	0.030	0.034	0.009	0.055

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	993	410.193	125.103	268.000	596.000
Aska	990	85.178	13.829	69.000	101.000
OS smbh	995	73.739	3.122	69.800	77.300
Råprot	990	151.767	22.436	123.000	179.000
sRåprot	988	534.611	78.182	432.000	623.000
NH3-N	986	79.948	32.812	42.000	119.000
NDF	990	439.395	38.852	390.000	488.500
iNDF	995	182.805	42.769	133.848	234.225
nhNDF	995	4.010	0.583	3.280	4.721
Socket	990	55.632	35.799	15.000	106.000
TAF	995	68.278	30.143	25.000	105.000
Mjölksyra	988	50.983	24.683	16.000	82.000
Ättiksyra	988	13.951	7.399	6.000	23.000
PRF	315	3.171	2.345	0.000	6.000
BUF	988	1.576	3.469	0.000	3.500
AAT20	995	82.105	4.898	76.275	88.353
PBV20	995	24.752	20.742	-3.455	51.601
NEL20	995	5.988	0.330	5.584	6.370
Ca	939	7.564	2.296	5.200	10.700
P	939	3.049	0.497	2.500	3.600
Mg	939	2.513	0.479	2.000	3.100
K	939	24.537	5.149	17.800	31.200

\*= Parametrar från det gamla svenska fodervärderingssystemet

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3**

Variabel	Number	Mean	STD	P10	P90
Na	939	1.187	0.991	0.300	2.100
Cl	983	5.538	2.891	2.100	9.400
S	939	2.482	0.496	1.900	3.100
CAB	939	368.230	121.764	209.605	516.676
Fe	816	229.928	234.034	90.000	390.000
Mn	816	90.172	39.138	48.000	139.000
Zn	816	29.800	24.072	22.000	37.000
Cu	816	7.664	2.128	5.800	9.800
Se	125	0.035	0.033	0.012	0.070

**Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4**

Variabel	Number	Mean	STD	P10	P90
TS	242	372.165	97.977	263.000	491.000
Aska	242	90.091	16.461	74.000	104.000
OS smbh	242	74.956	3.065	71.300	78.300
Råprot	242	160.405	23.280	132.000	188.000
sRåprot	242	567.041	62.577	482.000	631.000
NH3-N	241	78.266	27.380	49.000	109.000
NDF	242	417.273	35.524	373.000	461.000
iNDF	242	176.931	44.371	130.398	231.427
nhNDF	242	4.141	0.557	3.499	4.738
Socker	242	52.029	34.509	17.000	95.000
TAF	242	81.184	30.604	36.100	119.000
Mjölksyra	242	62.446	25.540	25.000	94.000
Ättiksyra	242	15.946	7.742	8.000	22.000
PRF	104	2.962	2.520	0.000	6.000
BUF	242	0.948	1.697	0.000	2.700
AAT20	242	81.380	4.600	75.741	87.116
PBV20	242	33.895	22.185	9.044	61.809
NEL20	242	6.117	0.313	5.776	6.435
Ca	234	7.421	1.833	5.600	10.000
P	234	3.249	0.472	2.600	3.800
Mg	234	2.567	0.372	2.100	3.000
K	234	24.378	4.409	19.200	30.100
Na	234	1.654	0.779	0.700	2.700
Cl	241	6.415	3.027	2.900	10.600
S	234	2.721	0.493	2.200	3.300
CAB	234	347.226	104.876	224.340	461.656
Fe	183	338.393	430.110	117.000	644.000

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
Mn	183	101.240	32.885	61.000	143.000
Zn	183	35.142	54.187	22.000	39.000
Cu	183	7.751	2.758	6.000	9.200
Se	27	0.044	0.023	0.016	0.080

## Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=5

Variabel	Number	Mean	STD	P10	P90
TS	16	398.500	123.167	265.000	577.000
Aska	16	91.000	10.073	79.000	103.000
OS smbh	16	75.275	2.610	71.400	77.800
Råprot	16	172.563	18.583	157.000	189.000
sRåprot	16	548.188	68.866	405.000	595.000
NH3-N	16	63.000	18.203	30.000	84.000
NDF	16	415.563	30.195	383.000	457.000
iNDF	16	177.290	54.374	118.000	235.000
nhNDF	16	4.227	0.463	3.644	4.445
Socket	16	47.375	29.667	20.000	87.000
TAF	16	78.913	36.410	24.000	126.100
Mjölksyra	16	62.313	32.749	15.000	105.000
Ättiksyra	16	14.000	5.099	6.000	20.000
PRF	11	2.909	1.700	1.000	5.000
BUF	16	0.288	0.515	0.000	1.400
AAT20	16	83.140	5.872	75.428	93.029
PBV20	16	42.457	16.119	28.165	69.328
NEL20	16	6.188	0.210	5.846	6.428
Ca	16	7.106	1.834	5.000	10.300
P	16	3.438	0.538	2.900	4.100
Mg	16	2.519	0.290	2.200	2.900
K	16	25.275	4.092	20.400	31.400
Na	16	1.938	0.866	0.700	2.800
Cl	16	6.900	3.398	2.800	11.700
S	16	2.725	0.542	2.100	3.500
CAB	16	365.980	77.874	231.816	458.045
Fe	11	323.455	316.778	121.000	564.000
Mn	11	72.727	31.730	26.000	109.000
Zn	11	99.455	220.470	27.000	45.000
Cu	11	7.455	0.950	6.300	9.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	119	427.849	118.612	282.000	584.000
Aska	119	58.429	16.161	40.000	76.000
OS smbh	120	67.019	3.812	62.250	71.350
Råprot	119	106.824	24.437	80.000	130.000
sRåprot	119	599.992	101.569	455.000	733.000
NH3-N	119	98.084	39.309	51.000	143.000
NDF	119	451.613	54.550	379.000	523.000
iNDF	120	269.810	45.802	221.304	323.500
nhNDF	120	2.646	0.702	1.888	3.442
Stä	118	122.169	76.998	22.000	222.000
Socket	119	52.790	36.181	17.000	101.000
TAF	120	55.653	30.188	16.700	90.500
Mjölksyra	119	39.252	24.068	9.000	70.000
Ättiksyra	119	13.445	8.190	4.000	22.000
PRF	48	3.188	2.711	0.000	8.000
BUF	48	1.292	1.148	0.000	3.000
AAT20	120	69.939	4.686	64.218	75.263
PBV20	120	-6.549	20.926	-31.625	17.684
NEL20	120	5.393	0.364	4.931	5.909
Ca	107	4.142	1.958	2.300	6.400
P	107	2.708	0.537	2.100	3.500
Mg	107	1.608	0.448	1.100	2.300
K	107	16.849	6.203	10.800	24.300
Na	107	0.893	0.595	0.200	1.600
Cl	111	3.656	2.951	1.000	5.800
S	107	1.818	0.611	1.300	2.300
CAB	107	257.081	133.172	121.354	406.708
Fe	81	216.556	221.082	63.000	445.000
Mn	81	66.136	61.103	23.000	116.000
Zn	81	29.815	9.757	20.000	44.000
Cu	81	5.436	1.408	3.900	7.300

## Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	30	391.567	179.315	264.500	458.000
Aska	30	72.333	19.117	49.500	96.000
OS smbh	30	65.510	3.423	62.200	70.300
Råprot	30	130.433	26.551	93.500	166.000
sRåprot	30	636.300	67.644	522.000	716.500

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	30	108.500	36.107	52.500	153.000
NDF	30	477.233	39.584	421.500	524.000
iNDF	30	267.638	35.195	219.298	315.866
nhNDF	30	2.716	0.498	2.019	3.432
Stä	30	50.867	46.749	17.000	128.000
Socket	30	29.867	19.116	10.500	54.000
TAF	30	75.767	16.929	58.500	97.500
Mjölksyra	30	55.967	14.540	37.500	74.000
Ättiksyra	30	17.800	5.786	9.500	24.500
AAT20	30	67.848	4.453	61.353	73.185
PBV20	30	22.190	21.827	-6.564	51.811
NEL20	30	5.349	0.297	5.070	5.752
Ca	22	6.023	1.861	4.500	7.900
P	22	2.959	0.604	1.800	3.500
Mg	22	1.914	0.278	1.500	2.200
K	22	20.650	7.479	12.300	30.200
Na	22	1.050	1.020	0.400	2.800
Cl	30	4.867	2.391	1.500	7.750
S	22	1.927	0.441	1.500	2.700
CAB	22	324.393	132.195	183.502	481.380
Fe	22	236.727	243.437	96.000	395.000
Mn	22	86.182	42.640	38.000	126.000
Zn	22	36.636	10.126	25.000	51.000
Cu	22	6.273	1.686	4.100	8.500

## Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	12	357.583	53.113	276.000	417.000
Aska	12	62.250	12.807	47.000	84.000
OS smbh	12	62.817	4.518	55.700	67.600
Råprot	12	120.750	23.313	94.000	145.000
sRåprot	12	519.000	115.821	422.000	669.000
NH3-N	11	77.364	59.402	25.000	120.000
NDF	12	451.250	57.931	351.000	510.000
iNDF	12	329.838	43.793	286.937	397.739
nhNDF	12	2.116	0.526	1.310	2.622
Stä	11	108.000	47.770	57.000	162.000
Socket	12	38.917	19.152	14.000	59.000
TAF	12	68.100	31.403	31.900	94.900

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	12	50.167	29.213	19.000	77.000
Ättiksyra	12	16.167	9.408	10.000	30.000
AAT20	12	67.527	4.565	63.490	72.441
PBV20	12	14.053	21.712	-12.287	45.441
NEL20	12	5.124	0.416	4.492	5.624
Ca	11	5.000	1.202	3.600	6.500
P	11	2.718	0.623	2.300	3.100
Mg	11	1.827	0.541	1.400	2.400
K	11	16.536	3.592	12.500	20.000
Na	11	0.918	0.506	0.500	1.500
Cl	12	2.200	1.266	0.700	4.000
S	11	1.491	0.423	1.200	1.800
CAB	11	306.924	67.365	238.155	410.505
Fe	10	150.500	105.690	88.500	305.000
Mn	10	84.000	23.152	50.500	112.500
Zn	10	34.800	9.864	23.000	49.500
Cu	10	7.470	3.299	3.750	12.500

## Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	52	368.962	98.796	262.000	475.000
Aska	52	72.231	16.655	54.000	93.000
OS smbh	52	66.608	4.138	61.800	71.700
Råprot	52	120.173	20.267	101.000	142.000
sRåprot	52	605.808	94.965	471.000	720.000
NH3-N	52	98.173	37.391	50.000	149.000
NDF	52	458.596	44.483	408.000	509.000
iNDF	52	396.146	89.122	273.542	509.139
nhNDF	52	6.026	2.033	2.911	8.499
Stä	52	74.596	45.066	18.000	135.000
Socker	52	38.981	29.713	15.000	77.000
TAF	52	69.923	24.051	42.500	99.500
Mjölksyra	52	51.327	19.575	24.000	73.000
Ättiksyra	52	16.788	6.711	9.000	26.000
PRF	14	3.857	3.085	1.000	7.000
BUF	14	1.500	1.506	0.000	4.000
AAT20	52	69.601	5.639	64.307	75.054
PBV20	52	9.793	18.502	-9.724	35.743
NEL20	52	5.448	0.359	5.021	5.873

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	45	5.344	1.501	3.800	7.500
P	45	2.713	0.555	2.000	3.400
Mg	45	1.744	0.383	1.300	2.300
K	45	20.084	5.394	14.800	25.900
Na	45	0.904	0.675	0.200	1.600
Cl	50	3.836	2.383	1.400	7.650
S	45	1.802	0.504	1.300	2.300
CAB	45	333.061	103.307	218.408	445.959
Fe	42	341.238	310.867	114.000	784.000
Mn	42	73.214	29.358	45.000	119.000
Zn	42	39.738	52.904	24.000	42.000
Cu	42	5.707	1.035	4.500	6.900
Se	18	0.023	0.021	0.006	0.050

## Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	26	527.115	66.9844	428.000	587.000
Aska	26	15.077	2.7411	12.000	19.000
OS smbh	26	79.931	3.5335	76.100	84.600
Råprot	26	75.115	6.1795	68.000	85.000
sRåprot	26	403.692	90.2582	312.000	505.000
NH3-N	20	33.200	16.5485	7.000	51.000
NDF	26	241.462	59.1731	195.000	337.000
iNDF	26	223.768	37.8782	177.784	258.000
nhNDF	26	2.570	0.9050	1.535	3.481
Stä	26	515.231	65.3999	441.000	572.000
Socket	26	2.000	4.8826	0.000	11.000
TAF	26	40.515	9.5468	27.000	50.000
Mjölksyra	22	37.500	9.0172	26.000	46.000
Ättiksyra	22	3.136	2.4161	0.000	6.000
PRF	22	0.318	0.4767	0.000	1.000
BUF	22	0.000	0.0000	0.000	0.000
AAT20	26	93.083	2.7887	90.319	95.386
PBV20	26	-71.652	6.8432	-78.295	-64.179
NEL20	26	6.963	0.3609	6.451	7.448
Ca	25	0.660	0.5074	0.200	1.400
P	25	2.228	0.3518	1.900	2.600
Mg	25	0.896	0.2371	0.500	1.200
K	25	5.244	1.1969	3.800	6.600

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Na	24	0.342	0.1412	0.200	0.500
S	25	0.916	0.1106	0.800	1.000
CAB	25	60.438	31.8058	28.379	101.525
Fe	13	54.154	12.9862	38.000	69.000
Mn	13	7.846	1.9513	6.000	11.000
Zn	13	21.000	5.6421	16.000	30.000
Cu	13	2.408	0.7262	2.000	3.000

## Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	38	368.026	102.255	235.000	525.000
Aska	38	66.316	18.297	47.000	88.000
OS smbh	38	65.100	4.768	58.800	71.300
Råprot	38	109.000	26.303	75.000	142.000
sRåprot	38	605.053	110.202	439.000	737.000
NH3-N	38	96.000	36.177	50.000	151.000
NDF	38	489.737	54.823	410.000	564.000
iNDF	38	274.904	53.764	191.505	340.000
nhNDF	38	2.826	0.711	1.993	3.885
Stä	37	76.459	67.186	17.000	202.000
Socker	38	34.579	22.946	11.000	62.000
TAF	38	67.895	28.457	27.000	106.000
Mjölksyra	38	48.316	21.385	17.000	77.000
Ättiksyra	38	17.237	10.197	5.000	31.000
PRF	11	5.545	2.911	2.000	8.000
BUF	11	2.545	2.734	0.000	6.000
AAT20	38	71.097	5.066	65.507	78.388
PBV20	38	-4.944	23.960	-34.297	24.032
NEL20	38	5.336	0.410	4.841	5.825
Ca	32	4.019	1.691	2.300	5.700
P	32	2.950	0.588	2.200	3.700
Mg	32	1.681	0.443	1.100	2.300
K	32	20.163	7.367	12.600	32.500
Na	32	1.253	1.312	0.300	3.200
Cl	37	4.032	2.490	0.800	7.800
S	32	1.850	0.657	1.300	2.500
CAB	32	341.469	148.028	190.664	545.794
Fe	24	219.792	276.277	75.000	423.000
Mn	24	103.917	77.470	34.000	221.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	24	28.750	9.176	18.000	43.000
Cu	24	4.729	1.426	3.700	7.000

## Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	51	382.137	113.580	263.000	508.000
Aska	49	73.551	17.550	53.000	96.000
OS smbh	51	65.772	3.231	62.500	70.800
Råprot	49	125.490	22.621	101.000	164.000
sRåprot	49	632.633	91.986	498.000	740.000
NH3-N	49	112.592	39.753	63.000	177.000
NDF	49	463.020	41.471	415.000	507.000
iNDF	51	282.325	39.125	254.412	329.000
nhNDF	51	2.687	0.538	2.130	3.124
Stä	48	70.125	49.843	17.000	131.000
Socket	49	37.143	22.647	14.000	66.000
TAF	51	67.704	25.746	38.000	98.000
Mjölksyra	49	49.143	21.638	22.000	77.000
Ättiksyra	49	17.551	8.211	8.000	30.000
PRF	10	1.900	1.197	0.000	3.500
BUF	10	0.500	0.850	0.000	2.000
AAT20	51	66.501	3.823	61.157	71.367
PBV20	51	19.017	21.470	-2.717	50.667
NEL20	51	5.307	0.334	4.992	5.779
Ca	46	6.224	2.351	3.600	9.200
P	46	2.750	0.485	2.200	3.400
Mg	46	1.865	0.431	1.300	2.400
K	46	18.561	4.558	13.700	25.800
Na	46	0.461	0.413	0.100	1.100
Cl	49	4.076	2.487	1.100	7.400
S	46	1.824	0.356	1.400	2.300
CAB	46	267.274	94.385	171.344	409.214
Fe	42	317.024	337.251	91.000	615.000
Mn	42	75.190	33.901	33.000	128.000
Zn	42	35.833	9.394	26.000	48.000
Cu	42	6.731	1.440	5.000	8.600

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	82	442.390	143.868	323.000	602.000
Aska	81	60.272	14.355	44.000	79.000
OS smbh	82	67.490	3.806	62.700	71.100
Råprot	81	107.840	26.746	77.000	137.000
sRåprot	81	620.593	120.958	442.000	764.000
NH3-N	81	94.420	41.225	51.000	138.000
NDF	81	457.025	61.223	397.000	520.000
iNDF	82	265.411	54.035	203.910	327.000
nhNDF	82	2.812	0.794	1.979	3.772
Stä	81	107.728	89.176	18.000	213.000
Socker	81	65.926	44.487	18.000	122.000
TAF	82	55.901	29.902	21.500	94.000
Mjölksyra	81	38.358	24.437	11.000	70.000
Ättiksyra	81	14.185	7.523	5.000	23.000
PRF	31	2.839	2.945	0.000	7.000
BUF	31	1.452	2.063	0.000	3.000
AAT20	82	70.491	4.577	64.408	76.209
PBV20	82	-7.606	23.979	-36.185	17.369
NEL20	82	5.486	0.391	5.058	5.967
Ca	68	3.479	1.802	1.900	5.800
P	68	2.606	0.627	2.000	3.300
Mg	68	1.474	0.440	1.000	2.100
K	68	17.866	6.212	11.100	28.500
Na	68	0.510	0.507	0.100	1.100
Cl	74	3.482	2.580	1.000	7.900
S	68	1.766	0.464	1.200	2.400
CAB	68	279.287	138.251	125.428	522.809
Fe	60	173.500	137.803	74.500	294.500
Mn	60	64.383	28.721	27.000	97.500
Zn	60	28.817	6.604	21.000	38.500
Cu	60	5.322	1.526	3.750	7.250
Se	20	0.018	0.012	0.007	0.034

## Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	80	382.588	106.277	277.500	489.000
Aska	80	62.825	15.134	46.500	80.500
OS smbh	80	67.055	2.849	63.350	70.800
Råprot	80	113.538	20.010	89.500	135.500

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
sRåprot	80	618.813	107.370	467.500	739.500
NH3-N	80	96.175	37.799	50.000	149.500
NDF	80	435.913	42.808	377.500	497.000
iNDF	80	286.599	40.106	236.109	340.735
nhNDF	80	2.586	0.513	1.953	3.271
Stä	77	106.377	62.197	30.000	198.000
Socket	80	40.225	29.028	12.000	76.500
TAF	80	70.238	28.511	38.500	106.500
Mjölksyra	80	51.688	23.212	25.000	84.500
Ättiksyra	80	16.888	7.026	9.000	26.000
PRF	23	4.478	3.203	0.000	10.000
BUF	23	1.304	2.771	0.000	3.000
AAT20	80	70.323	4.146	65.339	75.532
PBV20	80	2.313	19.920	-18.898	26.141
NEL20	80	5.463	0.290	5.065	5.822
Ca	71	5.708	1.675	3.900	7.300
P	71	2.561	0.430	2.000	3.100
Mg	71	1.714	0.391	1.300	2.200
K	71	17.170	4.268	12.900	21.600
Na	71	0.687	0.431	0.200	1.200
Cl	76	3.484	2.070	1.200	6.900
S	71	1.631	0.375	1.200	2.100
CAB	71	279.018	90.211	159.120	398.912
Fe	64	223.578	182.491	83.000	529.000
Mn	64	61.172	39.037	25.000	103.000
Zn	64	39.484	48.618	20.000	44.000
Cu	64	5.741	1.496	4.000	7.600
Se	10	0.045	0.031	0.015	0.098

## Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	596	355.524	54.461	287.000	423.000
Aska	594	30.039	8.873	22.000	37.000
OS smbh	599	75.794	2.487	72.500	78.800
Råprot	594	72.727	8.480	63.000	83.000
sRåprot	594	522.640	75.071	440.000	629.000
NH3-N	587	52.235	24.326	24.000	82.000
NDF	594	377.296	43.790	332.000	435.000
iNDF	599	202.319	29.577	169.000	241.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
nhNDF	599	3.373	0.515	2.710	4.009
Stä	592	298.405	60.312	221.000	363.000
Socker	594	13.140	16.186	0.000	30.000
TAF	599	63.469	13.776	48.000	80.000
Mjölksyra	593	45.880	10.896	34.000	58.000
Ättiksyra	593	14.556	5.469	8.000	22.000
PRF	265	3.132	1.513	1.000	5.000
BUF	267	0.037	0.356	0.000	0.000
AAT20	599	82.882	3.071	79.103	86.700
PBV20	599	-57.124	9.042	-67.907	-45.380
NEL20	599	6.435	0.235	6.129	6.699
Ca	554	1.806	0.725	1.200	2.400
P	555	1.852	0.283	1.600	2.100
Mg	555	1.087	0.229	0.900	1.300
K	555	9.054	1.692	7.300	10.900
Na	549	0.286	0.300	0.100	0.500
Cl	330	1.728	0.751	1.200	2.200
S	555	0.896	0.259	0.800	1.000
CAB	554	142.601	40.128	98.971	187.062
Fe	442	118.364	182.925	53.000	166.000
Mn	442	27.495	16.256	12.000	45.000
Zn	442	24.928	12.431	16.000	33.000
Cu	442	3.935	2.675	2.600	5.000
Se	71	0.029	0.024	0.005	0.050

## Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	370.500	110.919	270.000	456.000
Aska	18	58.889	10.105	43.000	73.000
OS smbh	18	69.011	4.099	62.300	73.800
Råprot	18	107.278	23.184	69.000	123.000
sRåprot	18	724.667	118.452	524.000	877.000
NH3-N	18	98.500	41.377	48.000	164.000
NDF	18	529.056	55.540	469.000	606.000
iNDF	18	207.391	34.297	180.309	286.972
nhNDF	18	3.688	0.538	2.503	4.178
Stä	18	18.833	4.829	17.000	19.000
Socker	18	71.444	47.226	17.000	138.000
TAF	18	63.500	31.020	17.000	114.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	18	46.667	27.755	8.000	88.000
Ättiksyra	18	16.833	6.680	5.000	26.000
AAT20	18	68.592	5.894	60.066	76.935
PBV20	18	-3.484	21.707	-48.667	17.213
NEL20	18	5.561	0.350	4.984	5.933
Ca	15	3.360	1.011	2.300	5.200
P	15	2.700	0.455	2.100	3.200
Mg	15	1.180	0.254	0.900	1.600
K	15	21.893	4.553	16.600	26.000
Na	15	0.360	0.534	0.100	0.500
Cl	18	1.589	1.753	0.500	5.500
S	15	1.453	0.280	1.000	1.700
CAB	15	437.614	106.120	327.932	540.791
Fe	15	101.800	44.229	57.000	178.000
Mn	15	35.133	18.181	15.000	62.000
Zn	15	25.067	4.621	21.000	30.000
Cu	15	4.200	0.885	3.000	5.700

## Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	19	843.000	50.647	785.000	915.000
Aska	18	58.444	10.761	46.000	76.000
OS smbh	20	63.525	6.317	54.550	69.600
Råprot	18	84.611	20.771	66.000	124.000
NDF	18	558.889	40.217	526.000	622.000
iNDF	20	250.610	55.660	191.891	336.303
nhNDF	20	3.091	0.764	1.924	3.898
Socket	18	123.278	35.885	72.000	173.000
TAF	20	0.000	0.000	0.000	0.000
AAT20	20	81.099	6.924	71.407	88.486
PBV20	20	-34.661	14.861	-51.211	-14.158
NEL20	20	4.854	0.537	4.099	5.413
Ca	17	3.912	1.454	1.500	6.000
P	17	1.824	0.527	1.200	2.700
Mg	17	1.494	0.544	0.800	2.400
K	17	15.147	5.293	8.500	23.300
Na	17	0.565	0.590	0.100	1.500
S	17	1.376	0.340	1.000	2.000
CAB	17	185.071	122.433	35.785	371.911

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Fe	17	96.765	40.958	53.000	156.000
Mn	17	84.882	62.861	12.000	148.000
Zn	17	23.000	9.307	13.000	36.000
Cu	17	4.800	1.496	3.100	6.400

## Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	112	843.304	68.377	761.000	904.000
Aska	112	53.089	10.906	40.000	67.000
OS smbh	112	64.387	4.630	59.000	69.400
Råprot	112	76.616	21.626	53.000	107.000
sRåprot	32	425.031	50.020	370.000	477.000
NDF	112	555.982	44.837	493.000	605.000
iNDF	112	248.018	43.191	203.000	307.459
nhNDF	112	3.134	0.525	2.365	3.656
Socket	112	136.446	40.653	85.000	186.000
TAF	112	3.304	6.496	0.000	13.000
Mjölksyra	32	0.000	0.000	0.000	0.000
Ättiksyra	32	9.844	6.994	0.000	20.000
PRF	32	1.313	1.786	0.000	4.000
BUF	32	0.406	0.946	0.000	2.000
AAT20	112	81.850	6.325	74.343	90.475
PBV20	112	-44.737	14.097	-60.474	-26.753
NEL20	112	4.926	0.428	4.383	5.400
Ca	92	3.500	1.594	1.700	5.900
P	94	1.977	0.507	1.400	2.600
Mg	94	1.359	0.469	0.900	2.000
K	94	15.262	4.873	8.500	21.000
Na	89	0.446	0.539	0.100	1.200
Cl	13	2.608	2.203	0.200	5.700
S	94	1.297	0.408	0.900	1.900
CAB	92	194.888	128.542	35.993	322.886
Fe	72	97.153	88.963	45.000	158.000
Mn	72	84.361	71.866	35.000	124.000
Zn	72	23.806	11.665	16.000	30.000
Cu	72	4.069	1.274	2.600	6.000
Se	11	0.016	0.008	0.007	0.030

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	21	805.238	87.233	654.000	889.000
Aska	21	70.571	12.968	57.000	85.000
OS smbh	21	68.914	8.027	66.100	74.100
Råprot	21	111.095	39.286	84.000	132.000
NDF	21	505.333	56.083	457.000	546.000
iNDF	21	207.313	60.307	156.000	249.508
nhNDF	21	3.601	0.849	2.978	4.585
Socket	21	105.810	36.981	69.000	142.000
TAF	21	1.286	2.053	0.000	4.000
AAT20	21	89.159	10.116	84.518	95.060
PBV20	21	-24.781	27.103	-51.277	-12.833
NEL20	21	5.354	0.682	5.055	5.775
Ca	21	5.971	2.289	2.900	8.700
P	21	2.519	0.712	1.900	3.400
Mg	21	1.971	0.745	1.100	3.200
K	21	19.181	7.687	8.300	28.100
Na	21	0.776	0.593	0.100	1.400
S	21	1.990	0.654	1.500	2.600
CAB	21	268.583	179.045	30.654	462.847
Fe	19	173.842	137.381	63.000	311.000
Mn	19	112.421	113.863	33.000	334.000
Zn	19	24.474	7.366	14.000	36.000
Cu	19	5.747	1.877	2.100	8.600

## Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	10	411.000	111.070	253.000	537.500
Aska	10	101.500	17.759	81.500	127.000
OS smbh	10	73.710	3.653	68.500	78.000
Råprot	10	161.500	19.501	138.000	192.500
NDF	10	399.400	32.935	356.500	445.500
iNDF	10	253.207	94.265	138.390	370.057
nhNDF	10	4.788	0.596	3.866	5.488
Socket	10	83.500	25.348	48.000	108.500
TAF	10	50.900	33.988	0.500	72.000
AAT20	10	82.394	5.644	76.164	91.470
PBV20	10	37.449	19.433	10.704	63.715
NEL20	10	5.847	0.344	5.343	6.235

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	27	369.519	98.5672	253.000	535.000
Aska	27	79.889	13.1744	61.000	101.000
OS smbh	27	74.163	3.1623	69.600	78.000
Råprot	27	148.296	29.7280	121.000	183.000
sRåprot	27	613.259	66.9986	485.000	677.000
NH3-N	27	81.630	25.2162	55.000	124.000
NDF	27	440.889	70.8966	343.000	528.000
iNDF	27	222.089	82.3923	139.000	355.000
nhNDF	27	5.272	1.5994	3.741	8.003
Socket	27	45.185	27.1733	19.000	95.000
TAF	27	83.037	29.9730	30.300	107.100
Mjölksyra	27	61.852	26.2293	22.000	84.000
Ättiksyra	27	17.778	6.5770	8.000	27.000
PRF	12	4.000	1.8091	2.000	5.000
BUF	27	1.074	1.8376	0.000	3.900
AAT20	27	78.261	3.4891	74.110	83.576
PBV20	27	31.382	27.5028	3.003	66.742
NEL20	27	6.141	0.3248	5.701	6.527
Ca	26	7.388	3.1112	4.300	12.800
P	26	3.085	0.5519	2.600	3.700
Mg	26	2.000	0.4948	1.500	2.700
K	26	26.142	5.0539	21.600	33.200
Na	26	0.912	0.5354	0.200	1.600
Cl	27	4.367	2.5525	1.500	8.300
S	26	1.931	0.4067	1.300	2.400
CAB	26	463.942	98.7418	341.032	619.083
Fe	16	154.063	94.3253	71.000	220.000
Mn	16	49.625	19.2592	22.000	75.000
Zn	16	28.063	14.5624	20.000	32.000
Cu	16	6.475	1.5067	4.900	9.100

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	19	432.053	139.553	269.000	719.000
Aska	19	82.526	9.559	66.000	94.000
OS smbh	19	72.379	3.066	68.500	76.400
Råprot	19	144.158	22.214	118.000	171.000
sRåprot	19	526.895	89.774	359.000	623.000
NH3-N	19	73.947	33.855	26.000	122.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NDF	19	433.105	39.111	386.000	484.000
iNDF	19	262.016	69.121	175.788	368.000
nhNDF	19	4.900	1.110	3.551	6.395
Socket	19	52.737	28.254	21.000	91.000
TAF	19	71.084	27.544	20.500	108.000
Mjölksyra	19	52.895	21.116	18.000	80.000
Ättiksyra	19	14.947	7.692	5.000	22.000
BUF	19	1.137	1.186	0.000	3.000
AAT20	19	78.526	4.751	74.126	84.830
PBV20	19	27.103	21.399	-6.543	57.236
NEL20	19	5.904	0.323	5.267	6.286
Ca	19	8.895	2.953	6.100	13.000
P	19	3.095	0.517	2.200	3.900
Mg	19	2.458	0.561	1.800	3.300
K	19	23.716	2.870	19.700	28.000
Na	19	1.084	0.629	0.300	2.300
Cl	19	4.974	1.809	2.200	7.100
S	19	2.142	0.395	1.600	2.800
CAB	19	379.696	60.004	301.169	468.360
Fe	13	132.692	49.363	86.000	203.000
Mn	13	58.846	17.102	43.000	84.000
Zn	13	26.000	3.808	21.000	32.000
Cu	13	7.585	2.195	5.600	11.400

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	17	389.941	115.884	248.000	592.000
Aska	17	87.353	12.318	72.000	103.000
OS smbh	17	72.347	3.597	66.500	76.200
Råprot	17	154.235	19.473	127.000	179.000
sRåprot	17	557.529	56.968	493.000	636.000
NH3-N	17	91.588	60.624	12.000	129.000
NDF	17	429.059	54.662	364.000	500.000
iNDF	17	269.141	56.624	198.411	346.339
nhNDF	17	5.003	1.140	3.457	6.268
Socket	17	45.588	29.315	13.000	99.000
TAF	17	76.188	29.309	34.900	118.000
Mjölksyra	17	54.706	24.499	23.000	92.000
Ättiksyra	17	16.588	7.795	8.000	31.000

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
BUF	17	2.188	4.255	0.000	3.800
AAT20	17	77.637	5.062	70.491	85.227
PBV20	17	38.241	16.951	16.893	61.854
NEL20	17	5.928	0.326	5.427	6.275
Ca	16	8.856	2.105	6.300	13.000
P	16	3.256	0.746	2.400	3.900
Mg	16	2.613	0.334	2.100	3.000
K	16	25.200	7.355	15.200	35.600
Na	16	1.088	0.585	0.400	1.800
Cl	17	4.394	2.564	1.400	6.900
S	16	2.438	0.449	1.800	3.100
CAB	16	414.440	187.528	182.648	623.882
Fe	12	170.167	80.175	102.000	209.000
Mn	12	84.167	28.351	53.000	121.000
Zn	12	34.667	25.076	23.000	37.000
Cu	12	7.717	1.395	6.000	9.200

## Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	76	390.961	84.697	277.000	480.000
Aska	76	65.474	15.252	51.000	85.000
OS smbh	76	70.091	9.038	65.200	75.700
Råprot	76	132.289	27.058	104.000	163.000
sRåprot	75	528.160	64.616	461.000	621.000
NH3-N	75	88.907	61.632	36.000	175.000
NDF	76	389.329	73.363	313.000	471.000
iNDF	76	271.013	78.318	195.000	408.000
nhNDF	76	3.024	0.708	2.134	3.772
Stä	70	129.357	62.443	50.000	210.500
Socket	76	42.013	26.333	10.000	73.000
TAF	76	71.434	35.252	36.000	117.000
Mjölksyra	75	38.240	22.333	2.000	66.000
Ättiksyra	75	22.933	16.503	7.000	53.000
PRF	75	5.507	3.194	2.000	10.000
BUF	75	5.093	10.441	0.000	26.000
AAT20	76	80.309	7.308	70.709	89.686
PBV20	76	13.116	22.947	-5.662	33.249
NEL20	76	6.023	0.405	5.434	6.519
Ca	75	7.315	2.657	4.700	9.900

\*= Parametrar från det gamla svenska fodervärderingssystemet



## Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
P	75	3.579	0.712	2.900	4.500
Mg	75	2.767	0.820	2.000	3.700
K	75	17.695	5.093	12.200	23.700
Na	75	2.441	1.427	0.800	4.900
Cl	75	5.975	3.234	2.900	11.100
S	75	2.472	0.441	2.000	3.000
CAB	75	235.893	136.119	73.085	382.284
Fe	42	329.310	191.905	175.000	470.000
Mn	42	74.071	31.861	25.000	116.000
Zn	42	65.667	30.048	35.000	102.000
Cu	42	13.929	6.361	7.000	25.000

## Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	28	397.500	60.362	318.000	470.000
Aska	28	73.929	10.227	63.000	85.000
OS smbh	28	74.000	4.118	68.700	79.000
Råprot	28	148.786	21.538	112.000	168.000
sRåprot	28	532.250	84.468	415.000	662.000
NH3-N	28	72.643	26.815	46.000	126.000
NDF	28	376.179	63.078	288.000	447.000
iNDF	28	210.502	39.675	171.105	251.767
nhNDF	28	3.239	0.591	2.597	3.983
Stä	28	133.286	67.545	40.000	227.000
Socket	28	38.679	15.729	21.000	63.000
NEL20	28	0.000	0.000	0.000	0.000
Ca	21	6.243	1.279	4.900	7.300
P	21	3.586	0.771	2.800	4.600
Mg	21	3.524	1.634	2.200	4.700
K	21	17.752	3.484	14.600	22.200
Na	21	2.671	2.180	0.700	5.400
Cl	28	7.300	5.611	2.700	14.000
S	21	2.329	0.541	1.600	2.900
CAB	21	219.944	173.867	128.908	324.812
Fe	21	350.000	127.695	210.000	572.000
Mn	21	90.238	27.256	64.000	128.000
Zn	21	65.524	27.083	34.000	102.000
Cu	21	13.471	6.900	6.500	19.000

\*= Parametrar från det gamla svenska fodervärderingssystemet