

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	182	842	24	60.3	120	295	8.3	178	122	3.15	570	4			95.8	-24	7.36
Havre, kärna, hög NDF (002)	1	26	848	27	75.0	121		8.0	319	392	2.00	499				83.0	2.3	6.40
Vete, kärna (005)	1	87	851	19	59.6	125	327	9.4	121	135	3.50	628	7			114	-43	7.97
Rågvete (015)	1	22	865	18	58.4	114	375	6.5	116	131	3.50	641	12			109	-47	7.85
Blandsäd, kärna, 50%havre/50%korn (096)	1	15	850	28	80.5	115		6.1	256	304	2.50	574				90.3	-17	6.89
Blandsäd, kärna, 50%korn/50%vete (114)	1	28	851	21	87.0	121		6.0	192	173	3.30	634				104	-33	7.55
Blandsäd, kärna, 50%havre/50%vete (115)	1	15	843	24	81.6	133		9.4	214	324	2.50	570				102	-16	7.25
Åkerböna, kärna (007)	1	18	864	35	84.5	295	754	4.0	180	32	4.70	374	34			101	143	7.86
Majs hela plantan, grönmassa (030)	1	152	365	30	75.0	72	363		387	190	3.22	306	27	0.0	6.4	88.9	-67	6.24
Prognos, blandvall (1-50% baljv) (042)	0	12	171	90	81.5	194			424	83	6.23		105			108	21.6	6.65
Prognos, blandvall (1-50% baljv) (042)	1	14	199	87	84.7	195			416	58	9.70		120			112	15.5	6.96
Grönmassa, gräs (0% baljv.) (161)	1	90	461	65	66.4	116	387	4.0	514	253	3.34	12	108	0.0	2.1	80.8	-7.9	5.20
Grönmassa, gräs (0% baljv.) (161)	2	11	600	69	70.0	127	427		519	198	3.86		103	0.0	0.0	82.0	0.0	5.57
Ensilage, gräs (0% klöver) (162)	0	10	552	72	69.3	116	477	56.8	492	215	3.52		90	29.8	8.3	79.6	-6.7	5.46
Ensilage, gräs (0% klöver) (162)	1	138	474	66	70.9	126	576	71.7	511	187	3.97	52	71	40.1	12.1	79.3	3.6	5.76
Ensilage, gräs (0% klöver) (162)	2	71	432	79	73.1	149	537	76.8	466	175	4.04		54	46.3	12.6	81.7	20.8	5.94
Ensilage, gräs (0% klöver) (162)	3	40	433	84	74.6	150	530	72.3	439	168	4.14		61	49.8	11.7	82.5	20.0	6.01
Ensilage, gräs (0% klöver) (162)	4	11	370	94	74.2	157	544	90.6	438	173	4.12		48	51.8	15.5	80.9	28.6	5.99
Grönmassa blandvall (1-50 % baljväxter) (164)	0	39	458	78	71.2	138			502	186	4.14		89			79.5	16.2	5.79
Grönmassa blandvall (1-50 % baljväxter) (164)	1	531	423	72	72.1	136	428	51.0	511	174	4.28	21	95	0.0	6.6	83.6	7.8	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	2	279	484	83	72.4	142	426		494	176	4.27		87	0.0	7.5	82.2	15.5	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	3	188	438	93	74.0	157	404		460	168	4.39		75	0.0	7.4	83.6	27.2	5.98
Grönmassa blandvall (1-50 % baljväxter) (164)	4	68	404	95	75.1	163	399		441	161	4.49		84	0.0	4.5	85.4	30.1	6.05
Ensilage, blandvall (1-50% klöver) (165)	0	246	410	78	72.3	137	579	90.0	479	185	4.04	19	54	48.4	12.0	80.4	14.5	5.87
Ensilage, blandvall (1-50% klöver) (165)	1	2586	399	69	72.6	134	614	84.9	495	176	4.17	68	56	50.3	13.9	80.3	11.8	5.97
Ensilage, blandvall (1-50% klöver) (165)	2	1730	413	79	72.7	143	540	80.1	463	188	3.97	36	55	49.5	13.7	81.3	18.5	5.92

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Ensilage, blandvall (1-50% klöver) (165)	3	1037	410	85	73.7	152	535	80.5	440	183	4.02	54	55	51.0	14.0	82.1	24.6	5.98
Ensilage, blandvall (1-50% klöver) (165)	4	262	372	90	75.0	160	567	78.3	417	177	4.16		52	62.7	15.9	81.4	33.8	6.12
Ensilage, blandvall (1-50% klöver) (165)	5	17	394	91	75.3	173	554	65.0	415	178	4.27		45	64.8	15.0	82.8	43.5	6.21
Korn, helsädesensilage (250)	1	123	428	58	66.9	107	603	98.7	452	271	2.63	124	52	39.5	13.7	69.8	-6.6	5.39
Havre-ärt, helsädesensilage, 50% ärter (251)	1	30	392	72	65.5	130	636	109	477	268	2.72	51	30	56.0	17.8	67.8	22.2	5.35
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	13	359	62	62.9	122	523	77.5	451	329	2.11	109	37	50.2	15.6	67.6	15.3	5.13
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	55	366	72	66.6	120	608	99.0	460	393	5.95	73	38	52.2	17.4	69.4	10.3	5.46
Majskolv, ensilerad (257)	1	26	527	15	79.9	75	404	33.2	241	224	2.57	515	2	37.5	3.1	93.1	-72	6.96
Havre helsädesensilage degmognad (296)	1	38	368	66	65.1	109	605	96.0	490	275	2.83	76	35	48.3	17.2	71.1	-4.9	5.34
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	54	385	74	65.9	126	634	113	463	281	2.69	70	38	48.9	17.7	66.6	18.9	5.32
Vete, helsädesensilage (299)	1	83	443	60	67.5	108	623	94.4	458	265	2.82	107	66	38.5	14.2	70.5	-7.4	5.49
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	82	379	63	67.2	114	620	96.4	437	284	2.61	104	40	52.6	16.9	70.3	3.0	5.48
Majs, helsädesensilage (305)	1	654	356	30	75.6	73	521	52.5	377	204	3.33	300	12	45.6	14.3	82.8	-57	6.42
Råg, helsädesensilage, axgång (311)	1	18	371	59	69.0	107	725	98.5	529	207	3.69	19	71	46.7	16.8	68.6	-3.5	5.56
Hö, blandvall, 0-50% baljväxter (383)	0	19	843	58	63.5	85			559	251	3.09		123			81.1	-35	4.85
Hö, blandvall, 0-50% baljväxter (383)	1	118	839	53	64.5	77	421	24.0	554	250	3.15		135	0.0	10.0	82.0	-45	4.93
Hö, blandvall, 0-50% baljväxter (383)	2	22	805	70	68.8	109	417		506	209	3.58		107	0.0	4.3	88.8	-26	5.34
Grönmassa, blandvall (51-100% baljväxter) (437)	3	10	411	102	73.7	162	381		399	253	4.79		84	0.0	1.7	82.4	37.4	5.85
Ensilage, blandvall (51-100% klöver) (438)	1	30	372	78	74.2	146	608	80.5	444	224	5.45	14	46	62.6	17.3	78.5	28.7	6.15
Ensilage, blandvall (51-100% klöver) (438)	2	21	415	83	72.2	145	524	79.1	438	266	5.09		49	53.7	16.2	78.3	28.4	5.90
Ensilage, blandvall (51-100% klöver) (438)	3	18	394	87	72.6	155	554	90.6	426	266	5.01		47	54.2	16.3	78.0	38.4	5.95
Grunnblanding Middels ford.grovför (326)	1	83	394	65	70.5	133	526	86.2	387	267	3.04	131	40	38.3	22.4	80.8	13.2	6.06
Fullfoder (TMR) ej kompletta data (1E3)	1	34	394	74	67.6	147	541	76.7	386	210	3.27	130	38					0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	105	0.6	3.6	1.3	5.8	0.2		1.4	38	105	75.3	19.3	33.8	5.6	0.9
Havre, kärna, hög NDF (002)	1	15	0.9	4.4	1.6	5.4	0.1		1.7	16	15	109.9	63.8	41.9	5.0	0.1
Vete, kärna (005)	1	54	0.5	3.4	1.3	5.1	0.2		1.4	27	54	53.9	36.9	38.3	6.7	0.0
Rågvete (015)	1	12	0.4	3.2	1.2	5.4	0.1		1.3	40	12	43.3	36.8	39.3	5.3	0.0
Blandsäd, kärna, 50%havre/50%korn (096)	1	13	2.0	3.9	1.4	5.8	0.5		1.5	50	13	97.5	43.6	40.5	6.5	
Blandsäd, kärna, 50%korn/50%vete (114)	1	13	0.5	3.5	1.2	5.8	0.1		1.3	46	13	49.5	26.1	33.2	4.7	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	12	0.8	3.7	1.4	6.2	0.2		1.4	57	12	78.6	40.5	36.7	6.3	0.0
Åkerböna, kärna (007)	1	14	1.4	5.4	1.5	13.2	0.2		1.7	209	14	78.5	18.3	52.1	18.8	0.0
Majs hela plantan, grönmassa (030)	1	127	1.8	1.9	1.1	8.9	0.2	1.7	0.9	140	83	113.8	30.6	24.8	4.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	88	4.7	2.4	1.7	18.3	0.5	4.5	1.9	241	63	163.9	234.2	31.7	5.2	0.0
Grönmassa, gräs (0% baljv.) (161)	2	9	4.9	2.6	2.3	18.5	0.9	3.2	2.1	257	6	71.8	76.0	23.3	5.3	0.0
Ensilage, gräs (0% klöver) (162)	0	8	5.0	2.4	2.1	19.7	1.0	5.4	1.9	262	8	282.8	135.5	26.5	5.4	0.0
Ensilage, gräs (0% klöver) (162)	1	125	5.1	2.5	1.7	21.9	0.8	4.7	1.9	339	103	186.9	68.2	28.9	5.9	0.0
Ensilage, gräs (0% klöver) (162)	2	65	6.5	2.9	2.3	22.9	1.1	6.3	2.5	308	57	194.2	97.7	30.2	7.1	0.0
Ensilage, gräs (0% klöver) (162)	3	37	6.5	2.9	2.5	23.5	1.1	6.4	2.4	323	34	313.1	96.0	28.1	6.9	0.0
Ensilage, gräs (0% klöver) (162)	4	10	6.7	3.2	2.8	25.3	1.9	10.7	2.4	328	10	287.2	81.5	25.8	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	34	6.0	2.7	2.1	20.6	1.5		2.1	328	34	169.1	91.0	29.6	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	490	5.1	2.7	1.8	23.1	0.8	4.1	2.0	376	389	155.4	73.7	30.4	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	260	6.4	3.0	2.2	24.1	0.9	5.3	2.3	377	230	146.6	80.6	29.6	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	166	7.8	3.2	2.6	25.8	1.1	5.1	2.5	420	147	195.7	86.9	28.1	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	63	8.0	3.2	2.6	24.8	1.7	4.6	2.6	411	54	209.1	91.6	27.9	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	219	6.3	2.7	2.2	23.0	0.8	5.6	2.0	344	219	266.6	82.7	30.6	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	2455	5.4	2.6	1.8	22.5	0.9	4.4	1.9	371	2144	186.7	66.2	30.0	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1641	7.1	2.9	2.3	23.0	1.0	5.1	2.3	346	1452	224.1	81.9	30.8	8.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	977	7.6	3.1	2.5	24.5	1.2	5.6	2.5	368	846	231.0	90.1	29.9	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	253	7.4	3.3	2.6	24.5	1.7	6.4	2.7	351	195	334.4	101.5	34.9	7.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	5	17	7.1	3.5	2.5	25.1	1.9	6.6	2.7	369	11	323.5	72.7	99.5	7.5	0.1
Korn, helsädesensilage (250)	1	110	4.1	2.7	1.6	16.8	0.9	3.7	1.8	256	84	220.2	65.6	30.0	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	22	6.0	3.0	1.9	20.6	1.1	4.9	1.9	324	22	236.7	86.2	36.6	6.3	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	11	5.0	2.7	1.8	16.5	0.9	2.3	1.5	307	10	150.5	84.0	34.8	7.5	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	48	5.4	2.7	1.8	20.2	0.9	3.8	1.8	338	43	345.3	73.7	39.5	5.7	0.0
Majskolv, ensilerad (257)	1	25	0.7	2.2	0.9	5.2	0.3	0.7	0.9	60	13	54.2	7.8	21.0	2.4	
Havre helsädesensilage degmognad (296)	1	32	4.0	3.0	1.7	20.2	1.3	4.0	1.9	341	24	219.8	103.9	28.8	4.7	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	48	6.3	2.8	1.9	18.6	0.5	4.2	1.8	266	44	320.1	75.9	38.1	7.1	0.0
Vete, helsäd ensilage (299)	1	69	3.5	2.6	1.5	18.0	0.5	3.5	1.8	281	61	174.4	64.5	28.7	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	72	5.7	2.6	1.7	17.4	0.7	3.6	1.6	283	65	223.8	60.8	39.4	5.7	0.0
Majs, helsädesensilage (305)	1	609	1.8	1.9	1.1	9.1	0.3	1.7	0.9	143	466	117.0	27.3	24.9	4.0	0.0
Råg, helsädesensilage, axgång (311)	1	15	3.4	2.7	1.2	21.9	0.4	1.6	1.5	438	15	101.8	35.1	25.1	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	17	3.9	1.8	1.5	15.1	0.6		1.4	185	17	96.8	84.9	23.0	4.8	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	97	3.6	2.0	1.4	15.3	0.5	2.9	1.3	193	76	99.3	84.2	26.3	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	22	5.8	2.5	1.9	19.0	0.8	4.0	1.9	267	19	173.8	112.4	24.5	5.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	9	10.7	3.1	3.1	27.4	1.0	5.3	2.2	471	7	105.3	61.0	24.7	10.3	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	29	7.2	3.0	2.0	25.5	0.8	4.1	1.9	455	19	171.9	49.1	27.4	6.4	0.0
Ensilage, blandvall (51-100% klöver) (438)	2	21	8.8	3.1	2.4	23.9	1.0	4.9	2.1	384	15	171.4	56.7	26.7	7.9	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	17	9.1	3.3	2.7	25.2	1.1	4.6	2.5	408	14	178.6	82.2	34.1	7.6	0.0
Grunnblanding Middels ford.grovför (326)	1	82	7.3	3.6	2.8	17.5	2.5	6.1	2.5	230	43	332.9	74.7	67.0	14.2	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	27	6.2	3.5	3.3	17.7	2.7	7.1	2.3	228	27	370.8	88.9	64.3	13.4	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	182	841.901	61.812	795.000	898.000
Aska	182	24.252	7.366	20.000	27.000
OS smbh	184	60.293	39.477	0.000	86.000
Råprot	182	119.937	31.578	99.000	135.000
sRåprot	55	294.691	108.011	212.000	348.000
NH3-N	33	8.333	9.027	6.000	9.000
NDF	95	177.568	40.845	134.000	228.000
iNDF	184	121.793	62.554	25.000	162.000
nhNDF	184	3.150	0.000	3.150	3.150
Stä	182	570.351	112.555	482.000	667.100
Socket	58	4.121	15.313	0.000	0.000
TAF	184	0.000	0.000	0.000	0.000
AAT20	184	95.769	2.119	93.188	99.042
PBV20	184	-24.095	31.608	-47.974	-10.916
NEL20	184	7.363	0.185	7.130	7.564
Ca	105	0.649	0.896	0.400	0.800
P	105	3.571	0.885	2.900	4.200
Mg	105	1.294	0.581	1.000	1.400
K	105	5.827	1.375	4.500	6.800
Na	103	0.204	0.651	0.100	0.200
S	105	1.371	0.538	1.100	1.500
CAB	105	38.281	28.749	5.519	64.886
Fe	105	75.343	77.064	41.000	105.000
Mn	105	19.295	9.874	12.000	25.000
Zn	105	33.829	9.265	25.000	43.000
Cu	105	5.634	2.662	3.400	8.000
Se	17	0.912	3.631	0.005	0.136

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	26	848.038	31.107	811.000	880.000
Aska	26	27.496	7.032	21.300	33.000
OS smbh	27	75.000	0.000	75.000	75.000
Råprot	26	120.562	65.247	92.400	127.000
iNDF	27	392.000	0.000	392.000	392.000
nhNDF	27	2.000	0.000	2.000	2.000
Stä	26	498.781	125.086	367.000	581.300
TAF	27	0.000	0.000	0.000	0.000
AAT20	27	82.951	2.456	80.577	87.062

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	27	2.286	61.313	-24.889	2.797
NEL20	27	6.397	0.267	6.059	6.648
Ca	15	0.940	0.638	0.600	1.000
P	15	4.413	2.480	3.400	4.300
Mg	15	1.580	1.009	1.100	1.500
K	15	5.440	0.881	4.500	6.800
Na	15	0.127	0.103	0.100	0.100
S	15	1.740	1.189	1.200	1.700
CAB	15	16.169	78.394	3.411	65.080
Fe	15	109.933	31.456	87.000	142.000
Mn	15	63.800	33.743	39.000	86.000
Zn	15	41.933	28.308	28.000	47.000
Cu	15	5.020	2.767	3.200	6.500

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	87	850.977	48.6528	797.000	900.000
Aska	88	19.138	5.0361	15.100	23.000
OS smbh	96	59.583	41.3640	0.000	88.000
Råprot	88	124.684	19.2642	101.000	157.000
sRåprot	31	326.710	54.4715	289.000	382.000
NH3-N	20	9.350	13.1720	5.000	10.000
NDF	48	121.075	21.4539	93.000	150.000
iNDF	96	134.688	76.1474	25.000	187.000
nhNDF	96	3.500	0.0000	3.500	3.500
Stä	87	628.087	68.2535	545.000	706.400
Socket	33	7.485	16.4528	0.000	41.000
TAF	96	0.000	0.0000	0.000	0.000
AAT20	96	114.094	2.3765	111.185	117.475
PBV20	96	-42.940	15.9663	-62.030	-17.796
NEL20	96	7.969	0.1247	7.828	8.115
Ca	54	0.483	0.4356	0.300	0.600
P	54	3.391	0.5488	2.900	3.800
Mg	54	1.331	1.1144	1.000	1.400
K	54	5.133	0.5569	4.500	5.700
Na	44	0.195	0.5886	0.100	0.100
S	54	1.380	0.3536	1.200	1.600
CAB	54	27.438	15.9575	9.143	44.661
Fe	54	53.889	44.1510	34.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	54	36.944	23.9263	17.000	48.000
Zn	54	38.333	47.7707	25.000	43.000
Cu	54	6.665	13.5111	3.300	6.300
Se	11	0.022	0.0157	0.006	0.050

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	865.000	41.8819	831.000	925.000
Aska	22	18.423	2.1963	16.000	21.000
OS smbh	23	58.356	43.5749	0.000	89.479
Råprot	22	113.727	12.5342	97.000	130.200
NDF	10	115.600	25.1317	94.000	153.500
iNDF	23	130.652	78.8915	25.000	187.000
nhNDF	23	3.500	0.0000	3.500	3.500
Stä	22	641.473	60.2983	566.000	713.000
TAF	23	0.000	0.0000	0.000	0.000
AAT20	23	109.360	1.0651	108.146	110.489
PBV20	23	-46.903	12.4151	-63.067	-28.722
NEL20	23	7.848	0.1134	7.674	7.988
Ca	12	0.392	0.0900	0.300	0.500
P	12	3.233	0.2871	2.800	3.500
Mg	12	1.183	0.1528	0.900	1.300
K	12	5.417	0.4282	4.800	6.000
S	12	1.325	0.1055	1.200	1.500
CAB	12	40.351	10.8799	30.122	56.832
Fe	12	43.333	11.6098	32.000	50.000
Mn	12	36.750	14.4545	23.000	49.000
Zn	12	39.250	7.4116	30.000	52.000
Cu	12	5.317	0.3786	5.000	5.800

Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	850.400	28.6401	815.000	880.000
Aska	15	27.827	10.7175	19.000	49.000
OS smbh	15	80.500	0.0000	80.500	80.500
Råprot	15	115.487	20.1749	93.200	152.000
iNDF	15	304.000	0.0000	304.000	304.000
nhNDF	15	2.500	0.0000	2.500	2.500
Stä	15	573.687	77.6319	435.000	655.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	15	0.000	0.0000	0.000	0.000
AAT20	15	90.281	2.3574	87.187	92.755
PBV20	15	-16.934	20.2829	-38.629	19.809
NEL20	15	6.887	0.1887	6.645	7.178
Ca	13	1.977	2.6221	0.500	6.900
P	13	3.923	0.7496	2.900	5.100
Mg	13	1.446	0.3886	1.100	2.100
K	13	5.846	0.9718	4.600	7.300
Na	13	0.500	0.7649	0.100	1.700
S	13	1.531	0.4973	1.100	2.400
CAB	13	50.232	25.8289	25.911	79.012
Fe	13	97.462	29.2820	66.000	143.000
Mn	13	43.615	10.5478	32.000	58.000
Zn	13	40.462	17.7041	23.000	67.000
Cu	13	6.546	3.6071	3.200	13.000

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	28	850.929	25.3829	829.000	879.000
Aska	28	20.996	2.8801	17.500	26.000
OS smbh	29	87.000	0.0000	87.000	87.000
Råprot	28	121.389	12.6985	106.600	139.900
NH3-N	11	6.000	0.6325	5.000	7.000
NDF	18	192.389	28.5165	154.000	236.000
iNDF	29	173.000	0.0000	173.000	173.000
nhNDF	29	3.300	0.0000	3.300	3.300
Stä	28	633.764	48.5646	564.000	689.700
TAF	29	0.000	0.0000	0.000	0.000
AAT20	29	104.348	1.7797	101.173	106.251
PBV20	29	-32.567	11.0740	-46.655	-17.943
NEL20	29	7.548	0.1664	7.356	7.773
Ca	13	0.492	0.1320	0.400	0.600
P	13	3.462	0.3404	3.000	4.000
Mg	13	1.215	0.1144	1.100	1.400
K	13	5.846	0.9189	4.600	7.000
Na	13	0.100	0.0000	0.100	0.100
S	13	1.277	0.1235	1.100	1.400
CAB	13	45.889	21.4246	16.556	71.687
Fe	13	49.462	12.2244	36.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	13	26.077	8.5777	13.000	38.000
Zn	13	33.154	4.2199	27.000	38.000
Cu	13	4.654	0.7633	3.700	5.600

Type=Blandsäd, kärna, 50%havre/50%vete (115) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	842.533	17.6022	815.000	866.000
Aska	15	24.107	5.4399	18.000	32.000
OS smbh	15	81.600	0.0000	81.600	81.600
Råprot	15	132.560	33.5557	102.000	188.000
NH3-N	10	9.400	12.5804	3.500	26.500
iNDF	15	324.000	0.0000	324.000	324.000
nhNDF	15	2.500	0.0000	2.500	2.500
Stä	15	570.360	73.7088	453.000	645.900
TAF	15	0.000	0.0000	0.000	0.000
AAT20	15	102.452	3.9209	99.907	107.978
PBV20	15	-16.209	29.2451	-42.998	31.002
NEL20	15	7.245	0.2639	7.098	7.489
Ca	12	0.808	0.3965	0.500	1.300
P	12	3.742	0.5071	3.200	4.400
Mg	12	1.358	0.2610	1.200	1.500
K	12	6.242	1.8798	4.600	8.400
Na	12	0.167	0.2309	0.100	0.100
S	12	1.400	0.1954	1.200	1.700
CAB	12	56.845	37.7224	23.612	90.396
Fe	12	78.583	29.3891	51.000	108.000
Mn	12	40.500	12.4133	28.000	61.000
Zn	12	36.667	12.3681	28.000	47.000
Cu	12	6.258	2.5561	4.300	10.900

Type=Åkerböna, kärna (007) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	864.000	55.3417	815.000	924.000
Aska	13	35.308	2.5944	32.000	38.000
OS smbh	20	84.511	19.8918	88.959	88.959
Råprot	18	295.000	12.6119	274.000	310.000
NH3-N	11	4.000	5.3292	2.000	3.000
iNDF	20	31.650	1.5652	32.000	32.000
nhNDF	20	4.700	0.0000	4.700	4.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Åkerböna, kärna (007) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Stä	18	373.500	30.2076	341.000	406.000
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	101.218	1.8772	99.012	102.634
PBV20	20	143.085	9.9523	129.995	153.267
NEL20	20	7.857	0.1881	7.737	7.932
Ca	14	1.443	0.5996	1.100	1.700
P	14	5.379	0.6447	4.500	6.200
Mg	14	1.521	0.1188	1.400	1.700
K	14	13.207	0.9017	12.300	14.400
Na	14	0.193	0.1439	0.100	0.500
S	14	1.743	0.1989	1.500	1.900
CAB	14	209.066	21.7090	185.162	236.313
Fe	14	78.500	38.5562	53.000	126.000
Mn	14	18.286	3.1238	15.000	22.000
Zn	14	52.071	5.4837	45.000	60.000
Cu	14	18.771	3.1277	13.200	23.100

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	152	365.428	118.632	274.000	444.000
Aska	152	29.928	6.153	23.000	39.000
OS smbh	152	75.046	3.794	69.700	79.300
Råprot	152	71.862	8.017	63.000	83.000
sRåprot	152	363.230	56.773	310.000	425.000
NDF	152	387.026	46.404	333.000	447.000
iNDF	152	189.942	29.316	160.109	224.000
nhNDF	152	3.216	0.776	2.161	4.080
Stä	152	306.454	61.534	228.000	377.000
Socker	152	27.414	34.490	1.000	86.000
TAF	152	31.783	24.900	3.000	57.000
Mjölksyra	78	0.000	0.000	0.000	0.000
Ättiksyra	78	6.385	3.994	2.000	11.000
PRF	78	1.474	1.439	0.000	4.000
BUF	78	0.000	0.000	0.000	0.000
AAT20	152	88.862	3.138	84.645	92.540
PBV20	152	-67.295	7.919	-77.269	-57.757
NEL20	152	6.240	0.346	5.796	6.668
Ca	127	1.774	0.588	1.200	2.300
P	127	1.890	0.255	1.600	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mg	127	1.066	0.234	0.800	1.300
K	127	8.916	1.467	7.100	10.800
Na	115	0.234	0.156	0.100	0.400
Cl	74	1.681	0.514	1.100	2.300
S	127	0.882	0.179	0.700	1.000
CAB	127	140.140	37.002	94.515	186.011
Fe	83	113.783	187.745	58.000	147.000
Mn	83	30.602	16.186	12.000	50.000
Zn	83	24.771	9.546	17.000	33.000
Cu	83	4.406	4.598	2.400	5.200
Se	20	0.045	0.040	0.006	0.110

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	12	170.833	17.6111	161.000	197.000
Aska	12	90.167	10.8279	79.000	103.000
OS smbh	12	81.492	2.3294	78.100	83.900
Råprot	12	194.000	26.3163	173.000	232.000
NDF	12	424.167	54.1124	354.000	491.000
iNDF	12	82.740	23.1516	56.497	113.923
nhNDF	12	6.230	0.7075	5.370	7.154
Socker	12	105.333	36.4426	64.000	154.000
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	108.371	3.7052	104.491	113.115
PBV20	12	21.551	19.2965	1.653	47.277
NEL20	12	6.645	0.1968	6.428	6.922

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	14	198.500	29.2042	165.000	237.000
Aska	14	87.286	10.6658	76.000	99.000
OS smbh	14	84.693	2.1974	81.400	87.100
Råprot	14	194.500	32.1170	155.000	234.000
NDF	14	416.357	34.1233	373.000	459.000
iNDF	14	58.489	16.5442	46.404	88.549
nhNDF	14	9.695	3.7624	6.020	15.279
Socker	14	120.214	40.9299	70.000	199.000
TAF	14	0.000	0.0000	0.000	0.000
AAT20	14	112.225	4.9451	105.104	117.349

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	14	15.531	22.7864	-14.904	47.333
NEL20	14	6.965	0.2886	6.503	7.229

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	90	461.478	219.477	208.500	808.000
Aska	90	64.589	17.335	44.000	86.000
OS smbh	90	66.439	5.850	57.950	74.250
Råprot	90	115.944	50.229	59.000	190.500
sRåprot	58	386.621	96.446	222.000	471.000
NDF	90	513.922	59.824	435.500	583.500
iNDF	90	253.498	86.479	160.000	353.000
nhNDF	90	3.339	0.953	2.440	4.457
Socket	90	108.356	49.600	50.000	177.500
TAF	90	26.978	26.163	1.000	61.000
Mjölksyra	58	0.000	0.000	0.000	0.000
Ättiksyra	58	2.138	4.089	0.000	9.000
PRF	58	3.310	3.729	0.000	8.000
BUF	58	2.759	3.358	0.000	8.000
AAT20	90	80.770	9.546	68.180	94.001
PBV20	90	-7.865	32.912	-43.313	41.280
NEL20	90	5.204	0.559	4.449	5.949
Ca	88	4.659	1.970	2.500	7.200
P	88	2.431	0.896	1.400	3.800
Mg	88	1.657	0.590	0.900	2.300
K	88	18.251	6.492	11.100	27.500
Na	87	0.528	0.581	0.100	1.100
Cl	58	4.486	3.585	1.200	9.200
S	88	1.878	0.752	1.000	3.100
CAB	88	241.098	161.952	72.726	420.396
Fe	63	163.937	122.166	55.000	354.000
Mn	63	234.159	404.772	33.000	565.000
Zn	63	31.683	15.555	15.000	55.000
Cu	63	5.240	1.916	3.000	7.000

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	11	599.727	165.470	391.000	793.000
Aska	11	69.455	11.978	57.000	79.000
OS smbh	11	70.000	4.277	64.300	74.600
Råprot	11	127.182	43.245	86.000	163.000
NDF	11	518.727	31.604	485.000	549.000
iNDF	11	197.607	54.897	159.973	255.000
nhNDF	11	3.863	0.535	3.107	4.490
Socket	11	103.182	37.148	64.000	137.000
TAF	11	45.182	27.140	2.000	61.000
AAT20	11	82.034	5.396	75.731	86.693
PBV20	11	0.037	34.479	-34.674	25.253
NEL20	11	5.571	0.455	5.027	6.014

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	552.100	197.530	309.500	800.000
Aska	10	71.800	19.321	47.000	97.000
OS smbh	10	69.330	5.293	60.250	74.300
Råprot	10	115.600	30.270	76.500	157.500
sRåprot	10	476.800	156.020	257.000	686.500
NH3-N	10	56.800	33.509	12.500	94.000
NDF	10	491.500	69.892	394.500	591.000
iNDF	10	215.375	43.746	153.915	271.488
nhNDF	10	3.521	0.788	2.733	4.723
Socket	10	90.000	43.688	35.000	143.500
TAF	10	39.900	33.753	9.500	91.100
Mjölksyra	10	29.800	26.977	6.500	71.500
Ättiksyra	10	8.300	7.514	1.000	18.500
BUF	10	0.800	0.926	0.100	2.350
AAT20	10	79.615	5.439	73.202	87.710
PBV20	10	-6.706	26.421	-36.038	30.496
NEL20	10	5.457	0.540	4.637	6.078
CI	10	5.420	3.207	1.700	9.950

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	138	473.891	177.292	273.000	747.000
Aska	138	66.370	12.377	50.000	81.000
OS smbh	138	70.944	4.785	64.700	76.200
Råprot	138	126.471	31.025	84.000	165.000
sRåprot	138	576.094	110.998	406.000	685.000
NH3-N	137	71.657	35.200	20.000	116.000
NDF	138	511.362	56.037	442.000	579.000
iNDF	138	187.440	49.200	131.175	251.000
nhNDF	138	3.966	0.723	3.157	4.838
Socket	138	70.514	41.893	17.000	134.000
TAF	138	55.225	29.950	18.500	93.700
Mjölksyra	138	40.080	23.707	12.000	72.000
Ättiksyra	138	12.116	7.555	3.000	22.000
PRF	48	2.979	1.550	1.000	5.000
BUF	138	1.341	3.352	0.000	2.700
AAT20	138	79.348	4.732	73.987	84.880
PBV20	138	3.627	26.771	-33.149	35.597
NEL20	138	5.763	0.494	4.984	6.323
Ca	125	5.082	1.976	2.900	7.400
P	125	2.534	0.650	1.700	3.400
Mg	125	1.710	0.379	1.200	2.100
K	125	21.918	5.886	15.200	29.800
Na	125	0.778	0.620	0.100	1.700
Cl	138	4.664	2.732	1.500	8.500
S	125	1.937	0.489	1.300	2.600
CAB	125	338.653	134.726	157.611	485.100
Fe	103	186.854	162.654	73.000	332.000
Mn	103	68.214	50.125	26.000	104.000
Zn	103	28.903	7.595	22.000	37.000
Cu	103	5.912	2.316	3.800	8.000
Se	36	0.022	0.015	0.008	0.050

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	71	431.549	157.745	251.000	687.000
Aska	71	79.028	12.214	64.000	92.000
OS smbh	72	73.078	4.208	69.500	77.100
Råprot	71	149.493	27.071	120.000	178.000
sRåprot	71	536.901	98.854	427.000	634.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NH3-N	71	76.817	38.378	32.000	114.000
NDF	71	466.338	43.146	414.000	519.000
iNDF	72	175.119	39.994	132.913	229.930
nhNDF	72	4.044	0.629	3.271	4.732
Socket	71	53.606	31.926	16.000	97.000
TAF	72	62.260	31.283	19.500	100.100
Mjölksyra	71	46.268	25.382	11.000	73.000
Ättiksyra	71	12.577	6.620	4.000	20.000
PRF	17	2.412	2.476	0.000	6.000
BUF	71	2.052	5.705	0.000	3.400
AAT20	72	81.672	5.019	75.926	88.919
PBV20	72	20.801	23.016	-9.285	52.723
NEL20	72	5.942	0.425	5.458	6.419
Ca	65	6.528	1.840	4.800	8.800
P	65	2.949	0.652	2.300	3.700
Mg	65	2.312	0.513	1.800	2.900
K	65	22.929	5.060	15.800	28.900
Na	65	1.125	0.883	0.100	2.200
Cl	70	6.277	3.279	2.050	10.500
S	65	2.452	0.508	1.800	3.000
CAB	65	308.445	117.509	127.493	460.612
Fe	57	194.228	122.453	86.000	395.000
Mn	57	97.737	49.350	40.000	167.000
Zn	57	30.211	6.646	23.000	39.000
Cu	57	7.118	1.459	5.600	9.100
Se	14	0.038	0.040	0.010	0.091

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	40	433.075	155.579	279.000	673.500
Aska	40	84.450	20.849	62.000	98.000
OS smbh	40	74.588	3.318	70.350	78.750
Råprot	40	150.275	28.038	113.500	189.000
sRåprot	40	529.675	103.750	379.000	627.000
NH3-N	40	72.300	29.719	25.000	110.500
NDF	40	438.600	50.413	376.000	491.000
iNDF	40	167.609	34.959	122.369	203.932
nhNDF	40	4.142	0.556	3.497	4.847
Socket	40	60.875	37.119	19.000	117.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TAF	40	63.275	31.566	14.750	104.600
Mjölksyra	40	49.825	27.560	10.000	85.500
Ättiksyra	40	11.675	5.250	3.000	18.000
BUF	40	0.725	1.317	0.000	3.000
AAT20	40	82.544	4.943	77.834	88.663
PBV20	40	20.015	25.606	-15.618	53.196
NEL20	40	6.012	0.358	5.531	6.513
Ca	37	6.546	1.612	4.600	8.200
P	37	2.946	0.400	2.400	3.400
Mg	37	2.486	0.580	1.700	3.400
K	37	23.468	5.706	14.900	31.700
Na	37	1.114	0.857	0.300	2.900
Cl	38	6.432	2.941	2.500	10.200
S	37	2.427	0.452	2.000	2.900
CAB	37	323.031	128.011	118.530	488.749
Fe	34	313.118	384.246	94.000	649.000
Mn	34	96.000	44.568	54.000	160.000
Zn	34	28.059	5.985	22.000	36.000
Cu	34	6.935	1.477	5.000	9.200

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	11	370.182	111.092	273.000	526.000
Aska	11	94.182	17.730	74.000	113.000
OS smbh	11	74.200	2.462	71.100	76.500
Råprot	11	156.727	17.240	137.000	172.000
sRåprot	11	543.909	64.888	482.000	610.000
NH3-N	11	90.636	34.448	67.000	130.000
NDF	11	437.818	30.265	398.000	470.000
iNDF	11	172.602	28.526	141.946	212.328
nhNDF	11	4.120	0.497	3.423	4.670
Socket	11	48.182	34.773	10.000	86.000
TAF	11	71.936	31.544	37.300	107.400
Mjölksyra	11	51.818	26.529	24.000	74.000
Ättiksyra	11	15.545	8.858	9.000	21.000
BUF	11	3.300	7.576	0.100	6.600
AAT20	11	80.880	4.155	76.600	86.357
PBV20	11	28.569	14.476	12.524	44.313
NEL20	11	5.988	0.242	5.757	6.299

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
Ca	10	6.650	1.870	4.800	9.200
P	10	3.170	0.395	2.650	3.700
Mg	10	2.800	0.450	2.200	3.350
K	10	25.320	2.242	22.700	28.900
Na	10	1.900	1.244	0.600	3.750
Cl	10	10.670	5.401	4.850	18.350
S	10	2.440	0.327	2.100	2.900
CAB	10	328.383	67.879	256.843	423.045
Fe	10	287.200	239.747	133.500	658.500
Mn	10	81.500	35.728	51.500	139.500
Zn	10	25.800	3.645	21.000	31.000
Cu	10	7.370	1.386	5.450	9.000

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	39	458.333	189.333	219.000	800.000
Aska	38	78.421	12.595	64.000	94.000
OS smbh	39	71.164	6.175	63.700	80.400
Råprot	38	137.789	32.189	97.000	188.000
NDF	38	501.684	51.517	436.000	565.000
iNDF	39	185.781	56.876	97.819	284.692
nhNDF	39	4.137	1.001	2.517	5.737
Socket	38	88.816	40.860	35.000	150.000
TAF	39	84.000	0.000	84.000	84.000
AAT20	39	79.539	7.298	70.847	89.693
PBV20	39	16.199	20.957	-10.073	47.868
NEL20	39	5.788	0.600	5.044	6.561
Ca	34	6.044	1.936	3.200	8.500
P	34	2.691	0.602	2.000	3.400
Mg	34	2.147	0.641	1.400	3.200
K	34	20.597	5.921	13.200	27.500
Na	34	1.535	1.540	0.200	3.300
S	34	2.135	0.683	1.400	3.000
CAB	34	327.681	139.032	121.937	485.540
Fe	34	169.118	132.665	78.000	342.000
Mn	34	91.029	54.737	41.000	150.000
Zn	34	29.647	10.383	20.000	42.000
Cu	34	6.265	1.854	4.000	7.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	531	423.377	145.540	258.000	605.000
Aska	530	71.745	13.045	53.000	88.000
OS smbh	531	72.052	4.958	66.100	78.500
Råprot	530	135.955	30.418	95.000	176.000
sRåprot	173	427.699	85.735	328.000	544.000
NDF	530	511.317	57.496	436.000	583.500
iNDF	531	174.497	51.758	113.000	238.000
nhNDF	531	4.278	0.872	3.298	5.422
Socket	530	95.064	46.533	32.000	158.500
TAF	531	59.412	35.767	3.000	84.000
Mjölksyra	173	0.000	0.000	0.000	0.000
Ättiksyra	173	6.595	7.842	0.000	19.000
PRF	173	1.387	2.067	0.000	4.000
BUF	173	0.549	1.305	0.000	2.000
AAT20	531	83.632	6.607	75.509	91.928
PBV20	531	7.801	22.731	-21.881	37.833
NEL20	531	5.856	0.477	5.253	6.451
Ca	490	5.087	1.733	3.200	7.100
P	490	2.690	0.575	1.950	3.400
Mg	490	1.798	0.426	1.300	2.300
K	490	23.122	6.202	14.800	31.000
Na	485	0.807	0.729	0.100	1.500
Cl	160	4.083	3.007	0.950	8.050
S	490	1.980	0.481	1.400	2.500
CAB	490	375.903	147.344	169.764	557.527
Fe	389	155.429	126.105	69.000	266.000
Mn	389	73.668	65.477	35.000	106.000
Zn	389	30.429	11.122	22.000	39.000
Cu	389	5.784	1.542	4.000	7.600
Se	105	0.021	0.024	0.007	0.040

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	279	484.194	161.429	286.000	733.000
Aska	279	82.789	12.199	65.000	99.000
OS smbh	279	72.352	4.360	66.400	77.500
Råprot	279	141.914	29.229	105.000	180.000
sRåprot	54	426.241	85.056	343.000	578.000
NDF	279	494.444	44.155	440.000	556.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
iNDF	279	176.153	45.861	118.000	233.000
nhNDF	279	4.274	0.752	3.406	5.199
Socket	279	86.735	41.501	29.000	147.000
TAF	279	69.477	30.048	5.000	84.000
Mjölksyra	54	0.000	0.000	0.000	0.000
Ättiksyra	54	7.463	9.428	0.000	19.000
PRF	54	1.185	1.844	0.000	4.000
BUF	54	0.315	0.907	0.000	1.000
AAT20	279	82.248	6.625	74.455	90.928
PBV20	279	15.465	23.033	-15.958	44.763
NEL20	279	5.857	0.412	5.354	6.363
Ca	260	6.405	1.878	4.200	8.750
P	260	3.005	0.509	2.400	3.650
Mg	260	2.247	0.493	1.600	2.900
K	260	24.057	5.428	17.050	30.750
Na	260	0.940	0.987	0.150	1.900
Cl	51	5.329	4.883	1.300	9.700
S	260	2.299	0.470	1.600	2.900
CAB	260	376.552	135.301	191.671	527.475
Fe	230	146.591	116.063	70.000	242.500
Mn	230	80.639	41.693	42.000	121.000
Zn	230	29.552	11.248	20.000	38.000
Cu	230	6.943	2.046	5.000	9.000
Se	63	0.023	0.023	0.008	0.040

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	188	438.043	149.386	268.000	660.000
Aska	187	93.471	15.147	76.000	111.000
OS smbh	188	74.001	3.573	69.500	78.500
Råprot	187	156.947	24.421	126.000	186.000
sRåprot	33	403.788	99.922	306.000	541.000
NDF	187	460.283	38.338	410.000	503.000
iNDF	188	168.233	50.802	106.286	225.692
nhNDF	188	4.392	0.825	3.365	5.537
Socket	187	74.658	36.132	25.000	120.000
TAF	188	70.830	28.970	7.000	84.000
Mjölksyra	33	0.000	0.000	0.000	0.000
Ättiksyra	33	7.424	9.083	0.000	17.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
PRF	33	1.242	1.803	0.000	3.000
BUF	33	0.303	0.918	0.000	1.000
AAT20	188	83.595	6.216	76.711	93.187
PBV20	188	27.205	20.642	2.695	50.384
NEL20	188	5.978	0.351	5.545	6.437
Ca	166	7.766	2.348	5.100	11.000
P	166	3.183	0.541	2.500	3.800
Mg	166	2.567	0.511	2.000	3.300
K	166	25.842	5.885	18.500	33.100
Na	166	1.117	0.857	0.300	2.300
Cl	32	5.056	2.658	1.900	9.100
S	166	2.480	0.488	1.900	3.200
CAB	166	420.174	142.023	249.159	602.948
Fe	147	195.735	198.591	86.000	410.000
Mn	147	86.925	42.635	46.000	147.000
Zn	147	28.068	5.880	21.000	36.000
Cu	147	7.439	1.550	5.800	9.100
Se	36	0.028	0.025	0.010	0.065

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	68	404.412	141.980	271.000	630.000
Aska	68	95.353	15.533	74.000	112.000
OS smbh	68	75.137	3.612	70.400	80.300
Råprot	68	163.088	26.409	127.000	190.000
sRåprot	16	398.875	79.529	296.000	487.000
NDF	68	441.265	40.284	387.000	502.000
iNDF	68	161.100	46.305	97.654	228.000
nhNDF	68	4.494	0.846	3.521	5.628
Socket	68	83.618	32.305	37.000	124.000
TAF	68	65.441	33.827	3.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	16	4.500	5.933	0.000	16.000
PRF	16	0.438	0.814	0.000	1.000
BUF	16	0.188	0.544	0.000	1.000
AAT20	68	85.363	6.419	78.264	93.988
PBV20	68	30.137	21.841	4.233	58.805
NEL20	68	6.050	0.368	5.704	6.529
Ca	63	8.010	2.763	5.700	11.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
P	63	3.184	0.480	2.600	3.800
Mg	63	2.632	0.497	2.100	3.100
K	63	24.754	6.790	16.400	33.800
Na	63	1.719	1.048	0.700	2.400
Cl	16	4.556	2.713	1.300	9.300
S	63	2.648	0.503	2.100	3.300
CAB	63	410.993	157.587	197.929	605.889
Fe	54	209.130	221.148	100.000	313.000
Mn	54	91.593	43.910	45.000	154.000
Zn	54	27.852	5.761	20.000	35.000
Cu	54	7.617	1.491	6.000	9.600
Se	17	0.037	0.034	0.011	0.100

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	246	409.904	138.589	273.000	629.000
Aska	238	77.567	20.533	55.000	96.000
OS smbh	250	72.262	4.572	66.900	77.200
Råprot	242	137.395	30.934	98.000	175.000
sRåprot	237	578.512	100.619	444.000	696.130
NH3-N	239	90.017	35.760	43.010	125.000
NDF	240	478.663	58.385	403.000	552.000
iNDF	250	184.507	42.580	137.784	237.569
nhNDF	250	4.039	0.730	3.170	4.852
Socket	239	53.628	36.015	13.000	110.000
TAF	250	64.572	28.258	24.900	100.100
Mjölksyra	239	48.403	24.235	14.000	82.000
Ättiksyra	239	12.032	6.154	5.000	19.000
BUF	236	2.485	5.448	0.100	4.100
AAT20	250	80.385	5.513	73.984	87.032
PBV20	250	14.548	25.666	-16.680	46.549
NEL20	250	5.866	0.462	5.294	6.342
Ca	219	6.257	2.412	3.400	9.100
P	219	2.721	0.568	2.000	3.400
Mg	219	2.167	0.628	1.500	3.000
K	219	23.031	5.707	15.100	29.600
Na	219	0.830	0.945	0.100	1.700
Cl	234	5.606	3.467	2.100	9.700
S	219	2.006	0.523	1.400	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
CAB	219	343.595	127.088	176.048	501.271
Fe	219	266.585	393.870	75.000	473.000
Mn	219	82.709	54.274	40.000	128.000
Zn	219	30.648	14.577	20.000	40.000
Cu	219	6.834	2.608	4.300	9.500
Se	47	0.036	0.101	0.007	0.045

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	2586	398.580	123.981	273.000	572.000
Aska	2579	68.981	12.149	54.000	83.000
OS smbh	2600	72.615	3.883	67.700	77.100
Råprot	2579	134.454	26.142	99.000	166.000
sRåprot	2579	614.218	82.654	509.000	705.000
NH3-N	2568	84.921	32.725	46.000	125.000
NDF	2579	495.428	46.465	435.000	554.000
iNDF	2600	175.530	41.209	130.021	225.951
nhNDF	2600	4.175	0.617	3.424	4.955
Socket	2579	56.265	38.823	14.000	112.000
TAF	2600	67.725	27.896	28.000	103.000
Mjölksyra	2579	50.270	23.267	18.000	80.000
Ättiksyra	2579	13.914	6.835	6.000	22.000
PRF	734	3.567	2.397	1.000	6.000
BUF	2579	1.719	3.262	0.000	3.900
AAT20	2600	80.263	4.115	75.319	85.390
PBV20	2600	11.776	22.002	-17.895	38.294
NEL20	2600	5.971	0.406	5.429	6.419
Ca	2455	5.413	1.654	3.700	7.600
P	2455	2.588	0.575	1.900	3.300
Mg	2455	1.806	0.375	1.400	2.200
K	2455	22.517	5.431	15.500	29.300
Na	2455	0.862	0.677	0.100	1.800
Cl	2536	4.371	2.559	1.500	7.700
S	2455	1.923	0.449	1.400	2.500
CAB	2455	370.553	131.242	195.838	533.572
Fe	2144	186.658	173.776	76.000	336.000
Mn	2144	66.222	31.057	34.000	98.000
Zn	2144	30.041	17.164	21.000	38.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cu	2144	6.016	2.174	4.200	8.000
Se	375	0.027	0.044	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	1730	412.884	135.460	265.500	625.000
Aska	1727	78.623	12.766	65.000	92.000
OS smbh	1737	72.667	3.484	68.200	76.900
Råprot	1727	143.497	26.141	112.000	178.000
sRåprot	1726	540.013	85.620	427.000	642.000
NH3-N	1722	80.135	32.483	42.000	119.000
NDF	1727	462.648	41.221	411.000	514.000
iNDF	1737	187.788	39.895	140.000	237.818
nhNDF	1737	3.967	0.574	3.249	4.674
Socket	1727	54.665	36.411	13.000	108.000
TAF	1737	66.504	29.346	25.200	104.000
Mjölksyra	1725	49.459	23.553	17.000	79.000
Ättiksyra	1725	13.744	7.738	5.000	22.000
PRF	453	3.863	2.714	1.000	7.000
BUF	1725	1.463	2.860	0.000	3.500
AAT20	1737	81.258	4.401	75.872	86.708
PBV20	1737	18.513	23.584	-10.998	48.801
NEL20	1737	5.916	0.378	5.461	6.377
Ca	1641	7.073	2.177	4.800	9.900
P	1641	2.874	0.493	2.300	3.500
Mg	1641	2.289	0.456	1.800	2.800
K	1641	22.987	4.796	16.800	28.700
Na	1640	0.986	0.776	0.200	2.000
Cl	1713	5.094	2.866	1.700	8.700
S	1641	2.264	0.480	1.700	2.900
CAB	1641	346.287	116.433	197.289	487.435
Fe	1452	224.098	583.869	84.000	369.000
Mn	1452	81.895	40.147	44.000	120.000
Zn	1452	30.797	19.111	21.000	38.000
Cu	1452	8.499	48.573	5.200	9.300
Se	231	0.030	0.033	0.009	0.053

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	1037	410.452	125.136	268.000	596.000
Aska	1034	85.337	13.856	69.000	101.000
OS smbh	1039	73.723	3.109	69.800	77.300
Råprot	1034	151.572	22.421	123.000	179.000
sRåprot	1032	534.692	78.276	433.000	624.000
NH3-N	1030	80.486	33.283	43.000	120.000
NDF	1034	439.531	38.769	391.000	488.000
iNDF	1039	183.256	42.754	134.000	236.000
nhNDF	1039	4.016	0.589	3.262	4.754
Socket	1034	55.442	35.754	14.000	106.000
TAF	1039	68.426	30.316	24.500	106.000
Mjölksyra	1032	50.967	24.921	16.000	83.000
Ättiksyra	1032	14.044	7.463	6.000	23.000
PRF	330	3.273	2.457	0.000	6.000
BUF	1032	1.616	3.501	0.000	3.500
AAT20	1039	82.058	4.902	76.236	88.353
PBV20	1039	24.644	20.738	-3.629	51.543
NEL20	1039	5.985	0.330	5.573	6.370
Ca	977	7.565	2.301	5.200	10.700
P	977	3.054	0.505	2.500	3.700
Mg	977	2.514	0.477	2.000	3.100
K	977	24.548	5.161	17.800	31.200
Na	977	1.199	0.997	0.300	2.200
Cl	1027	5.575	2.916	2.100	9.400
S	977	2.483	0.495	1.900	3.100
CAB	977	368.381	121.049	211.487	514.238
Fe	846	230.959	231.642	91.000	390.000
Mn	846	90.097	39.041	48.000	140.000
Zn	846	29.862	23.694	22.000	37.000
Cu	846	7.641	2.116	5.700	9.800
Se	129	0.035	0.032	0.012	0.070

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	262	371.603	99.579	258.000	491.000
Aska	262	90.340	16.245	75.000	104.000
OS smbh	262	75.019	2.985	71.400	78.300
Råprot	262	160.351	22.904	133.000	188.000
sRåprot	262	567.008	63.559	481.000	631.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
NH3-N	261	78.314	27.677	47.000	111.000
NDF	262	416.775	35.734	372.000	461.000
iNDF	262	176.873	43.532	130.548	231.000
nhNDF	262	4.163	0.564	3.536	4.755
Socket	262	51.691	34.406	16.000	95.000
TAF	262	81.465	30.866	39.000	119.000
Mjölksyra	262	62.706	25.866	26.000	96.000
Ättiksyra	262	15.878	7.606	8.000	22.000
PRF	116	3.026	2.440	0.000	6.000
BUF	262	0.984	1.709	0.000	2.900
AAT20	262	81.399	4.558	75.915	87.116
PBV20	262	33.803	21.970	9.081	62.463
NEL20	262	6.121	0.305	5.781	6.433
Ca	253	7.416	1.862	5.500	9.900
P	253	3.257	0.472	2.600	3.800
Mg	253	2.564	0.368	2.100	3.000
K	253	24.539	4.427	19.300	30.300
Na	253	1.657	0.784	0.700	2.700
Cl	261	6.437	2.992	2.900	10.500
S	253	2.717	0.489	2.200	3.300
CAB	253	350.985	106.041	222.017	473.278
Fe	195	334.436	418.419	117.000	639.000
Mn	195	101.451	34.842	60.000	143.000
Zn	195	34.882	52.532	21.000	40.000
Cu	195	7.720	2.691	6.000	9.100
Se	27	0.044	0.023	0.016	0.080

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=5

Variabel	Number	Mean	STD	P10	P90
TS	17	394.176	120.581	265.000	577.000
Aska	17	90.647	9.861	79.000	103.000
OS smbh	17	75.347	2.545	71.400	77.800
Råprot	17	173.176	18.170	157.000	189.000
sRåprot	17	553.824	70.613	405.000	604.000
NH3-N	17	65.000	19.458	30.000	95.000
NDF	17	415.176	29.279	383.000	457.000
iNDF	17	178.037	52.737	118.000	235.000
nhNDF	17	4.273	0.487	3.644	5.011
Socket	17	44.765	30.675	15.000	87.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=5

Variabel	Number	Mean	STD	P10	P90
TAF	17	82.624	38.432	24.000	130.000
Mjölksyra	17	64.824	33.356	15.000	105.000
Ättiksyra	17	15.000	6.432	6.000	22.000
PRF	12	3.167	1.850	1.000	6.000
BUF	17	0.271	0.503	0.000	1.400
AAT20	17	82.818	5.839	75.428	93.029
PBV20	17	43.535	16.227	28.165	69.328
NEL20	17	6.207	0.218	5.846	6.508
Ca	17	7.100	1.776	5.000	10.300
P	17	3.453	0.525	2.900	4.100
Mg	17	2.518	0.281	2.200	2.900
K	17	25.106	4.023	20.400	31.400
Na	17	1.935	0.839	0.700	2.800
Cl	17	6.606	3.507	1.900	11.700
S	17	2.735	0.527	2.100	3.500
CAB	17	369.200	76.562	231.816	458.045
Fe	11	323.455	316.778	121.000	564.000
Mn	11	72.727	31.730	26.000	109.000
Zn	11	99.455	220.470	27.000	45.000
Cu	11	7.455	0.950	6.300	9.000

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	123	428.089	117.461	289.000	580.000
Aska	123	58.463	16.204	41.000	76.000
OS smbh	124	66.943	3.784	62.200	70.900
Råprot	123	106.520	24.161	81.000	129.000
sRåprot	123	602.642	101.056	464.000	731.000
NH3-N	123	98.650	38.943	55.000	143.000
NDF	123	451.602	54.573	379.000	515.000
iNDF	124	270.723	45.784	222.608	324.000
nhNDF	124	2.632	0.702	1.874	3.441
Stä	122	124.164	77.288	26.000	222.000
Socket	123	51.829	36.200	17.000	98.000
TAF	124	56.109	29.897	16.700	90.000
Mjölksyra	123	39.488	23.756	10.000	69.000
Ättiksyra	123	13.667	8.230	4.000	22.000
PRF	49	3.224	2.695	0.000	8.000
BUF	49	1.306	1.140	0.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	124	69.795	4.699	63.576	75.092
PBV20	124	-6.567	20.701	-31.174	17.345
NEL20	124	5.390	0.359	4.960	5.885
Ca	110	4.113	1.939	2.300	6.250
P	110	2.704	0.531	2.100	3.450
Mg	110	1.600	0.445	1.100	2.300
K	110	16.788	6.136	10.900	23.950
Na	110	0.897	0.589	0.200	1.600
Cl	115	3.671	2.920	1.000	6.000
S	110	1.805	0.608	1.300	2.300
CAB	110	256.125	131.708	122.022	403.923
Fe	84	220.214	226.003	63.000	490.000
Mn	84	65.583	60.554	22.000	116.000
Zn	84	29.952	9.658	20.000	44.000
Cu	84	5.373	1.422	3.800	7.300

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	30	391.567	179.315	264.500	458.000
Aska	30	72.333	19.117	49.500	96.000
OS smbh	30	65.510	3.423	62.200	70.300
Råprot	30	130.433	26.551	93.500	166.000
sRåprot	30	636.300	67.644	522.000	716.500
NH3-N	30	108.500	36.107	52.500	153.000
NDF	30	477.233	39.584	421.500	524.000
iNDF	30	267.638	35.195	219.298	315.866
nhNDF	30	2.716	0.498	2.019	3.432
Stä	30	50.867	46.749	17.000	128.000
Socker	30	29.867	19.116	10.500	54.000
TAF	30	75.767	16.929	58.500	97.500
Mjölksyra	30	55.967	14.540	37.500	74.000
Ättiksyra	30	17.800	5.786	9.500	24.500
AAT20	30	67.848	4.453	61.353	73.185
PBV20	30	22.190	21.827	-6.564	51.811
NEL20	30	5.349	0.297	5.070	5.752
Ca	22	6.023	1.861	4.500	7.900
P	22	2.959	0.604	1.800	3.500
Mg	22	1.914	0.278	1.500	2.200
K	22	20.650	7.479	12.300	30.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Na	22	1.050	1.020	0.400	2.800
Cl	30	4.867	2.391	1.500	7.750
S	22	1.927	0.441	1.500	2.700
CAB	22	324.393	132.195	183.502	481.380
Fe	22	236.727	243.437	96.000	395.000
Mn	22	86.182	42.640	38.000	126.000
Zn	22	36.636	10.126	25.000	51.000
Cu	22	6.273	1.686	4.100	8.500

Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	359.462	51.301	276.000	417.000
Aska	13	62.462	12.286	47.000	84.000
OS smbh	13	62.877	4.331	55.700	67.600
Råprot	13	122.231	22.950	94.000	145.000
sRåprot	13	523.000	111.824	422.000	669.000
NH3-N	12	77.500	56.640	25.000	120.000
NDF	13	450.846	55.484	351.000	510.000
iNDF	13	328.527	42.194	286.937	397.739
nhNDF	13	2.114	0.503	1.310	2.622
Stä	12	109.333	45.781	57.000	162.000
Socker	13	37.385	19.151	14.000	59.000
TAF	13	67.623	30.115	31.900	94.900
Mjölksyra	13	50.231	27.971	19.000	77.000
Ättiksyra	13	15.615	9.224	9.000	30.000
AAT20	13	67.571	4.374	63.490	72.441
PBV20	13	15.316	21.280	-12.287	45.441
NEL20	13	5.133	0.400	4.492	5.624
Ca	11	5.000	1.202	3.600	6.500
P	11	2.718	0.623	2.300	3.100
Mg	11	1.827	0.541	1.400	2.400
K	11	16.536	3.592	12.500	20.000
Na	11	0.918	0.506	0.500	1.500
Cl	13	2.292	1.257	0.700	4.000
S	11	1.491	0.423	1.200	1.800
CAB	11	306.924	67.365	238.155	410.505
Fe	10	150.500	105.690	88.500	305.000
Mn	10	84.000	23.152	50.500	112.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	10	34.800	9.864	23.000	49.500
Cu	10	7.470	3.299	3.750	12.500

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	55	366.418	97.101	262.000	475.000
Aska	55	72.382	16.609	54.000	97.000
OS smbh	55	66.625	4.024	61.800	71.700
Råprot	55	120.345	20.076	101.000	142.000
sRåprot	55	608.018	92.959	471.000	720.000
NH3-N	55	99.036	37.465	50.000	151.000
NDF	55	460.055	43.819	408.000	509.000
iNDF	55	392.811	87.855	273.542	509.139
nhNDF	55	5.948	2.006	2.911	8.499
Stä	55	72.945	44.348	18.000	135.000
Socket	55	38.491	29.059	15.000	77.000
TAF	55	71.582	24.844	42.500	105.000
Mjölksyra	55	52.218	19.761	24.000	73.000
Ättiksyra	55	17.382	7.041	9.000	27.000
PRF	17	3.765	2.840	1.000	7.000
BUF	17	1.529	1.700	0.000	4.000
AAT20	55	69.405	5.575	63.451	75.054
PBV20	55	10.267	18.569	-9.724	35.743
NEL20	55	5.456	0.352	5.021	5.873
Ca	48	5.379	1.459	3.800	7.500
P	48	2.740	0.550	2.000	3.400
Mg	48	1.750	0.381	1.300	2.300
K	48	20.190	5.275	14.800	25.900
Na	48	0.908	0.655	0.200	1.600
Cl	53	3.777	2.364	1.100	7.600
S	48	1.800	0.495	1.300	2.300
CAB	48	337.834	102.403	218.408	449.174
Fe	43	345.349	308.324	114.000	784.000
Mn	43	73.674	29.163	45.000	119.000
Zn	43	39.465	52.301	24.000	42.000
Cu	43	5.714	1.023	4.500	6.900
Se	18	0.023	0.021	0.006	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	26	527.115	66.9844	428.000	587.000
Aska	26	15.077	2.7411	12.000	19.000
OS smbh	26	79.931	3.5335	76.100	84.600
Råprot	26	75.115	6.1795	68.000	85.000
sRåprot	26	403.692	90.2582	312.000	505.000
NH3-N	20	33.200	16.5485	7.000	51.000
NDF	26	241.462	59.1731	195.000	337.000
iNDF	26	223.768	37.8782	177.784	258.000
nhNDF	26	2.570	0.9050	1.535	3.481
Stä	26	515.231	65.3999	441.000	572.000
Socket	26	2.000	4.8826	0.000	11.000
TAF	26	40.515	9.5468	27.000	50.000
Mjölksyra	22	37.500	9.0172	26.000	46.000
Ättiksyra	22	3.136	2.4161	0.000	6.000
PRF	22	0.318	0.4767	0.000	1.000
BUF	22	0.000	0.0000	0.000	0.000
AAT20	26	93.083	2.7887	90.319	95.386
PBV20	26	-71.652	6.8432	-78.295	-64.179
NEL20	26	6.963	0.3609	6.451	7.448
Ca	25	0.660	0.5074	0.200	1.400
P	25	2.228	0.3518	1.900	2.600
Mg	25	0.896	0.2371	0.500	1.200
K	25	5.244	1.1969	3.800	6.600
Na	24	0.342	0.1412	0.200	0.500
S	25	0.916	0.1106	0.800	1.000
CAB	25	60.438	31.8058	28.379	101.525
Fe	13	54.154	12.9862	38.000	69.000
Mn	13	7.846	1.9513	6.000	11.000
Zn	13	21.000	5.6421	16.000	30.000
Cu	13	2.408	0.7262	2.000	3.000

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	38	368.026	102.255	235.000	525.000
Aska	38	66.316	18.297	47.000	88.000
OS smbh	38	65.100	4.768	58.800	71.300
Råprot	38	109.000	26.303	75.000	142.000
sRåprot	38	605.053	110.202	439.000	737.000
NH3-N	38	96.000	36.177	50.000	151.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NDF	38	489.737	54.823	410.000	564.000
iNDF	38	274.904	53.764	191.505	340.000
nhNDF	38	2.826	0.711	1.993	3.885
Stä	37	76.459	67.186	17.000	202.000
Socker	38	34.579	22.946	11.000	62.000
TAF	38	67.895	28.457	27.000	106.000
Mjölksyra	38	48.316	21.385	17.000	77.000
Ättiksyra	38	17.237	10.197	5.000	31.000
PRF	11	5.545	2.911	2.000	8.000
BUF	11	2.545	2.734	0.000	6.000
AAT20	38	71.097	5.066	65.507	78.388
PBV20	38	-4.944	23.960	-34.297	24.032
NEL20	38	5.336	0.410	4.841	5.825
Ca	32	4.019	1.691	2.300	5.700
P	32	2.950	0.588	2.200	3.700
Mg	32	1.681	0.443	1.100	2.300
K	32	20.163	7.367	12.600	32.500
Na	32	1.253	1.312	0.300	3.200
Cl	37	4.032	2.490	0.800	7.800
S	32	1.850	0.657	1.300	2.500
CAB	32	341.469	148.028	190.664	545.794
Fe	24	219.792	276.277	75.000	423.000
Mn	24	103.917	77.470	34.000	221.000
Zn	24	28.750	9.176	18.000	43.000
Cu	24	4.729	1.426	3.700	7.000

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	54	384.648	110.878	263.000	508.000
Aska	51	73.549	17.300	55.000	93.000
OS smbh	54	65.919	3.232	62.500	71.000
Råprot	51	125.647	22.394	101.000	160.000
sRåprot	51	634.392	90.649	503.000	725.000
NH3-N	51	112.529	39.066	72.000	175.000
NDF	51	462.824	40.952	424.000	504.000
iNDF	54	281.082	38.357	254.412	329.000
nhNDF	54	2.687	0.523	2.130	3.124
Stä	50	70.480	48.853	17.000	130.500
Socker	51	37.804	22.584	14.000	66.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	54	67.803	25.081	38.000	98.000
Mjölksyra	51	48.882	21.241	23.000	72.000
Ättiksyra	51	17.706	8.098	9.000	29.000
PRF	10	1.900	1.197	0.000	3.500
BUF	10	0.500	0.850	0.000	2.000
AAT20	54	66.608	3.756	61.157	71.367
PBV20	54	18.902	21.115	-2.717	50.667
NEL20	54	5.318	0.331	4.992	5.779
Ca	48	6.263	2.320	3.600	9.200
P	48	2.760	0.488	2.200	3.500
Mg	48	1.902	0.526	1.300	2.600
K	48	18.621	4.476	13.700	25.800
Na	48	0.483	0.458	0.100	1.300
Cl	51	4.210	2.539	1.300	7.400
S	48	1.819	0.355	1.400	2.300
CAB	48	266.032	92.619	171.344	409.214
Fe	44	320.091	329.648	91.000	615.000
Mn	44	75.932	33.295	33.000	128.000
Zn	44	38.068	15.660	26.000	51.000
Cu	44	7.089	2.900	5.000	8.800

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	83	442.639	143.006	323.000	602.000
Aska	82	60.415	14.325	44.000	79.000
OS smbh	83	67.521	3.794	62.700	71.100
Råprot	82	107.963	26.604	77.000	137.000
sRåprot	82	622.902	122.016	442.000	771.000
NH3-N	82	94.439	40.970	51.000	138.000
NDF	82	457.659	61.114	397.000	520.000
iNDF	83	264.628	54.177	200.377	327.000
nhNDF	83	2.824	0.796	1.979	3.772
Stä	82	106.634	89.176	18.000	213.000
Socket	82	65.732	44.247	18.000	122.000
TAF	83	56.077	29.762	21.500	94.000
Mjölksyra	82	38.512	24.326	11.000	70.000
Ättiksyra	82	14.220	7.483	5.000	23.000
PRF	31	2.839	2.945	0.000	7.000
BUF	31	1.452	2.063	0.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	83	70.460	4.558	64.408	76.209
PBV20	83	-7.432	23.886	-36.185	17.369
NEL20	83	5.488	0.389	5.058	5.967
Ca	69	3.465	1.792	1.900	5.800
P	69	2.604	0.622	2.000	3.300
Mg	69	1.470	0.438	1.000	2.100
K	69	17.968	6.224	11.100	28.500
Na	69	0.504	0.506	0.100	1.100
Cl	75	3.499	2.566	1.000	7.900
S	69	1.764	0.461	1.200	2.400
CAB	69	281.164	138.114	125.428	522.809
Fe	61	174.377	136.822	77.000	280.000
Mn	61	64.492	28.494	27.000	96.000
Zn	61	28.721	6.591	22.000	38.000
Cu	61	5.328	1.514	3.800	7.200
Se	20	0.018	0.012	0.007	0.034

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	82	379.317	107.000	276.000	487.000
Aska	82	63.305	15.327	47.000	81.000
OS smbh	82	67.151	2.902	63.400	70.800
Råprot	82	114.329	20.529	90.000	138.000
sRåprot	82	619.902	106.888	471.000	737.000
NH3-N	82	96.354	37.407	51.000	147.000
NDF	82	436.817	43.083	378.000	499.000
iNDF	82	284.281	43.095	235.564	340.469
nhNDF	82	2.608	0.532	1.967	3.298
Stä	79	104.329	62.714	23.000	198.000
Socker	82	39.866	28.861	12.000	76.000
TAF	82	71.110	28.702	39.000	108.000
Mjölksyra	82	52.561	23.591	26.000	85.000
Ättiksyra	82	16.915	6.943	9.000	26.000
PRF	24	4.333	3.212	0.000	10.000
BUF	24	1.250	2.723	0.000	3.000
AAT20	82	70.310	4.100	65.364	75.134
PBV20	82	3.025	20.325	-18.546	26.925
NEL20	82	5.475	0.299	5.070	5.846
Ca	72	5.678	1.683	3.700	7.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
P	72	2.569	0.434	2.000	3.200
Mg	72	1.712	0.389	1.300	2.200
K	72	17.367	4.553	12.900	21.800
Na	72	0.699	0.438	0.200	1.300
Cl	78	3.603	2.180	1.200	7.700
S	72	1.639	0.378	1.200	2.200
CAB	72	282.558	94.475	159.120	402.528
Fe	65	223.815	181.070	83.000	529.000
Mn	65	60.846	38.820	25.000	103.000
Zn	65	39.354	48.248	20.000	44.000
Cu	65	5.745	1.485	4.000	7.600
Se	10	0.045	0.031	0.015	0.098

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	654	356.258	53.746	289.000	423.000
Aska	652	29.857	8.692	22.000	37.000
OS smbh	657	75.625	2.606	72.200	78.700
Råprot	652	72.784	8.411	63.000	83.000
sRåprot	652	520.641	78.037	433.000	629.000
NH3-N	631	52.517	24.521	24.000	83.000
NDF	652	377.428	43.710	332.000	436.000
iNDF	657	203.791	29.898	169.972	244.000
nhNDF	657	3.329	0.541	2.597	3.986
Stä	650	299.682	60.007	221.500	366.000
Socker	652	12.466	15.854	0.000	29.000
TAF	657	62.802	14.812	45.000	81.000
Mjölksyra	651	45.551	11.527	32.000	58.000
Ättiksyra	651	14.281	5.580	8.000	22.000
PRF	307	2.974	1.540	1.000	5.000
BUF	309	0.032	0.331	0.000	0.000
AAT20	657	82.816	3.100	79.096	86.630
PBV20	657	-56.951	9.002	-67.654	-45.440
NEL20	657	6.420	0.248	6.105	6.697
Ca	609	1.805	0.704	1.200	2.400
P	610	1.865	0.283	1.600	2.150
Mg	610	1.085	0.224	0.900	1.300
K	610	9.056	1.661	7.300	10.900
Na	603	0.292	0.298	0.100	0.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cl	346	1.736	0.746	1.200	2.300
S	610	0.897	0.251	0.800	1.100
CAB	609	142.910	39.410	99.818	187.527
Fe	466	116.966	178.440	53.000	163.000
Mn	466	27.279	16.092	12.000	45.000
Zn	466	24.876	12.542	16.000	33.000
Cu	466	3.996	3.439	2.500	5.000
Se	77	0.030	0.024	0.005	0.050

Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	370.500	110.919	270.000	456.000
Aska	18	58.889	10.105	43.000	73.000
OS smbh	18	69.011	4.099	62.300	73.800
Råprot	18	107.278	23.184	69.000	123.000
sRåprot	18	724.667	118.452	524.000	877.000
NH3-N	18	98.500	41.377	48.000	164.000
NDF	18	529.056	55.540	469.000	606.000
iNDF	18	207.391	34.297	180.309	286.972
nhNDF	18	3.688	0.538	2.503	4.178
Stä	18	18.833	4.829	17.000	19.000
Socker	18	71.444	47.226	17.000	138.000
TAF	18	63.500	31.020	17.000	114.000
Mjölksyra	18	46.667	27.755	8.000	88.000
Ättiksyra	18	16.833	6.680	5.000	26.000
AAT20	18	68.592	5.894	60.066	76.935
PBV20	18	-3.484	21.707	-48.667	17.213
NEL20	18	5.561	0.350	4.984	5.933
Ca	15	3.360	1.011	2.300	5.200
P	15	2.700	0.455	2.100	3.200
Mg	15	1.180	0.254	0.900	1.600
K	15	21.893	4.553	16.600	26.000
Na	15	0.360	0.534	0.100	0.500
Cl	18	1.589	1.753	0.500	5.500
S	15	1.453	0.280	1.000	1.700
CAB	15	437.614	106.120	327.932	540.791
Fe	15	101.800	44.229	57.000	178.000
Mn	15	35.133	18.181	15.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	15	25.067	4.621	21.000	30.000
Cu	15	4.200	0.885	3.000	5.700

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	19	843.000	50.647	785.000	915.000
Aska	18	58.444	10.761	46.000	76.000
OS smbh	20	63.525	6.317	54.550	69.600
Råprot	18	84.611	20.771	66.000	124.000
NDF	18	558.889	40.217	526.000	622.000
iNDF	20	250.610	55.660	191.891	336.303
nhNDF	20	3.091	0.764	1.924	3.898
Socker	18	123.278	35.885	72.000	173.000
TAF	20	0.000	0.000	0.000	0.000
AAT20	20	81.099	6.924	71.407	88.486
PBV20	20	-34.661	14.861	-51.211	-14.158
NEL20	20	4.854	0.537	4.099	5.413
Ca	17	3.912	1.454	1.500	6.000
P	17	1.824	0.527	1.200	2.700
Mg	17	1.494	0.544	0.800	2.400
K	17	15.147	5.293	8.500	23.300
Na	17	0.565	0.590	0.100	1.500
S	17	1.376	0.340	1.000	2.000
CAB	17	185.071	122.433	35.785	371.911
Fe	17	96.765	40.958	53.000	156.000
Mn	17	84.882	62.861	12.000	148.000
Zn	17	23.000	9.307	13.000	36.000
Cu	17	4.800	1.496	3.100	6.400

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	118	839.212	72.520	747.000	904.000
Aska	118	52.949	10.819	40.000	67.000
OS smbh	118	64.461	4.607	59.000	70.600
Råprot	118	76.873	22.014	53.000	112.000
sRåprot	36	421.111	49.262	365.000	477.000
NDF	118	554.119	46.047	490.000	605.000
iNDF	118	249.652	44.016	203.000	311.000
nhNDF	118	3.148	0.533	2.365	3.673

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socket	118	135.390	40.809	85.000	186.000
TAF	118	3.593	6.672	0.000	16.000
Mjölksyra	36	0.000	0.000	0.000	0.000
Ättiksyra	36	9.972	6.975	0.000	20.000
PRF	36	1.417	1.873	0.000	4.000
BUF	36	0.389	0.903	0.000	2.000
AAT20	118	82.016	6.412	74.343	91.796
PBV20	118	-44.770	14.104	-60.992	-26.753
NEL20	118	4.934	0.428	4.383	5.498
Ca	97	3.643	1.837	1.700	6.200
P	99	1.974	0.523	1.400	2.600
Mg	99	1.374	0.497	0.900	2.000
K	99	15.274	4.780	8.500	21.000
Na	94	0.460	0.534	0.100	1.200
Cl	14	2.921	2.420	0.200	6.800
S	99	1.323	0.428	0.900	1.900
CAB	97	193.141	125.951	35.993	322.886
Fe	76	99.316	87.899	45.000	160.000
Mn	76	84.158	70.055	35.000	124.000
Zn	76	26.329	20.674	16.000	33.000
Cu	76	4.204	1.504	2.600	6.200
Se	12	0.015	0.008	0.006	0.030

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	22	804.864	85.149	654.000	889.000
Aska	22	69.545	13.539	50.000	85.000
OS smbh	22	68.791	7.855	66.100	74.100
Råprot	22	108.636	40.036	57.000	132.000
NDF	22	506.136	54.861	457.000	546.000
iNDF	22	209.435	59.689	156.000	254.000
nhNDF	22	3.581	0.835	2.978	4.585
Socket	22	107.318	36.777	69.000	142.000
TAF	22	2.409	5.637	0.000	5.000
AAT20	22	88.764	10.045	80.465	95.060
PBV20	22	-26.430	27.558	-54.481	-12.833
NEL20	22	5.341	0.668	5.055	5.775
Ca	22	5.759	2.446	2.100	8.700
P	22	2.464	0.742	1.300	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mg	22	1.918	0.769	0.900	3.200
K	22	19.027	7.537	8.300	28.100
Na	22	0.786	0.581	0.100	1.400
S	22	1.945	0.672	1.000	2.600
CAB	22	267.476	174.808	30.654	462.847
Fe	19	173.842	137.381	63.000	311.000
Mn	19	112.421	113.863	33.000	334.000
Zn	19	24.474	7.366	14.000	36.000
Cu	19	5.747	1.877	2.100	8.600

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	10	411.000	111.070	253.000	537.500
Aska	10	101.500	17.759	81.500	127.000
OS smbh	10	73.710	3.653	68.500	78.000
Råprot	10	161.500	19.501	138.000	192.500
NDF	10	399.400	32.935	356.500	445.500
iNDF	10	253.207	94.265	138.390	370.057
nhNDF	10	4.788	0.596	3.866	5.488
Socket	10	83.500	25.348	48.000	108.500
TAF	10	50.900	33.988	0.500	72.000
AAT20	10	82.394	5.644	76.164	91.470
PBV20	10	37.449	19.433	10.704	63.715
NEL20	10	5.847	0.344	5.343	6.235

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	30	372.267	99.870	255.000	526.500
Aska	30	78.233	13.475	61.000	96.000
OS smbh	30	74.227	3.131	70.100	78.100
Råprot	30	145.933	29.498	117.500	180.500
sRåprot	30	607.800	67.538	487.500	674.500
NH3-N	30	80.533	24.456	54.500	116.500
NDF	30	443.767	70.234	355.000	527.500
iNDF	30	223.836	79.047	142.500	321.355
nhNDF	30	5.453	1.645	3.771	8.017
Socket	30	45.933	30.102	15.000	99.500
TAF	30	83.130	30.054	35.550	107.550
Mjölksyra	30	62.600	26.822	22.000	89.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	30	17.267	6.443	9.000	26.500
PRF	12	4.000	1.809	2.000	5.000
BUF	30	1.063	1.754	0.000	3.850
AAT20	30	78.524	3.646	74.591	83.807
PBV20	30	28.668	27.472	-1.965	66.013
NEL20	30	6.148	0.311	5.732	6.456
Ca	29	7.207	2.997	4.300	12.800
P	29	2.955	0.656	1.800	3.700
Mg	29	1.966	0.480	1.500	2.700
K	29	25.469	5.265	21.100	33.200
Na	29	0.838	0.553	0.200	1.600
Cl	30	4.060	2.596	1.100	8.000
S	29	1.890	0.412	1.300	2.400
CAB	29	455.090	99.152	331.310	619.083
Fe	19	171.895	126.565	71.000	444.000
Mn	19	49.105	17.938	22.000	75.000
Zn	19	27.368	13.520	18.000	32.000
Cu	19	6.447	1.426	4.900	9.100

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	21	415.048	142.891	261.000	552.000
Aska	21	83.000	9.203	70.000	93.000
OS smbh	21	72.181	3.048	68.500	74.700
Råprot	21	145.190	21.409	120.000	164.000
sRåprot	21	524.286	86.715	395.000	600.000
NH3-N	21	79.095	35.998	27.000	128.000
NDF	21	438.476	40.805	398.000	487.000
iNDF	21	266.145	68.185	180.000	360.874
nhNDF	21	5.092	1.216	3.692	6.809
Socker	21	48.667	29.728	20.000	89.000
TAF	21	73.505	27.257	35.000	102.000
Mjölksyra	21	53.714	20.338	25.000	73.000
Ättiksyra	21	16.190	8.340	6.000	25.000
BUF	21	1.600	1.850	0.000	4.000
AAT20	21	78.319	4.569	74.262	83.300
PBV20	21	28.421	20.758	-3.588	44.706
NEL20	21	5.902	0.314	5.474	6.217
Ca	21	8.771	2.831	6.200	10.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
P	21	3.067	0.499	2.600	3.600
Mg	21	2.424	0.547	1.900	2.800
K	21	23.900	2.833	20.200	27.400
Na	21	1.019	0.632	0.300	1.900
Cl	21	4.886	1.815	2.400	7.000
S	21	2.148	0.376	1.700	2.600
CAB	21	383.708	58.350	321.443	454.460
Fe	15	171.400	116.019	86.000	342.000
Mn	15	56.667	17.496	37.000	84.000
Zn	15	26.667	4.012	21.000	32.000
Cu	15	7.933	2.231	5.600	11.400

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	393.667	113.529	248.000	592.000
Aska	18	87.333	11.951	72.000	103.000
OS smbh	18	72.611	3.665	66.500	76.200
Råprot	18	155.111	19.253	127.000	179.000
sRåprot	18	554.056	57.199	493.000	636.000
NH3-N	18	90.611	58.960	12.000	129.000
NDF	18	426.278	54.327	364.000	500.000
iNDF	18	265.588	56.965	198.411	346.339
nhNDF	18	5.007	1.106	3.457	6.268
Socket	18	46.889	28.970	13.000	99.000
TAF	18	75.267	28.701	34.900	118.000
Mjölksyra	18	54.222	23.856	23.000	92.000
Ättiksyra	18	16.278	7.676	8.000	31.000
BUF	18	2.156	4.130	0.000	3.800
AAT20	18	78.046	5.208	70.491	85.227
PBV20	18	38.414	16.461	16.893	61.854
NEL20	18	5.947	0.327	5.427	6.275
Ca	17	9.053	2.047	6.300	13.000
P	17	3.300	0.659	2.500	3.900
Mg	17	2.653	0.332	2.100	3.000
K	17	25.188	7.058	16.000	35.600
Na	17	1.106	0.572	0.400	1.800
Cl	18	4.600	2.636	1.400	8.100
S	17	2.459	0.443	1.800	3.100
CAB	17	407.537	184.987	159.865	623.882

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Fe	14	178.571	76.926	102.000	241.000
Mn	14	82.214	26.583	53.000	121.000
Zn	14	34.143	23.158	23.000	37.000
Cu	14	7.607	1.365	6.000	9.200

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	83	393.602	81.899	277.000	478.000
Aska	83	65.084	14.683	51.000	81.000
OS smbh	83	70.490	8.765	66.300	76.200
Råprot	83	133.217	26.153	105.000	158.000
sRåprot	82	526.366	62.873	463.000	611.000
NH3-N	82	86.159	59.927	33.000	173.000
NDF	83	386.819	71.492	313.000	468.000
iNDF	83	267.410	76.427	194.000	397.000
nhNDF	83	3.045	0.693	2.231	3.811
Stä	77	131.390	61.261	53.000	210.000
Socket	83	40.024	26.294	8.000	72.000
TAF	83	70.494	34.172	36.000	111.000
Mjölksyra	82	38.329	21.769	6.000	64.000
Ättiksyra	82	22.366	15.935	7.000	48.000
PRF	82	5.378	3.094	2.000	10.000
BUF	82	4.720	10.058	0.000	20.000
AAT20	83	80.801	7.213	71.543	89.686
PBV20	83	13.213	22.031	-2.591	30.336
NEL20	83	6.055	0.404	5.522	6.523
Ca	82	7.276	2.575	4.700	9.700
P	82	3.595	0.694	2.900	4.400
Mg	82	2.762	0.823	2.000	3.700
K	82	17.546	4.977	12.200	23.000
Na	82	2.477	1.399	0.900	4.800
Cl	82	6.127	3.327	2.900	11.100
S	82	2.455	0.436	2.000	3.000
CAB	82	230.427	136.070	62.085	379.632
Fe	43	332.884	191.050	175.000	483.000
Mn	43	74.698	31.746	25.000	116.000
Zn	43	67.023	30.992	35.000	120.000
Cu	43	14.233	6.593	7.000	25.000
Se	10	0.371	0.258	0.085	0.770

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	34	394.441	60.666	318.000	470.000
Aska	34	73.676	11.227	62.000	85.000
OS smbh	37	67.605	20.843	62.700	79.000
Råprot	34	146.559	21.584	112.000	168.000
sRåprot	34	541.029	85.276	417.000	663.000
NH3-N	34	76.735	31.542	46.000	133.000
NDF	34	386.441	71.176	295.000	465.000
iNDF	34	210.278	38.938	171.105	251.767
nhNDF	34	3.271	0.560	2.766	3.934
Stä	34	129.765	68.942	31.000	226.000
Socker	34	38.059	14.824	21.000	57.000
NEL20	37	0.000	0.000	0.000	0.000
Ca	27	6.159	1.356	4.000	7.400
P	27	3.522	0.708	2.800	4.600
Mg	27	3.348	1.491	1.900	4.700
K	27	17.663	3.108	14.600	22.200
Na	27	2.678	2.014	0.300	5.400
Cl	34	7.106	5.176	3.300	13.600
S	27	2.274	0.488	1.600	2.900
CAB	27	228.016	155.157	128.908	324.812
Fe	27	370.778	133.634	209.000	572.000
Mn	27	88.889	26.333	64.000	128.000
Zn	27	64.259	24.952	34.000	102.000
Cu	27	13.370	6.583	6.300	22.400

*= Parametrar från det gamla svenska fodervärderingssystemet