

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	188	842	24	60.5	120	296	9.2	177	122	3.15	572	4			95.8	-24	7.36
Havre, kärna, hög NDF (002)	1	27	848	28	75.0	120		7.9	322	392	2.00	496				82.9	2.1	6.38
Vete, kärna (005)	1	92	852	19	59.2	126	333	9.4	121	134	3.50	628	7			114	-42	7.98
Majs, finmald kärna (014)	1	10	680	16	35.6	94	279	14.7	73	41	3.70	668	7			111	-67	7.96
Rågvete (015)	1	22	865	18	58.4	114	375	6.5	116	131	3.50	641	12			109	-47	7.85
Blandsäd, kärna, 50%havre/50%korn (096)	1	16	850	27	80.5	115		6.1	256	304	2.50	576				90.3	-18	6.90
Blandsäd, kärna, 50%korn/50%vete (114)	1	32	850	21	87.0	123		5.9	192	173	3.30	630				105	-31	7.55
Blandsäd, kärna, 50%havre/50%vete (115)	1	15	843	24	81.6	133		9.4	214	324	2.50	570				102	-16	7.25
Åkerböna, kärna (007)	1	21	866	36	81.2	294	701	3.8	163	31	4.70	370	29			101	142	7.85
Majs hela plantan, grönmassa (030)	1	152	365	30	75.0	72	363		387	190	3.22	306	27	0.0	6.4	88.9	-67	6.24
Prognos, blandvall (1-50% baljv) (042)	0	12	171	90	81.5	194			424	83	6.23		105			108	21.6	6.65
Prognos, blandvall (1-50% baljv) (042)	1	14	199	87	84.7	195			416	58	9.70		120			112	15.5	6.96
Grönmassa, gräs (0% baljv.) (161)	1	102	449	66	65.9	117	388	4.0	516	266	3.42	12	100	0.0	1.9	80.7	-6.5	5.16
Grönmassa, gräs (0% baljv.) (161)	2	11	600	69	70.0	127	427		519	198	3.86		103	0.0	0.0	82.0	0.0	5.57
Ensilage, gräs (0% klöver) (162)	0	10	552	72	69.3	116	477	56.8	492	215	3.52		90	29.8	8.3	79.6	-6.7	5.46
Ensilage, gräs (0% klöver) (162)	1	142	474	67	71.0	127	577	72.4	511	187	3.97	52	70	40.0	12.1	79.4	3.8	5.77
Ensilage, gräs (0% klöver) (162)	2	76	434	78	72.9	149	537	77.0	468	177	4.02		55	46.1	12.6	81.6	20.1	5.93
Ensilage, gräs (0% klöver) (162)	3	41	434	84	74.6	150	530	72.1	440	168	4.15		61	49.3	11.6	82.5	19.5	6.01
Ensilage, gräs (0% klöver) (162)	4	15	389	89	74.2	150	546	82.5	440	172	4.09		52	50.2	15.5	81.0	22.0	5.99
Grönmassa blandvall (1-50 % baljväxter) (164)	0	61	654	82	71.2	143			500	186	4.13		88			79.7	21.1	5.79
Grönmassa blandvall (1-50 % baljväxter) (164)	1	532	423	72	72.0	136	428	51.0	511	175	4.28	21	95	0.0	6.6	83.6	7.7	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	2	280	484	83	72.3	142	426		495	176	4.27		87	0.0	7.5	82.2	15.4	5.86
Grönmassa blandvall (1-50 % baljväxter) (164)	3	190	439	93	74.0	157	404		460	168	4.39		75	0.0	7.4	83.6	27.2	5.98
Grönmassa blandvall (1-50 % baljväxter) (164)	4	68	404	95	75.1	163	399		441	161	4.49		84	0.0	4.5	85.4	30.1	6.05
Ensilage, blandvall (1-50% klöver) (165)	0	261	416	77	72.1	136	575	89.2	480	185	4.02	19	55	47.5	12.1	80.4	13.9	5.86
Ensilage, blandvall (1-50% klöver) (165)	1	2639	400	69	72.5	134	613	85.0	496	176	4.17	68	56	50.0	13.9	80.2	11.5	5.96

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Ensilage, blandvall (1-50% klöver) (165)	2	1782	414	79	72.6	143	539	80.3	463	189	3.96	36	55	49.3	13.8	81.2	18.3	5.91
Ensilage, blandvall (1-50% klöver) (165)	3	1075	411	85	73.7	151	535	80.5	439	184	4.02	54	55	51.2	14.1	82.0	24.5	5.98
Ensilage, blandvall (1-50% klöver) (165)	4	293	371	91	75.0	161	569	79.1	417	179	4.19		50	64.1	16.4	81.2	34.4	6.12
Ensilage, blandvall (1-50% klöver) (165)	5	18	392	91	75.8	173	561	66.3	412	173	4.35		46	66.4	15.3	82.9	43.4	6.24
Korn, helsädesensilage (250)	1	124	428	58	66.9	107	604	98.6	452	271	2.63	124	52	39.7	13.6	69.8	-6.5	5.39
Havre-ärt, helsädesensilage, 50% ärter (251)	1	31	390	72	65.4	131	634	109	477	269	2.70	52	29	55.8	18.0	67.8	22.7	5.34
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	13	359	62	62.9	122	523	77.5	451	329	2.11	109	37	50.2	15.6	67.6	15.3	5.13
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	55	366	72	66.6	120	608	99.0	460	393	5.95	73	38	52.2	17.4	69.4	10.3	5.46
Majskolv, ensilerad (257)	1	28	522	15	79.8	76	409	33.5	245	225	2.59	511	2	38.2	3.5	92.9	-71	6.95
Havre helsädesensilage degmognad (296)	1	39	369	67	64.9	109	601	95.1	490	277	2.80	77	34	47.9	17.1	71.1	-5.0	5.32
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	55	384	74	66.0	126	636	113	463	280	2.70	69	38	49.1	18.1	66.6	19.4	5.32
Vete, helsäd ensilage (299)	1	86	450	60	67.5	108	619	93.6	458	265	2.82	107	67	37.6	14.1	70.6	-7.8	5.48
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	84	380	63	67.2	115	623	96.8	437	284	2.61	104	40	52.7	17.1	70.3	3.5	5.48
Majs, helsädesensilage (305)	1	704	357	30	75.6	73	525	53.9	378	204	3.34	300	12	46.0	14.4	82.7	-57	6.42
Råg, helsädesensilage, axgång (311)	1	18	371	59	69.0	107	725	98.5	529	207	3.69	19	71	46.7	16.8	68.6	-3.5	5.56
Hö, blandvall, 0-50% baljväxter (383)	0	21	848	58	63.2	84			562	252	3.07		121			80.9	-34	4.84
Hö, blandvall, 0-50% baljväxter (383)	1	121	840	53	64.4	77	421	24.0	555	250	3.14		134	0.0	10.0	81.9	-44	4.93
Hö, blandvall, 0-50% baljväxter (383)	2	22	805	70	68.8	109	417		506	209	3.58		107	0.0	4.3	88.8	-26	5.34
Grönmassa, blandvall (51-100% baljväxter) (437)	3	10	411	102	73.7	162	381		399	253	4.79		84	0.0	1.7	82.4	37.4	5.85
Ensilage, blandvall (51-100% klöver) (438)	1	31	375	78	74.1	145	606	82.2	445	227	5.47	14	46	61.4	17.2	78.5	28.3	6.13
Ensilage, blandvall (51-100% klöver) (438)	2	22	411	84	72.3	149	529	80.7	433	266	5.04		47	55.1	16.4	78.3	31.9	5.92
Ensilage, blandvall (51-100% klöver) (438)	3	18	394	87	72.6	155	554	90.6	426	266	5.01		47	54.2	16.3	78.0	38.4	5.95
Grunnblanding Middels ford.grovför (326)	1	92	393	65	70.8	134	526	84.5	387	265	3.09	131	39	39.6	21.9	81.0	13.3	6.07
Fullfoder (TMR) ej kompletta data (1E3)	1	46	401	73	68.0	148	543	74.2	394	202	3.44	122	36					0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	111	0.7	3.6	1.3	5.8	0.2		1.4	38	111	74.7	19.1	33.7	5.6	0.8
Havre, kärna, hög NDF (002)	1	16	0.9	4.4	1.6	5.4	0.1		1.7	18	16	108.0	63.6	41.5	5.0	0.1
Vete, kärna (005)	1	55	0.5	3.4	1.3	5.1	0.2		1.4	27	55	53.8	36.8	38.3	6.6	0.0
Majs, finmald kärna (014)	1	3	0.2	2.3	1.1	3.7	0.1		1.1	13	3	46.3	5.3	21.7	2.8	
Rågvete (015)	1	12	0.4	3.2	1.2	5.4	0.1		1.3	40	12	43.3	36.8	39.3	5.3	0.0
Blandsäd, kärna, 50%havre/50%korn (096)	1	14	1.9	3.9	1.4	5.8	0.5		1.5	49	14	95.5	42.4	39.6	6.4	
Blandsäd, kärna, 50%korn/50%vete (114)	1	16	0.5	3.4	1.2	5.7	0.1		1.3	43	16	51.1	25.9	33.8	4.7	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	12	0.8	3.7	1.4	6.2	0.2		1.4	57	12	78.6	40.5	36.7	6.3	0.0
Åkerböna, kärna (007)	1	14	1.4	5.4	1.5	13.2	0.2		1.7	209	14	78.5	18.3	52.1	18.8	0.0
Majs hela plantan, grönmassa (030)	1	127	1.8	1.9	1.1	8.9	0.2	1.7	0.9	140	83	113.8	30.6	24.8	4.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	100	4.7	2.4	1.6	17.6	0.5	4.3	1.9	225	75	226.7	283.2	34.4	5.3	0.0
Grönmassa, gräs (0% baljv.) (161)	2	9	4.9	2.6	2.3	18.5	0.9	3.2	2.1	257	6	71.8	76.0	23.3	5.3	0.0
Ensilage, gräs (0% klöver) (162)	0	8	5.0	2.4	2.1	19.7	1.0	5.4	1.9	262	8	282.8	135.5	26.5	5.4	0.0
Ensilage, gräs (0% klöver) (162)	1	129	5.1	2.5	1.7	21.9	0.8	4.7	1.9	338	107	184.3	69.3	29.0	5.9	0.0
Ensilage, gräs (0% klöver) (162)	2	69	6.6	3.0	2.3	22.8	1.1	6.2	2.5	307	61	198.0	95.1	30.9	7.1	0.0
Ensilage, gräs (0% klöver) (162)	3	38	6.5	3.0	2.5	23.9	1.1	6.5	2.5	330	35	309.5	96.7	28.5	6.9	0.0
Ensilage, gräs (0% klöver) (162)	4	13	6.5	3.2	2.7	25.1	1.8	9.5	2.5	338	11	330.4	87.1	28.5	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	56	5.5	2.6	2.0	22.0	1.3		2.1	353	56	189.7	79.0	29.3	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	491	5.1	2.7	1.8	23.1	0.8	4.1	2.0	375	390	155.2	73.6	30.4	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	261	6.4	3.0	2.2	24.0	0.9	5.3	2.3	376	231	146.3	80.5	29.5	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	168	7.8	3.2	2.6	25.8	1.1	5.1	2.5	419	149	195.4	86.7	28.1	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	63	8.0	3.2	2.6	24.8	1.7	4.6	2.6	411	54	209.1	91.6	27.9	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	228	6.3	2.7	2.2	22.9	0.8	5.5	2.0	343	228	262.5	82.3	30.5	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	2502	5.4	2.6	1.8	22.5	0.9	4.4	1.9	369	2187	186.0	66.3	30.0	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1686	7.1	2.9	2.3	23.0	1.0	5.1	2.3	346	1490	223.4	81.8	30.8	8.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1013	7.6	3.0	2.5	24.5	1.2	5.6	2.5	367	876	233.4	90.0	29.8	7.6	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	4	284	7.5	3.3	2.6	24.5	1.7	6.4	2.7	353	217	340.7	101.0	34.5	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	5	18	7.0	3.4	2.5	24.9	2.0	6.9	2.8	358	12	319.6	82.0	93.7	7.5	0.1
Korn, helsädesensilage (250)	1	110	4.1	2.7	1.6	16.8	0.9	3.7	1.8	256	84	220.2	65.6	30.0	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	23	6.0	2.9	1.9	20.3	1.2	4.8	2.0	317	23	233.8	100.7	38.0	6.4	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	11	5.0	2.7	1.8	16.5	0.9	2.3	1.5	307	10	150.5	84.0	34.8	7.5	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	48	5.3	2.7	1.8	20.2	0.9	3.8	1.8	338	44	343.5	75.6	39.9	5.7	0.0
Majskolv, ensilerad (257)	1	27	0.7	2.2	0.9	5.2	0.3	0.7	0.9	61	13	54.2	7.8	21.0	2.4	
Havre helsädesensilage degmognad (296)	1	33	4.1	3.0	1.7	20.1	1.2	4.0	1.8	341	25	215.1	102.2	28.8	4.7	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	49	6.3	2.8	1.9	18.7	0.5	4.2	1.8	268	45	317.1	76.2	38.2	7.1	0.0
Vete, helsäd ensilage (299)	1	72	3.5	2.6	1.5	17.8	0.5	3.5	1.8	277	64	174.3	65.3	28.9	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	73	5.7	2.6	1.7	17.3	0.7	3.6	1.6	282	66	223.4	60.6	39.2	5.7	0.0
Majs, helsädesensilage (305)	1	655	1.8	1.9	1.1	9.0	0.3	1.7	0.9	142	502	118.6	27.3	24.9	4.0	0.0
Råg, helsädesensilage, axgång (311)	1	15	3.4	2.7	1.2	21.9	0.4	1.6	1.5	438	15	101.8	35.1	25.1	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	18	3.9	1.8	1.5	14.8	0.5		1.4	176	18	101.9	82.8	23.1	4.7	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	98	3.6	2.0	1.4	15.3	0.5	2.9	1.3	193	77	101.7	83.9	26.4	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	22	5.8	2.5	1.9	19.0	0.8	4.0	1.9	267	19	173.8	112.4	24.5	5.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	9	10.7	3.1	3.1	27.4	1.0	5.3	2.2	471	7	105.3	61.0	24.7	10.3	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	30	7.3	3.0	2.0	25.6	0.8	4.0	1.9	456	20	185.0	49.3	27.3	6.5	0.0
Ensilage, blandvall (51-100% klöver) (438)	2	22	8.9	3.1	2.5	24.1	1.0	4.8	2.2	391	16	171.9	55.4	27.3	8.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	17	9.1	3.3	2.7	25.2	1.1	4.6	2.5	408	14	178.6	82.2	34.1	7.6	0.0
Grunnblanding Middels ford.grovfôr (326)	1	91	7.3	3.6	2.9	17.8	2.5	6.0	2.5	234	52	329.2	81.3	71.8	14.7	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	39	6.7	3.5	3.2	16.8	2.9	6.9	2.3	218	39	375.8	91.5	65.4	13.3	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	188	842.463	60.906	795.000	898.000
Aska	190	24.224	7.252	19.950	27.000
OS smbh	192	60.469	39.394	0.000	86.000
Råprot	190	120.252	31.262	98.550	136.300
sRåprot	57	296.088	106.766	212.000	351.000
NH3-N	35	9.229	10.359	6.000	9.000
NDF	99	177.455	41.253	133.000	229.000
iNDF	192	122.042	62.433	25.000	162.000
nhNDF	192	3.150	0.000	3.150	3.150
Stä	190	571.745	110.956	485.500	667.250
Socker	60	3.983	15.070	0.000	0.000
TAF	192	0.000	0.000	0.000	0.000
AAT20	192	95.780	2.129	93.188	99.042
PBV20	192	-23.812	31.200	-47.173	-7.964
NEL20	192	7.364	0.187	7.131	7.576
Ca	111	0.661	0.886	0.400	0.900
P	111	3.575	0.864	2.900	4.100
Mg	111	1.286	0.567	1.000	1.400
K	111	5.807	1.348	4.500	6.700
Na	107	0.200	0.639	0.100	0.200
S	111	1.363	0.526	1.100	1.500
CAB	111	38.067	28.170	8.077	64.631
Fe	111	74.748	75.103	41.000	105.000
Mn	111	19.144	9.636	12.000	25.000
Zn	111	33.703	9.127	25.000	42.000
Cu	111	5.619	2.635	3.400	8.000
Se	19	0.820	3.434	0.005	0.136

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	27	847.519	30.622	811.000	880.000
Aska	27	27.811	7.087	21.300	36.000
OS smbh	28	75.000	0.000	75.000	75.000
Råprot	27	120.244	64.001	92.400	127.000
iNDF	28	392.000	0.000	392.000	392.000
nhNDF	28	2.000	0.000	2.000	2.000
Stä	27	496.159	123.411	367.000	581.300
TAF	28	0.000	0.000	0.000	0.000
AAT20	28	82.893	2.430	80.577	87.062

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	28	2.077	60.177	-24.889	2.797
NEL20	28	6.379	0.280	5.886	6.648
Ca	16	0.919	0.622	0.600	1.000
P	16	4.356	2.407	3.400	4.300
Mg	16	1.563	0.977	1.100	1.500
K	16	5.419	0.856	4.500	6.800
Na	16	0.125	0.100	0.100	0.100
S	16	1.706	1.156	1.200	1.700
CAB	16	17.663	75.971	3.411	65.080
Fe	16	108.000	31.358	79.000	142.000
Mn	16	63.563	32.613	39.000	86.000
Zn	16	41.500	27.403	28.000	47.000
Cu	16	5.000	2.674	3.200	6.500

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	92	851.641	47.6343	800.000	900.000
Aska	93	19.215	5.0190	15.200	23.000
OS smbh	101	59.248	41.4795	0.000	88.000
Råprot	93	125.547	20.0636	101.700	157.000
sRåprot	33	332.545	58.1905	289.000	392.000
NH3-N	20	9.350	13.1720	5.000	10.000
NDF	51	120.894	21.1931	93.000	148.000
iNDF	101	134.069	76.3600	25.000	187.000
nhNDF	101	3.500	0.0000	3.500	3.500
Stä	92	628.282	69.8995	545.000	706.900
Socker	35	7.057	16.0586	0.000	41.000
TAF	101	0.000	0.0000	0.000	0.000
AAT20	101	114.103	2.3463	111.465	117.475
PBV20	101	-42.161	16.9325	-61.403	-14.448
NEL20	101	7.975	0.1261	7.838	8.143
Ca	55	0.493	0.4371	0.300	0.600
P	55	3.400	0.5481	2.900	3.800
Mg	55	1.331	1.1040	1.000	1.400
K	55	5.131	0.5521	4.500	5.700
Na	44	0.195	0.5886	0.100	0.100
S	55	1.380	0.3503	1.200	1.600
CAB	55	27.291	15.8464	9.143	44.661
Fe	55	53.818	43.7434	34.000	68.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	55	36.836	23.7173	17.000	48.000
Zn	55	38.273	47.3284	25.000	43.000
Cu	55	6.635	13.3873	3.300	6.300
Se	11	0.022	0.0157	0.006	0.050

Type=Majs, finmald kärna (014) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	679.900	88.9138	610.500	817.000
Aska	10	16.100	5.2377	8.500	23.000
OS smbh	10	35.600	45.9596	0.000	89.000
Råprot	10	93.700	10.9041	81.000	107.500
iNDF	10	41.400	21.1723	25.000	66.000
nhNDF	10	3.700	0.0000	3.700	3.700
Stä	10	667.600	35.2269	621.000	707.500
TAF	10	0.000	0.0000	0.000	0.000
AAT20	10	111.235	3.2760	106.633	115.636
PBV20	10	-66.787	7.6113	-75.742	-56.721
NEL20	10	7.960	0.1026	7.804	8.078

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	865.000	41.8819	831.000	925.000
Aska	22	18.423	2.1963	16.000	21.000
OS smbh	23	58.356	43.5749	0.000	89.479
Råprot	22	113.727	12.5342	97.000	130.200
NDF	10	115.600	25.1317	94.000	153.500
iNDF	23	130.652	78.8915	25.000	187.000
nhNDF	23	3.500	0.0000	3.500	3.500
Stä	22	641.473	60.2983	566.000	713.000
TAF	23	0.000	0.0000	0.000	0.000
AAT20	23	109.360	1.0651	108.146	110.489
PBV20	23	-46.903	12.4151	-63.067	-28.722
NEL20	23	7.848	0.1134	7.674	7.988
Ca	12	0.392	0.0900	0.300	0.500
P	12	3.233	0.2871	2.800	3.500
Mg	12	1.183	0.1528	0.900	1.300
K	12	5.417	0.4282	4.800	6.000
S	12	1.325	0.1055	1.200	1.500
CAB	12	40.351	10.8799	30.122	56.832

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	12	43.333	11.6098	32.000	50.000
Mn	12	36.750	14.4545	23.000	49.000
Zn	12	39.250	7.4116	30.000	52.000
Cu	12	5.317	0.3786	5.000	5.800

Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	16	850.438	27.6694	815.000	880.000
Aska	16	27.338	10.5374	19.000	49.000
OS smbh	16	80.500	0.0000	80.500	80.500
Råprot	16	114.588	19.8199	93.200	152.000
iNDF	16	304.000	0.0000	304.000	304.000
nhNDF	16	2.500	0.0000	2.500	2.500
Stä	16	575.725	75.4414	435.000	655.500
TAF	16	0.000	0.0000	0.000	0.000
AAT20	16	90.282	2.2774	87.187	92.755
PBV20	16	-17.817	19.9109	-38.629	19.809
NEL20	16	6.901	0.1910	6.645	7.178
Ca	14	1.879	2.5459	0.500	6.900
P	14	3.879	0.7392	2.900	5.100
Mg	14	1.429	0.3791	1.100	2.100
K	14	5.779	0.9673	4.600	7.300
Na	14	0.471	0.7426	0.100	1.700
S	14	1.507	0.4859	1.100	2.400
CAB	14	48.738	25.4375	25.911	79.012
Fe	14	95.500	29.0748	66.000	143.000
Mn	14	42.357	11.1742	26.000	58.000
Zn	14	39.571	17.3326	23.000	67.000
Cu	14	6.350	3.5424	3.200	13.000

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	32	850.469	24.8037	829.000	877.000
Aska	33	20.985	2.7325	17.800	24.800
OS smbh	35	87.000	0.0000	87.000	87.000
Råprot	33	123.115	13.5730	107.000	141.000
NH3-N	14	5.857	0.6630	5.000	7.000
NDF	20	192.200	26.9807	155.000	234.000
iNDF	35	173.000	0.0000	173.000	173.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
nhNDF	35	3.300	0.0000	3.300	3.300
Stä	33	630.058	48.4410	564.000	687.200
TAF	35	0.000	0.0000	0.000	0.000
AAT20	35	104.589	1.7222	102.151	106.251
PBV20	35	-31.370	11.8340	-46.406	-15.601
NEL20	35	7.550	0.1584	7.356	7.740
Ca	16	0.475	0.1238	0.400	0.600
P	16	3.438	0.3423	3.000	4.000
Mg	16	1.219	0.1167	1.100	1.400
K	16	5.694	0.8888	4.600	7.000
Na	16	0.100	0.0000	0.100	0.100
S	16	1.269	0.1250	1.100	1.400
CAB	16	42.502	20.5629	16.556	71.687
Fe	16	51.125	12.2031	36.000	71.000
Mn	16	25.938	7.7843	13.000	38.000
Zn	16	33.813	5.0096	27.000	39.000
Cu	16	4.738	0.7500	3.700	5.600

Type=Blandsäd, kärna, 50%havre/50%vete (115) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	842.533	17.6022	815.000	866.000
Aska	15	24.107	5.4399	18.000	32.000
OS smbh	15	81.600	0.0000	81.600	81.600
Råprot	15	132.560	33.5557	102.000	188.000
NH3-N	10	9.400	12.5804	3.500	26.500
iNDF	15	324.000	0.0000	324.000	324.000
nhNDF	15	2.500	0.0000	2.500	2.500
Stä	15	570.360	73.7088	453.000	645.900
TAF	15	0.000	0.0000	0.000	0.000
AAT20	15	102.452	3.9209	99.907	107.978
PBV20	15	-16.209	29.2451	-42.998	31.002
NEL20	15	7.245	0.2639	7.098	7.489
Ca	12	0.808	0.3965	0.500	1.300
P	12	3.742	0.5071	3.200	4.400
Mg	12	1.358	0.2610	1.200	1.500
K	12	6.242	1.8798	4.600	8.400
Na	12	0.167	0.2309	0.100	0.100
S	12	1.400	0.1954	1.200	1.700
CAB	12	56.845	37.7224	23.612	90.396

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Blandsäd, kärna, 50%havre/50%vete (115) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	12	78.583	29.3891	51.000	108.000
Mn	12	40.500	12.4133	28.000	61.000
Zn	12	36.667	12.3681	28.000	47.000
Cu	12	6.258	2.5561	4.300	10.900

Type=Åkerböna, kärna (007) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	21	866.476	52.8362	843.000	924.000
Aska	16	35.563	2.5290	32.000	38.000
OS smbh	23	81.223	25.6294	88.959	88.959
Råprot	21	294.476	13.1401	274.000	306.000
NH3-N	12	3.833	5.1139	2.000	3.000
iNDF	23	31.391	2.0167	32.000	32.000
nhNDF	23	4.700	0.0000	4.700	4.700
Stä	21	370.095	29.4939	341.000	393.000
TAF	23	0.000	0.0000	0.000	0.000
AAT20	23	101.362	1.7907	99.322	102.640
PBV20	23	142.416	11.0556	123.817	153.042
NEL20	23	7.850	0.1773	7.730	7.893
Ca	14	1.443	0.5996	1.100	1.700
P	14	5.379	0.6447	4.500	6.200
Mg	14	1.521	0.1188	1.400	1.700
K	14	13.207	0.9017	12.300	14.400
Na	14	0.193	0.1439	0.100	0.500
S	14	1.743	0.1989	1.500	1.900
CAB	14	209.066	21.7090	185.162	236.313
Fe	14	78.500	38.5562	53.000	126.000
Mn	14	18.286	3.1238	15.000	22.000
Zn	14	52.071	5.4837	45.000	60.000
Cu	14	18.771	3.1277	13.200	23.100

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	152	365.428	118.632	274.000	444.000
Aska	152	29.928	6.153	23.000	39.000
OS smbh	152	75.046	3.794	69.700	79.300
Råprot	152	71.862	8.017	63.000	83.000
sRåprot	152	363.230	56.773	310.000	425.000
NDF	152	387.026	46.404	333.000	447.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	152	189.942	29.316	160.109	224.000
nhNDF	152	3.216	0.776	2.161	4.080
Stä	152	306.454	61.534	228.000	377.000
Socker	152	27.414	34.490	1.000	86.000
TAF	152	31.783	24.900	3.000	57.000
Mjölksyra	78	0.000	0.000	0.000	0.000
Ättiksyra	78	6.385	3.994	2.000	11.000
PRF	78	1.474	1.439	0.000	4.000
BUF	78	0.000	0.000	0.000	0.000
AAT20	152	88.862	3.138	84.645	92.540
PBV20	152	-67.295	7.919	-77.269	-57.757
NEL20	152	6.240	0.346	5.796	6.668
Ca	127	1.774	0.588	1.200	2.300
P	127	1.890	0.255	1.600	2.100
Mg	127	1.066	0.234	0.800	1.300
K	127	8.916	1.467	7.100	10.800
Na	115	0.234	0.156	0.100	0.400
Cl	74	1.681	0.514	1.100	2.300
S	127	0.882	0.179	0.700	1.000
CAB	127	140.140	37.002	94.515	186.011
Fe	83	113.783	187.745	58.000	147.000
Mn	83	30.602	16.186	12.000	50.000
Zn	83	24.771	9.546	17.000	33.000
Cu	83	4.406	4.598	2.400	5.200
Se	20	0.045	0.040	0.006	0.110

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	12	170.833	17.6111	161.000	197.000
Aska	12	90.167	10.8279	79.000	103.000
OS smbh	12	81.492	2.3294	78.100	83.900
Råprot	12	194.000	26.3163	173.000	232.000
NDF	12	424.167	54.1124	354.000	491.000
iNDF	12	82.740	23.1516	56.497	113.923
nhNDF	12	6.230	0.7075	5.370	7.154
Socker	12	105.333	36.4426	64.000	154.000
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	108.371	3.7052	104.491	113.115

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
PBV20	12	21.551	19.2965	1.653	47.277
NEL20	12	6.645	0.1968	6.428	6.922

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	14	198.500	29.2042	165.000	237.000
Aska	14	87.286	10.6658	76.000	99.000
OS smbh	14	84.693	2.1974	81.400	87.100
Råprot	14	194.500	32.1170	155.000	234.000
NDF	14	416.357	34.1233	373.000	459.000
iNDF	14	58.489	16.5442	46.404	88.549
nhNDF	14	9.695	3.7624	6.020	15.279
Socker	14	120.214	40.9299	70.000	199.000
TAF	14	0.000	0.0000	0.000	0.000
AAT20	14	112.225	4.9451	105.104	117.349
PBV20	14	15.531	22.7864	-14.904	47.333
NEL20	14	6.965	0.2886	6.503	7.229

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	102	448.961	212.914	209.000	792.000
Aska	102	65.578	17.236	45.000	86.000
OS smbh	102	65.929	6.044	57.100	74.000
Råprot	102	117.255	48.431	60.000	181.000
sRåprot	70	387.543	89.158	244.500	470.500
NDF	102	516.284	61.491	436.000	596.000
iNDF	102	265.930	90.911	161.000	390.000
nhNDF	102	3.419	0.930	2.621	4.454
Socker	102	100.088	52.579	35.000	170.000
TAF	102	23.990	25.932	0.000	61.000
Mjölksyra	70	0.000	0.000	0.000	0.000
Ättiksyra	70	1.900	3.894	0.000	8.000
PRF	70	2.829	3.563	0.000	7.500
BUF	70	2.343	3.207	0.000	7.500
AAT20	102	80.728	9.223	68.766	91.624
PBV20	102	-6.545	31.698	-42.042	37.477
NEL20	102	5.157	0.566	4.396	5.860
Ca	100	4.726	1.895	2.500	7.200
P	100	2.407	0.876	1.400	3.800

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mg	100	1.638	0.564	0.900	2.300
K	100	17.586	6.659	9.650	27.100
Na	99	0.513	0.555	0.100	1.100
Cl	64	4.269	3.509	1.200	8.500
S	100	1.914	0.746	1.050	3.050
CAB	100	224.874	167.180	-16.077	414.342
Fe	75	226.720	224.078	56.000	514.000
Mn	75	283.173	408.339	34.000	721.000
Zn	75	34.360	16.816	15.000	57.000
Cu	75	5.255	1.795	3.200	7.000

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	11	599.727	165.470	391.000	793.000
Aska	11	69.455	11.978	57.000	79.000
OS smbh	11	70.000	4.277	64.300	74.600
Råprot	11	127.182	43.245	86.000	163.000
NDF	11	518.727	31.604	485.000	549.000
iNDF	11	197.607	54.897	159.973	255.000
nhNDF	11	3.863	0.535	3.107	4.490
Socker	11	103.182	37.148	64.000	137.000
TAF	11	45.182	27.140	2.000	61.000
AAT20	11	82.034	5.396	75.731	86.693
PBV20	11	0.037	34.479	-34.674	25.253
NEL20	11	5.571	0.455	5.027	6.014

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	552.100	197.530	309.500	800.000
Aska	10	71.800	19.321	47.000	97.000
OS smbh	10	69.330	5.293	60.250	74.300
Råprot	10	115.600	30.270	76.500	157.500
sRåprot	10	476.800	156.020	257.000	686.500
NH3-N	10	56.800	33.509	12.500	94.000
NDF	10	491.500	69.892	394.500	591.000
iNDF	10	215.375	43.746	153.915	271.488
nhNDF	10	3.521	0.788	2.733	4.723
Socker	10	90.000	43.688	35.000	143.500
TAF	10	39.900	33.753	9.500	91.100

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	10	29.800	26.977	6.500	71.500
Ättiksyra	10	8.300	7.514	1.000	18.500
BUF	10	0.800	0.926	0.100	2.350
AAT20	10	79.615	5.439	73.202	87.710
PBV20	10	-6.706	26.421	-36.038	30.496
NEL20	10	5.457	0.540	4.637	6.078
CI	10	5.420	3.207	1.700	9.950

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	142	473.725	176.345	273.000	736.000
Aska	142	66.542	12.497	51.000	81.000
OS smbh	142	70.992	4.744	64.800	76.100
Råprot	142	126.725	30.650	86.000	163.000
sRåprot	142	577.190	110.742	412.000	685.000
NH3-N	141	72.418	35.868	22.000	116.000
NDF	142	511.106	56.240	442.000	579.000
iNDF	142	187.087	48.717	133.778	246.550
nhNDF	142	3.974	0.720	3.165	4.833
Socker	142	70.197	41.668	17.000	130.000
TAF	142	55.192	29.809	18.500	92.000
Mjölksyra	142	40.035	23.659	12.000	72.000
Ättiksyra	142	12.063	7.463	3.000	21.000
PRF	48	2.979	1.550	1.000	5.000
BUF	142	1.425	3.499	0.000	2.700
AAT20	142	79.384	4.736	74.120	84.880
PBV20	142	3.800	26.486	-31.418	34.566
NEL20	142	5.766	0.488	5.017	6.321
Ca	129	5.068	1.970	2.900	7.400
P	129	2.534	0.648	1.700	3.400
Mg	129	1.710	0.380	1.200	2.200
K	129	21.895	5.904	14.700	30.200
Na	129	0.777	0.629	0.100	1.700
Cl	142	4.654	2.716	1.500	8.500
S	129	1.942	0.484	1.300	2.600
CAB	129	338.096	134.764	157.611	487.499
Fe	107	184.262	160.298	73.000	332.000
Mn	107	69.290	49.613	26.000	110.000
Zn	107	28.972	7.567	22.000	37.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cu	107	5.940	2.293	3.800	8.000
Se	37	0.021	0.015	0.008	0.050

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	76	434.461	156.049	251.000	687.000
Aska	76	78.092	12.807	61.000	92.000
OS smbh	77	72.936	4.230	69.400	77.100
Råprot	76	148.500	28.231	116.000	178.000
sRåprot	76	537.105	99.190	400.000	635.000
NH3-N	76	77.000	37.493	32.000	114.000
NDF	76	467.750	44.544	411.000	525.000
iNDF	77	176.754	39.759	132.913	230.554
nhNDF	77	4.023	0.621	3.158	4.732
Socker	76	54.566	32.299	16.000	104.000
TAF	77	62.000	31.081	14.000	100.100
Mjölksyra	76	46.105	25.206	8.000	73.000
Ättiksyra	76	12.579	6.606	3.000	21.000
PRF	18	2.389	2.404	0.000	6.000
BUF	76	1.961	5.524	0.000	3.400
AAT20	77	81.572	4.903	75.926	88.919
PBV20	77	20.080	23.907	-10.768	52.723
NEL20	77	5.928	0.427	5.394	6.419
Ca	69	6.570	1.844	4.800	8.800
P	69	2.968	0.672	2.200	4.000
Mg	69	2.307	0.503	1.800	2.900
K	69	22.767	5.193	14.400	29.000
Na	69	1.148	0.916	0.100	2.400
Cl	75	6.203	3.252	2.000	10.300
S	69	2.461	0.529	1.800	3.100
CAB	69	307.354	119.800	127.493	464.885
Fe	61	198.000	120.689	88.000	393.000
Mn	61	95.115	48.814	43.000	165.000
Zn	61	30.902	7.404	23.000	41.000
Cu	61	7.052	1.468	5.600	9.000
Se	15	0.039	0.038	0.010	0.091

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	41	434.439	153.870	281.000	668.000
Aska	41	84.220	20.639	63.000	97.000
OS smbh	41	74.554	3.284	70.600	78.700
Råprot	41	149.707	27.923	115.000	188.000
sRåprot	41	530.098	102.481	381.000	619.000
NH3-N	41	72.098	29.373	29.000	109.000
NDF	41	439.805	50.373	377.000	488.000
iNDF	41	167.813	34.544	123.291	202.864
nhNDF	41	4.146	0.550	3.502	4.772
Socket	41	61.171	36.701	20.000	109.000
TAF	41	62.756	31.346	15.500	104.100
Mjölksyra	41	49.341	27.389	11.000	85.000
Ättiksyra	41	11.634	5.190	3.000	18.000
BUF	41	0.707	1.305	0.000	2.500
AAT20	41	82.549	4.881	77.962	88.022
PBV20	41	19.488	25.508	-11.291	51.714
NEL20	41	6.010	0.354	5.539	6.472
Ca	38	6.529	1.593	4.600	8.200
P	38	3.003	0.527	2.400	3.500
Mg	38	2.495	0.575	1.700	3.400
K	38	23.879	6.173	14.900	31.900
Na	38	1.121	0.847	0.300	2.900
Cl	39	6.497	2.931	2.500	10.200
S	38	2.453	0.473	2.000	3.000
CAB	38	330.185	133.747	118.530	505.240
Fe	35	309.457	379.172	94.000	649.000
Mn	35	96.714	44.111	54.000	160.000
Zn	35	28.514	6.482	22.000	36.000
Cu	35	6.937	1.456	5.000	9.200

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	15	388.933	107.201	273.000	535.000
Aska	15	89.400	18.593	70.000	113.000
OS smbh	15	74.247	2.504	70.400	76.700
Råprot	15	149.733	27.840	108.000	179.000
sRåprot	15	546.067	72.802	456.000	647.000
NH3-N	15	82.533	37.896	33.000	130.000
NDF	15	439.533	27.302	398.000	470.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
iNDF	15	171.934	34.407	139.221	222.287
nhNDF	15	4.092	0.478	3.423	4.670
Socker	15	52.467	31.692	10.000	86.000
TAF	15	69.460	28.379	37.000	107.400
Mjölksyra	15	50.200	23.947	23.000	74.000
Ättiksyra	15	15.533	7.577	9.000	21.000
BUF	15	2.593	6.544	0.000	6.600
AAT20	15	80.951	4.268	76.600	86.570
PBV20	15	22.045	23.692	-11.258	50.003
NEL20	15	5.989	0.256	5.549	6.299
Ca	13	6.485	1.716	4.800	8.900
P	13	3.215	0.871	2.500	3.800
Mg	13	2.731	0.501	2.000	3.300
K	13	25.054	6.920	16.500	29.100
Na	13	1.785	1.120	0.700	3.200
Cl	14	9.471	5.172	4.300	13.300
S	13	2.515	0.634	2.100	3.000
CAB	13	338.175	134.569	219.094	434.785
Fe	11	330.364	268.747	137.000	762.000
Mn	11	87.091	38.635	52.000	143.000
Zn	11	28.455	9.459	21.000	33.000
Cu	11	7.336	1.320	6.000	8.800

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	61	653.689	302.464	285.000	1000.00
Aska	60	82.017	13.148	66.000	98.00
OS smbh	61	71.189	5.695	65.500	78.40
Råprot	60	143.417	30.851	100.500	183.00
NDF	60	499.950	51.899	419.000	555.00
iNDF	61	185.655	51.571	113.766	239.55
nhNDF	61	4.125	0.917	3.217	5.49
Socker	60	88.167	37.997	43.000	139.00
TAF	61	84.000	0.000	84.000	84.00
AAT20	61	79.671	6.729	71.631	88.36
PBV20	61	21.098	21.799	-8.092	48.81
NEL20	61	5.793	0.544	5.201	6.50
Ca	56	5.486	1.903	3.200	7.80
P	56	2.607	0.547	2.000	3.40

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Mg	56	2.007	0.629	1.300	3.10
K	56	21.966	5.938	15.400	28.60
Na	56	1.325	1.240	0.300	2.90
S	56	2.150	0.577	1.400	2.90
CAB	56	352.631	140.698	160.173	496.91
Fe	56	189.661	127.988	85.000	360.00
Mn	56	79.018	46.357	41.000	115.00
Zn	56	29.268	8.618	22.000	38.00
Cu	56	7.289	2.780	4.500	10.20

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	532	423.365	145.403	258.000	605.000
Aska	531	71.695	13.085	53.000	88.000
OS smbh	532	72.047	4.955	66.100	78.500
Råprot	531	135.881	30.437	95.000	176.000
sRåprot	173	427.699	85.735	328.000	544.000
NDF	531	511.499	57.595	436.000	584.000
iNDF	532	174.509	51.710	113.000	238.000
nhNDF	532	4.278	0.871	3.298	5.422
Socker	531	95.132	46.515	32.000	158.000
TAF	532	59.459	35.749	3.000	84.000
Mjölksyra	173	0.000	0.000	0.000	0.000
Ättiksyra	173	6.595	7.842	0.000	19.000
PRF	173	1.387	2.067	0.000	4.000
BUF	173	0.549	1.305	0.000	2.000
AAT20	532	83.623	6.604	75.509	91.928
PBV20	532	7.746	22.745	-21.881	37.833
NEL20	532	5.856	0.476	5.253	6.451
Ca	491	5.082	1.734	3.200	7.100
P	491	2.689	0.576	1.900	3.400
Mg	491	1.798	0.426	1.300	2.300
K	491	23.099	6.218	14.800	31.000
Na	486	0.809	0.729	0.100	1.500
Cl	160	4.083	3.007	0.950	8.050
S	491	1.979	0.481	1.400	2.500
CAB	491	375.416	147.588	169.204	556.592
Fe	390	155.179	126.040	68.500	264.000
Mn	390	73.613	65.402	35.000	106.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	390	30.415	11.111	22.500	39.000
Cu	390	5.779	1.543	4.000	7.600
Se	106	0.020	0.024	0.007	0.040

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	280	484.471	161.206	286.500	728.500
Aska	280	82.704	12.260	65.000	99.000
OS smbh	280	72.339	4.357	66.450	77.450
Råprot	280	141.850	29.196	105.000	179.500
sRåprot	54	426.241	85.056	343.000	578.000
NDF	280	494.779	44.429	440.000	556.500
iNDF	280	176.200	45.786	118.000	233.000
nhNDF	280	4.274	0.750	3.423	5.198
Socker	280	86.621	41.470	31.000	145.500
TAF	280	69.529	30.007	5.000	84.000
Mjölksyra	54	0.000	0.000	0.000	0.000
Ättiksyra	54	7.463	9.428	0.000	19.000
PRF	54	1.185	1.844	0.000	4.000
BUF	54	0.315	0.907	0.000	1.000
AAT20	280	82.236	6.617	74.479	90.919
PBV20	280	15.426	23.001	-15.840	44.728
NEL20	280	5.856	0.412	5.356	6.362
Ca	261	6.394	1.883	4.200	8.700
P	261	3.001	0.511	2.400	3.600
Mg	261	2.244	0.494	1.600	2.900
K	261	24.044	5.421	17.200	30.600
Na	261	0.937	0.986	0.100	1.900
Cl	51	5.329	4.883	1.300	9.700
S	261	2.296	0.472	1.600	2.900
CAB	261	376.308	135.099	191.679	526.602
Fe	231	146.320	115.884	70.000	240.000
Mn	231	80.519	41.642	42.000	121.000
Zn	231	29.532	11.228	20.000	38.000
Cu	231	6.927	2.057	5.000	9.000
Se	63	0.023	0.023	0.008	0.040

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	190	438.863	149.416	270.000	655.500
Aska	189	93.444	15.081	76.000	111.000
OS smbh	190	74.004	3.556	69.550	78.500
Råprot	189	156.921	24.297	126.000	186.000
sRåprot	33	403.788	99.922	306.000	541.000
NDF	189	459.746	38.652	407.000	503.000
iNDF	190	168.419	50.645	106.680	225.538
nhNDF	190	4.386	0.825	3.363	5.522
Socker	189	75.201	36.387	25.000	121.000
TAF	190	70.968	28.848	7.000	84.000
Mjölksyra	33	0.000	0.000	0.000	0.000
Ättiksyra	33	7.424	9.083	0.000	17.000
PRF	33	1.242	1.803	0.000	3.000
BUF	33	0.303	0.918	0.000	1.000
AAT20	190	83.573	6.189	76.751	93.183
PBV20	190	27.216	20.546	3.027	50.124
NEL20	190	5.978	0.349	5.552	6.434
Ca	168	7.810	2.404	5.100	11.100
P	168	3.174	0.544	2.500	3.800
Mg	168	2.567	0.509	2.000	3.300
K	168	25.774	5.908	18.500	33.100
Na	168	1.120	0.861	0.300	2.400
Cl	32	5.056	2.658	1.900	9.100
S	168	2.479	0.486	1.900	3.200
CAB	168	418.629	142.268	237.802	602.948
Fe	149	195.362	197.331	86.000	410.000
Mn	149	86.738	42.520	45.000	147.000
Zn	149	28.060	5.847	21.000	36.000
Cu	149	7.450	1.543	5.800	9.100
Se	37	0.028	0.025	0.010	0.065

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	68	404.412	141.980	271.000	630.000
Aska	68	95.353	15.533	74.000	112.000
OS smbh	68	75.137	3.612	70.400	80.300
Råprot	68	163.088	26.409	127.000	190.000
sRåprot	16	398.875	79.529	296.000	487.000
NDF	68	441.265	40.284	387.000	502.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
iNDF	68	161.100	46.305	97.654	228.000
nhNDF	68	4.494	0.846	3.521	5.628
Socker	68	83.618	32.305	37.000	124.000
TAF	68	65.441	33.827	3.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	16	4.500	5.933	0.000	16.000
PRF	16	0.438	0.814	0.000	1.000
BUF	16	0.188	0.544	0.000	1.000
AAT20	68	85.363	6.419	78.264	93.988
PBV20	68	30.137	21.841	4.233	58.805
NEL20	68	6.050	0.368	5.704	6.529
Ca	63	8.010	2.763	5.700	11.400
P	63	3.184	0.480	2.600	3.800
Mg	63	2.632	0.497	2.100	3.100
K	63	24.754	6.790	16.400	33.800
Na	63	1.719	1.048	0.700	2.400
Cl	16	4.556	2.713	1.300	9.300
S	63	2.648	0.503	2.100	3.300
CAB	63	410.993	157.587	197.929	605.889
Fe	54	209.130	221.148	100.000	313.000
Mn	54	91.593	43.910	45.000	154.000
Zn	54	27.852	5.761	20.000	35.000
Cu	54	7.617	1.491	6.000	9.600
Se	17	0.037	0.034	0.011	0.100

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	261	416.488	142.679	276.000	644.000
Aska	252	77.171	20.331	54.000	96.000
OS smbh	268	72.140	4.519	66.900	77.200
Råprot	256	136.475	31.343	95.000	174.000
sRåprot	251	574.922	101.035	437.000	693.000
NH3-N	253	89.214	35.367	45.000	125.000
NDF	254	480.197	58.165	405.000	553.000
iNDF	268	185.495	42.150	138.262	237.844
nhNDF	268	4.023	0.723	3.165	4.841
Socker	253	54.534	37.021	14.000	110.000
TAF	268	63.870	28.655	20.900	99.900
Mjölksyra	253	47.511	24.612	12.000	78.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	253	12.074	6.437	5.000	19.000
BUF	250	2.398	5.307	0.100	4.050
AAT20	268	80.378	5.465	73.916	86.922
PBV20	268	13.885	25.990	-19.017	45.897
NEL20	268	5.856	0.462	5.276	6.341
Ca	228	6.268	2.444	3.500	9.100
P	228	2.711	0.566	2.000	3.400
Mg	228	2.163	0.627	1.500	3.000
K	228	22.930	5.673	15.100	29.500
Na	228	0.826	0.932	0.100	1.700
Cl	248	5.535	3.436	2.000	9.700
S	228	2.000	0.517	1.400	2.700
CAB	228	342.960	125.816	179.964	497.567
Fe	228	262.474	386.840	75.000	461.000
Mn	228	82.339	53.277	42.000	124.000
Zn	228	30.509	14.320	20.000	39.000
Cu	228	6.813	2.564	4.400	9.500
Se	47	0.036	0.101	0.007	0.045

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	2639	400.046	125.747	273.000	577.000
Aska	2632	68.926	12.198	54.000	83.000
OS smbh	2653	72.548	3.932	67.500	77.100
Råprot	2632	134.132	26.425	99.000	166.000
sRåprot	2632	613.171	83.905	507.000	705.000
NH3-N	2620	84.991	32.971	46.000	125.000
NDF	2632	495.824	46.645	435.000	555.000
iNDF	2653	176.381	42.113	130.404	227.351
nhNDF	2653	4.168	0.620	3.407	4.951
Socker	2632	56.285	38.986	14.000	113.000
TAF	2653	67.523	28.169	27.400	103.000
Mjölksyra	2632	50.031	23.485	17.000	80.000
Ättiksyra	2632	13.942	6.920	6.000	22.000
PRF	747	3.581	2.421	1.000	6.000
BUF	2632	1.726	3.256	0.000	3.900
AAT20	2653	80.221	4.131	75.264	85.335
PBV20	2653	11.547	22.234	-18.521	38.280
NEL20	2653	5.963	0.413	5.408	6.418

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	2502	5.422	1.682	3.700	7.700
P	2502	2.582	0.577	1.900	3.300
Mg	2502	1.806	0.383	1.400	2.200
K	2502	22.461	5.451	15.400	29.300
Na	2502	0.858	0.677	0.100	1.800
Cl	2587	4.365	2.552	1.500	7.700
S	2502	1.918	0.451	1.400	2.500
CAB	2502	369.249	131.748	194.061	533.262
Fe	2187	185.964	172.502	76.000	335.000
Mn	2187	66.288	31.271	34.000	99.000
Zn	2187	29.997	17.052	21.000	38.000
Cu	2187	5.999	2.165	4.100	8.000
Se	384	0.027	0.043	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	1782	413.638	135.824	266.000	627.000
Aska	1779	78.609	12.781	65.000	92.000
OS smbh	1789	72.607	3.511	68.000	76.900
Råprot	1779	143.121	26.296	111.000	177.000
sRåprot	1778	539.375	85.793	425.000	641.000
NH3-N	1774	80.332	32.784	43.000	119.000
NDF	1779	462.895	41.645	411.000	516.000
iNDF	1789	188.761	40.615	140.625	240.140
nhNDF	1789	3.963	0.577	3.244	4.674
Socker	1779	54.531	36.305	13.000	108.000
TAF	1789	66.462	29.504	25.000	104.000
Mjölksyra	1777	49.312	23.760	16.000	80.000
Ättiksyra	1777	13.817	7.789	5.000	23.000
PRF	469	3.891	2.822	1.000	7.000
BUF	1777	1.486	2.915	0.000	3.500
AAT20	1789	81.196	4.421	75.774	86.666
PBV20	1789	18.263	23.694	-11.410	48.766
NEL20	1789	5.909	0.381	5.448	6.370
Ca	1686	7.082	2.203	4.800	10.000
P	1686	2.866	0.499	2.200	3.500
Mg	1686	2.286	0.460	1.800	2.800
K	1686	22.950	4.816	16.800	28.800
Na	1685	0.978	0.773	0.200	2.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Cl	1763	5.073	2.861	1.700	8.700
S	1686	2.259	0.484	1.700	2.900
CAB	1686	345.863	116.842	195.726	487.692
Fe	1490	223.391	576.792	84.000	369.000
Mn	1490	81.827	40.344	43.000	120.000
Zn	1490	30.752	18.994	21.000	38.000
Cu	1490	8.446	47.952	5.200	9.300
Se	234	0.030	0.033	0.009	0.053

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	1075	410.884	125.188	269.000	593.000
Aska	1072	85.364	13.863	69.000	101.000
OS smbh	1077	73.712	3.109	69.800	77.300
Råprot	1072	151.271	22.509	122.000	178.000
sRåprot	1070	534.716	77.940	434.500	623.500
NH3-N	1068	80.513	33.497	43.000	120.000
NDF	1072	439.368	38.646	391.000	488.000
iNDF	1077	183.776	42.879	134.321	238.000
nhNDF	1077	4.018	0.590	3.262	4.754
Socker	1072	55.432	35.941	15.000	106.000
TAF	1077	68.755	30.451	24.500	107.000
Mjölksyra	1070	51.184	25.026	16.000	83.000
Ättiksyra	1070	14.128	7.489	6.000	23.000
PRF	345	3.296	2.522	0.000	6.000
BUF	1070	1.635	3.706	0.000	3.500
AAT20	1077	81.997	4.908	76.224	88.299
PBV20	1077	24.458	20.798	-3.629	51.112
NEL20	1077	5.983	0.329	5.573	6.370
Ca	1013	7.571	2.292	5.200	10.700
P	1013	3.049	0.505	2.400	3.700
Mg	1013	2.511	0.475	2.000	3.100
K	1013	24.468	5.195	17.700	31.100
Na	1013	1.201	0.993	0.300	2.200
Cl	1065	5.581	2.897	2.200	9.400
S	1013	2.476	0.495	1.900	3.100
CAB	1013	366.659	121.644	207.601	514.238
Fe	876	233.403	231.709	92.000	405.000
Mn	876	89.974	39.076	48.000	140.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Zn	876	29.812	23.341	22.000	37.000
Cu	876	7.609	2.103	5.700	9.800
Se	132	0.036	0.032	0.012	0.070

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	293	371.130	97.863	258.000	480.000
Aska	293	90.689	15.956	75.000	104.000
OS smbh	293	74.992	2.909	71.500	78.200
Råprot	293	160.573	22.582	134.000	189.000
sRåprot	293	568.819	61.712	483.000	632.000
NH3-N	292	79.055	27.904	48.000	111.000
NDF	293	416.539	35.470	372.000	461.000
iNDF	293	179.042	44.520	132.052	234.000
nhNDF	293	4.191	0.582	3.499	4.815
Socker	293	49.959	33.688	15.000	93.000
TAF	293	83.532	31.175	41.000	121.000
Mjölksyra	293	64.109	26.038	26.000	97.000
Ättiksyra	293	16.403	7.768	8.000	23.000
PRF	135	3.267	2.691	0.000	6.000
BUF	293	0.976	1.783	0.000	2.700
AAT20	293	81.162	4.556	75.672	86.892
PBV20	293	34.382	21.742	9.374	63.058
NEL20	293	6.123	0.298	5.781	6.433
Ca	284	7.466	1.910	5.500	10.100
P	284	3.260	0.473	2.600	3.900
Mg	284	2.587	0.412	2.100	3.100
K	284	24.511	4.389	19.200	30.100
Na	284	1.675	0.832	0.700	2.700
Cl	292	6.364	2.940	2.900	10.500
S	284	2.717	0.492	2.100	3.300
CAB	284	352.921	104.954	226.949	473.278
Fe	217	340.737	403.329	125.000	655.000
Mn	217	100.954	34.547	58.000	143.000
Zn	217	34.544	49.897	21.000	40.000
Cu	217	7.717	2.597	6.000	9.200
Se	29	0.046	0.023	0.016	0.080

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=5

Variabel	Number	Mean	STD	P10	P90
TS	18	392.333	117.242	265.000	577.000
Aska	18	90.611	9.568	79.000	103.000
OS smbh	18	75.767	3.044	71.400	81.600
Råprot	18	173.167	17.628	157.000	189.000
sRåprot	18	560.722	74.495	405.000	644.000
NH3-N	18	66.333	19.707	30.000	95.000
NDF	18	411.556	32.293	374.000	457.000
iNDF	18	172.504	56.292	85.697	235.000
nhNDF	18	4.350	0.572	3.644	5.643
Socker	18	46.444	30.600	15.000	87.000
TAF	18	84.483	38.110	24.000	130.000
Mjölksyra	18	66.444	33.083	15.000	105.000
Ättiksyra	18	15.333	6.399	6.000	22.000
PRF	12	3.167	1.850	1.000	6.000
BUF	18	0.261	0.490	0.000	1.400
AAT20	18	82.861	5.667	75.428	93.029
PBV20	18	43.421	15.750	28.165	69.328
NEL20	18	6.243	0.261	5.846	6.527
Ca	18	6.989	1.787	5.000	10.300
P	18	3.444	0.510	2.900	4.100
Mg	18	2.511	0.274	2.200	2.900
K	18	24.944	3.963	20.400	31.400
Na	18	2.006	0.867	0.700	3.200
Cl	18	6.856	3.563	1.900	11.700
S	18	2.778	0.542	2.100	3.500
CAB	18	358.438	87.188	175.479	458.045
Fe	12	319.583	302.334	121.000	564.000
Mn	12	82.000	44.126	26.000	119.000
Zn	12	93.667	211.164	27.000	45.000
Cu	12	7.508	0.925	6.300	9.000

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	124	427.855	117.011	289.000	580.000
Aska	124	58.492	16.141	41.000	76.000
OS smbh	125	66.937	3.770	62.200	70.900
Råprot	124	106.548	24.065	81.000	129.000
sRåprot	124	603.750	101.398	464.000	733.000
NH3-N	124	98.645	38.784	55.000	143.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NDF	124	451.960	54.496	379.000	515.000
iNDF	125	270.580	45.627	222.608	324.000
nhNDF	125	2.635	0.700	1.874	3.441
Stä	123	123.764	77.098	26.000	222.000
Socker	124	51.710	36.078	17.000	98.000
TAF	125	56.266	29.828	16.700	90.000
Mjölksyra	124	39.694	23.770	10.000	69.000
Ättiksyra	124	13.629	8.207	4.000	22.000
PRF	49	3.224	2.695	0.000	8.000
BUF	49	1.306	1.140	0.000	3.000
AAT20	125	69.764	4.692	63.576	75.092
PBV20	125	-6.494	20.633	-31.174	17.345
NEL20	125	5.389	0.358	4.960	5.885
Ca	110	4.113	1.939	2.300	6.250
P	110	2.704	0.531	2.100	3.450
Mg	110	1.600	0.445	1.100	2.300
K	110	16.788	6.136	10.900	23.950
Na	110	0.897	0.589	0.200	1.600
Cl	116	3.685	2.911	1.000	6.000
S	110	1.805	0.608	1.300	2.300
CAB	110	256.125	131.708	122.022	403.923
Fe	84	220.214	226.003	63.000	490.000
Mn	84	65.583	60.554	22.000	116.000
Zn	84	29.952	9.658	20.000	44.000
Cu	84	5.373	1.422	3.800	7.300

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	31	389.645	176.626	270.000	456.000
Aska	31	72.355	18.796	51.000	92.000
OS smbh	31	65.390	3.431	62.000	69.900
Råprot	31	130.871	26.218	94.000	165.000
sRåprot	31	634.484	67.271	524.000	716.000
NH3-N	31	108.613	35.506	61.000	150.000
NDF	31	476.839	38.980	438.000	521.000
iNDF	31	269.293	35.810	233.325	318.151
nhNDF	31	2.695	0.503	2.063	3.229
Stä	31	51.871	46.302	17.000	123.000
Socker	31	29.258	19.098	11.000	53.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	31	75.839	16.650	59.000	97.000
Mjölksyra	31	55.839	14.313	39.000	73.000
Ättiksyra	31	18.000	5.797	10.000	24.000
AAT20	31	67.766	4.402	61.987	72.866
PBV20	31	22.713	21.657	-3.994	51.583
NEL20	31	5.343	0.294	5.094	5.740
Ca	23	6.030	1.819	4.500	7.900
P	23	2.930	0.606	1.800	3.500
Mg	23	1.939	0.298	1.500	2.300
K	23	20.291	7.507	12.300	30.200
Na	23	1.183	1.182	0.400	2.900
Cl	31	4.826	2.362	1.500	7.200
S	23	2.009	0.581	1.500	2.700
CAB	23	317.093	133.817	156.488	481.380
Fe	23	233.783	238.259	96.000	395.000
Mn	23	100.652	80.941	38.000	157.000
Zn	23	37.957	11.745	25.000	52.000
Cu	23	6.352	1.691	4.100	8.500

Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	359.462	51.301	276.000	417.000
Aska	13	62.462	12.286	47.000	84.000
OS smbh	13	62.877	4.331	55.700	67.600
Råprot	13	122.231	22.950	94.000	145.000
sRåprot	13	523.000	111.824	422.000	669.000
NH3-N	12	77.500	56.640	25.000	120.000
NDF	13	450.846	55.484	351.000	510.000
iNDF	13	328.527	42.194	286.937	397.739
nhNDF	13	2.114	0.503	1.310	2.622
Stä	12	109.333	45.781	57.000	162.000
Socker	13	37.385	19.151	14.000	59.000
TAF	13	67.623	30.115	31.900	94.900
Mjölksyra	13	50.231	27.971	19.000	77.000
Ättiksyra	13	15.615	9.224	9.000	30.000
AAT20	13	67.571	4.374	63.490	72.441
PBV20	13	15.316	21.280	-12.287	45.441
NEL20	13	5.133	0.400	4.492	5.624
Ca	11	5.000	1.202	3.600	6.500

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
P	11	2.718	0.623	2.300	3.100
Mg	11	1.827	0.541	1.400	2.400
K	11	16.536	3.592	12.500	20.000
Na	11	0.918	0.506	0.500	1.500
Cl	13	2.292	1.257	0.700	4.000
S	11	1.491	0.423	1.200	1.800
CAB	11	306.924	67.365	238.155	410.505
Fe	10	150.500	105.690	88.500	305.000
Mn	10	84.000	23.152	50.500	112.500
Zn	10	34.800	9.864	23.000	49.500
Cu	10	7.470	3.299	3.750	12.500

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	55	366.418	97.101	262.000	475.000
Aska	55	72.382	16.609	54.000	97.000
OS smbh	55	66.625	4.024	61.800	71.700
Råprot	55	120.345	20.076	101.000	142.000
sRåprot	55	608.018	92.959	471.000	720.000
NH3-N	55	99.036	37.465	50.000	151.000
NDF	55	460.055	43.819	408.000	509.000
iNDF	55	392.811	87.855	273.542	509.139
nhNDF	55	5.948	2.006	2.911	8.499
Stä	55	72.945	44.348	18.000	135.000
Socker	55	38.491	29.059	15.000	77.000
TAF	55	71.582	24.844	42.500	105.000
Mjölksyra	55	52.218	19.761	24.000	73.000
Ättiksyra	55	17.382	7.041	9.000	27.000
PRF	17	3.765	2.840	1.000	7.000
BUF	17	1.529	1.700	0.000	4.000
AAT20	55	69.405	5.575	63.451	75.054
PBV20	55	10.267	18.569	-9.724	35.743
NEL20	55	5.456	0.352	5.021	5.873
Ca	48	5.331	1.482	3.500	7.500
P	48	2.737	0.548	2.000	3.400
Mg	48	1.758	0.389	1.300	2.300
K	48	20.223	5.313	14.800	26.900
Na	48	0.902	0.658	0.200	1.600
Cl	53	3.777	2.364	1.100	7.600

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
S	48	1.810	0.505	1.300	2.500
CAB	48	337.764	102.335	218.408	449.174
Fe	44	343.455	304.977	114.000	784.000
Mn	44	75.614	31.562	45.000	120.000
Zn	44	39.909	51.774	24.000	44.000
Cu	44	5.720	1.012	4.500	6.900
Se	18	0.023	0.021	0.006	0.050

Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	28	522.214	73.3678	401.000	587.000
Aska	28	14.821	2.8810	11.000	19.000
OS smbh	28	79.804	3.4398	76.100	84.600
Råprot	28	75.643	6.2670	68.000	85.000
sRåprot	28	408.714	89.6652	312.000	520.000
NH3-N	22	33.455	15.7653	7.000	51.000
NDF	28	245.250	59.5916	195.000	337.000
iNDF	28	225.034	36.7864	177.784	258.000
nhNDF	28	2.595	0.8848	1.535	3.481
Stä	28	510.893	67.8481	432.000	572.000
Socker	28	1.857	4.7275	0.000	11.000
TAF	28	41.479	10.0263	27.000	51.000
Mjölksyra	24	38.167	8.9669	26.000	46.000
Ättiksyra	24	3.500	2.7187	0.000	6.000
PRF	24	0.375	0.5758	0.000	1.000
BUF	24	0.000	0.0000	0.000	0.000
AAT20	28	92.871	2.8675	89.543	95.386
PBV20	28	-70.853	7.3439	-78.295	-63.629
NEL20	28	6.951	0.3517	6.451	7.448
Ca	27	0.715	0.5326	0.200	1.600
P	27	2.211	0.3446	1.900	2.600
Mg	27	0.911	0.2486	0.500	1.300
K	27	5.237	1.1741	3.800	6.600
Na	26	0.342	0.1362	0.200	0.500
S	27	0.911	0.1086	0.800	1.000
CAB	27	60.510	31.0983	28.379	101.525
Fe	13	54.154	12.9862	38.000	69.000
Mn	13	7.846	1.9513	6.000	11.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majskolv, ensilerad (257) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	13	21.000	5.6421	16.000	30.000
Cu	13	2.408	0.7262	2.000	3.000

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	39	369.308	101.217	235.000	525.000
Aska	39	66.538	18.108	47.000	88.000
OS smbh	39	64.918	4.840	58.800	71.300
Råprot	39	109.026	25.955	75.000	142.000
sRåprot	39	600.590	112.257	431.000	737.000
NH3-N	39	95.103	36.135	50.000	151.000
NDF	39	489.846	54.101	410.000	564.000
iNDF	39	276.641	54.150	191.505	342.662
nhNDF	39	2.802	0.719	1.974	3.885
Stä	38	77.342	66.495	17.000	202.000
Socker	39	34.128	22.816	11.000	62.000
TAF	39	67.231	28.385	27.000	106.000
Mjölksyra	39	47.872	21.283	17.000	77.000
Ättiksyra	39	17.077	10.111	5.000	31.000
PRF	11	5.545	2.911	2.000	8.000
BUF	11	2.545	2.734	0.000	6.000
AAT20	39	71.123	5.001	65.507	78.388
PBV20	39	-4.972	23.643	-34.297	24.032
NEL20	39	5.320	0.417	4.826	5.825
Ca	33	4.061	1.682	2.300	5.700
P	33	2.961	0.582	2.200	3.700
Mg	33	1.685	0.437	1.100	2.300
K	33	20.082	7.266	12.600	32.500
Na	33	1.218	1.307	0.200	3.200
Cl	38	3.963	2.493	0.800	7.800
S	33	1.842	0.649	1.300	2.500
CAB	33	340.591	145.784	190.664	545.794
Fe	25	215.120	271.467	75.000	423.000
Mn	25	102.240	76.301	34.000	221.000
Zn	25	28.800	8.986	18.000	43.000
Cu	25	4.744	1.398	3.700	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	55	383.527	110.161	263.000	508.000
Aska	52	73.558	17.130	55.000	93.000
OS smbh	55	65.964	3.220	62.500	71.000
Råprot	52	126.135	22.450	101.000	160.000
sRåprot	52	636.135	90.631	503.000	725.000
NH3-N	52	113.192	38.976	72.000	175.000
NDF	52	463.154	40.618	424.000	504.000
iNDF	55	280.183	38.580	250.638	329.000
nhNDF	55	2.696	0.523	2.130	3.188
Stä	51	69.451	48.917	17.000	130.000
Socker	52	37.538	22.443	14.000	66.000
TAF	55	68.297	25.117	38.000	98.000
Mjölksyra	52	49.058	21.070	23.000	72.000
Ättiksyra	52	18.077	8.453	9.000	30.000
PRF	10	1.900	1.197	0.000	3.500
BUF	10	0.500	0.850	0.000	2.000
AAT20	55	66.587	3.724	61.157	71.367
PBV20	55	19.358	21.190	-2.717	50.667
NEL20	55	5.324	0.331	4.992	5.779
Ca	49	6.255	2.296	3.600	9.200
P	49	2.769	0.487	2.200	3.500
Mg	49	1.902	0.520	1.300	2.600
K	49	18.720	4.484	13.700	25.800
Na	49	0.476	0.457	0.100	1.300
Cl	52	4.235	2.521	1.300	7.400
S	49	1.814	0.352	1.400	2.300
CAB	49	267.754	92.439	171.344	409.214
Fe	45	317.133	326.484	91.000	615.000
Mn	45	76.178	32.956	33.000	128.000
Zn	45	38.178	15.498	26.000	51.000
Cu	45	7.051	2.878	5.000	8.800

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	86	449.872	145.741	323.000	631.000
Aska	85	60.282	14.180	44.000	79.000
OS smbh	86	67.461	3.772	62.700	71.100
Råprot	85	107.729	26.404	77.000	137.000
sRåprot	85	618.965	123.185	434.000	771.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	85	93.624	40.657	51.000	138.000
NDF	85	458.176	60.143	397.000	520.000
iNDF	86	265.246	53.952	200.377	327.000
nhNDF	86	2.819	0.789	1.979	3.772
Stä	85	106.565	88.218	18.000	213.000
Socker	85	66.612	45.201	18.000	127.000
TAF	86	55.086	29.839	21.000	94.000
Mjölksyra	85	37.635	24.451	9.000	70.000
Ättiksyra	85	14.118	7.391	5.000	23.000
PRF	32	2.813	2.901	0.000	7.000
BUF	32	1.438	2.031	0.000	3.000
AAT20	86	70.561	4.531	64.408	76.209
PBV20	86	-7.813	23.835	-36.198	17.369
NEL20	86	5.478	0.386	5.058	5.967
Ca	72	3.468	1.826	1.900	5.800
P	72	2.588	0.615	2.000	3.300
Mg	72	1.476	0.448	1.000	2.100
K	72	17.771	6.187	11.100	27.400
Na	72	0.503	0.500	0.100	1.100
Cl	77	3.477	2.539	1.000	7.900
S	72	1.750	0.457	1.300	2.400
CAB	72	276.833	137.076	125.428	449.914
Fe	64	174.266	133.974	77.000	280.000
Mn	64	65.297	30.112	27.000	99.000
Zn	64	28.875	6.737	22.000	39.000
Cu	64	5.331	1.528	3.800	7.300
Se	20	0.018	0.012	0.007	0.034

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	84	379.679	105.731	276.000	487.000
Aska	84	63.345	15.147	47.000	81.000
OS smbh	84	67.185	2.906	63.400	70.900
Råprot	84	114.726	20.489	90.000	139.000
sRåprot	84	622.940	107.603	471.000	745.000
NH3-N	84	96.845	37.144	51.000	147.000
NDF	84	436.940	42.789	378.000	499.000
iNDF	84	283.507	42.956	233.582	340.469
nhNDF	84	2.613	0.527	1.967	3.298

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Stä	81	103.914	62.013	29.000	195.000
Socket	84	39.821	28.735	12.000	76.000
TAF	84	71.405	28.442	39.000	108.000
Mjölksyra	84	52.714	23.339	26.000	85.000
Ättiksyra	84	17.095	6.967	9.000	26.000
PRF	24	4.333	3.212	0.000	10.000
BUF	24	1.250	2.723	0.000	3.000
AAT20	84	70.262	4.075	65.364	75.134
PBV20	84	3.470	20.357	-18.546	30.736
NEL20	84	5.478	0.297	5.070	5.846
Ca	73	5.696	1.679	3.700	7.300
P	73	2.579	0.439	2.000	3.200
Mg	73	1.714	0.386	1.300	2.200
K	73	17.333	4.530	12.900	21.800
Na	73	0.696	0.436	0.200	1.300
Cl	80	3.626	2.166	1.250	7.300
S	73	1.633	0.379	1.200	2.200
CAB	73	281.904	93.982	159.120	402.528
Fe	66	223.409	179.702	83.000	529.000
Mn	66	60.561	38.590	25.000	103.000
Zn	66	39.227	47.886	20.000	44.000
Cu	66	5.726	1.481	4.000	7.600
Se	11	0.042	0.031	0.011	0.095

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	704	356.793	53.981	289.000	426.000
Aska	702	29.869	8.804	22.000	37.000
OS smbh	708	75.630	2.635	72.200	78.700
Råprot	702	72.793	8.651	63.000	83.000
sRåprot	702	525.224	79.757	435.000	633.000
NH3-N	681	53.860	24.775	25.000	86.000
NDF	702	377.514	44.080	331.000	436.000
iNDF	708	204.345	30.698	169.298	246.000
nhNDF	708	3.339	0.538	2.620	3.993
Stä	700	300.314	60.512	222.000	366.000
Socket	702	12.373	15.627	0.000	29.000
TAF	708	63.373	14.986	47.000	81.000
Mjölksyra	701	45.984	11.641	33.000	58.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	701	14.431	5.697	8.000	22.000
PRF	325	2.966	1.564	1.000	5.000
BUF	327	0.031	0.321	0.000	0.000
AAT20	708	82.706	3.220	78.886	86.700
PBV20	708	-56.766	9.171	-67.593	-45.584
NEL20	708	6.423	0.251	6.106	6.700
Ca	655	1.810	0.721	1.200	2.400
P	656	1.863	0.303	1.600	2.200
Mg	656	1.088	0.238	0.900	1.300
K	656	9.027	1.691	7.200	10.900
Na	649	0.294	0.304	0.100	0.500
Cl	378	1.734	0.742	1.100	2.300
S	656	0.898	0.253	0.800	1.100
CAB	655	142.088	39.555	98.276	187.062
Fe	502	118.624	180.478	54.000	166.000
Mn	502	27.299	16.431	12.000	45.000
Zn	502	24.853	12.905	16.000	33.000
Cu	502	3.981	3.366	2.500	5.000
Se	81	0.030	0.024	0.005	0.050

Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	370.500	110.919	270.000	456.000
Aska	18	58.889	10.105	43.000	73.000
OS smbh	18	69.011	4.099	62.300	73.800
Råprot	18	107.278	23.184	69.000	123.000
sRåprot	18	724.667	118.452	524.000	877.000
NH3-N	18	98.500	41.377	48.000	164.000
NDF	18	529.056	55.540	469.000	606.000
iNDF	18	207.391	34.297	180.309	286.972
nhNDF	18	3.688	0.538	2.503	4.178
Stä	18	18.833	4.829	17.000	19.000
Socker	18	71.444	47.226	17.000	138.000
TAF	18	63.500	31.020	17.000	114.000
Mjölksyra	18	46.667	27.755	8.000	88.000
Ättiksyra	18	16.833	6.680	5.000	26.000
AAT20	18	68.592	5.894	60.066	76.935
PBV20	18	-3.484	21.707	-48.667	17.213
NEL20	18	5.561	0.350	4.984	5.933

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	15	3.360	1.011	2.300	5.200
P	15	2.700	0.455	2.100	3.200
Mg	15	1.180	0.254	0.900	1.600
K	15	21.893	4.553	16.600	26.000
Na	15	0.360	0.534	0.100	0.500
Cl	18	1.589	1.753	0.500	5.500
S	15	1.453	0.280	1.000	1.700
CAB	15	437.614	106.120	327.932	540.791
Fe	15	101.800	44.229	57.000	178.000
Mn	15	35.133	18.181	15.000	62.000
Zn	15	25.067	4.621	21.000	30.000
Cu	15	4.200	0.885	3.000	5.700

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	21	847.571	50.251	793.000	900.000
Aska	19	57.895	10.728	46.000	76.000
OS smbh	22	63.245	6.385	54.300	69.500
Råprot	19	84.105	20.306	66.000	124.000
NDF	19	561.895	41.221	526.000	622.000
iNDF	22	252.019	55.431	202.707	329.302
nhNDF	22	3.072	0.763	2.004	3.751
Socker	19	121.263	35.963	72.000	173.000
TAF	22	0.000	0.000	0.000	0.000
AAT20	22	80.874	6.969	71.632	88.173
PBV20	22	-34.192	14.218	-49.146	-15.844
NEL20	22	4.837	0.539	4.139	5.334
Ca	18	3.861	1.427	1.500	6.000
P	18	1.800	0.521	1.200	2.700
Mg	18	1.489	0.528	0.800	2.400
K	18	14.817	5.323	8.500	23.300
Na	18	0.544	0.579	0.100	1.500
S	18	1.378	0.330	1.000	2.000
CAB	18	175.658	125.311	15.645	371.911
Fe	18	101.944	45.407	53.000	163.000
Mn	18	82.833	61.600	12.000	148.000
Zn	18	23.111	9.042	13.000	36.000
Cu	18	4.739	1.474	3.100	6.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	121	839.992	71.780	749.000	903.000
Aska	121	53.107	10.810	40.000	67.000
OS smbh	121	64.365	4.654	59.000	69.400
Råprot	121	77.008	21.904	53.000	110.000
sRåprot	36	421.111	49.262	365.000	477.000
NDF	121	555.355	46.384	491.000	606.000
iNDF	121	249.880	43.845	204.200	308.825
nhNDF	121	3.143	0.533	2.365	3.659
Socker	121	134.463	40.818	85.000	180.000
TAF	121	3.504	6.612	0.000	15.000
Mjölksyra	36	0.000	0.000	0.000	0.000
Ättiksyra	36	9.972	6.975	0.000	20.000
PRF	36	1.417	1.873	0.000	4.000
BUF	36	0.389	0.903	0.000	2.000
AAT20	121	81.923	6.416	74.343	91.508
PBV20	121	-44.489	14.111	-60.970	-26.753
NEL20	121	4.927	0.430	4.383	5.493
Ca	98	3.643	1.827	1.700	6.200
P	100	1.975	0.521	1.400	2.600
Mg	100	1.372	0.495	0.900	2.000
K	100	15.285	4.757	8.800	20.600
Na	95	0.456	0.532	0.100	1.200
Cl	14	2.921	2.420	0.200	6.800
S	100	1.320	0.427	0.900	1.900
CAB	98	193.419	125.331	35.993	322.886
Fe	77	101.675	89.740	45.000	177.000
Mn	77	83.857	69.643	35.000	124.000
Zn	77	26.390	20.544	16.000	33.000
Cu	77	4.214	1.497	2.600	6.200
Se	12	0.015	0.008	0.006	0.030

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	22	804.864	85.149	654.000	889.000
Aska	22	69.545	13.539	50.000	85.000
OS smbh	22	68.791	7.855	66.100	74.100
Råprot	22	108.636	40.036	57.000	132.000
NDF	22	506.136	54.861	457.000	546.000
iNDF	22	209.435	59.689	156.000	254.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
nhNDF	22	3.581	0.835	2.978	4.585
Socker	22	107.318	36.777	69.000	142.000
TAF	22	2.409	5.637	0.000	5.000
AAT20	22	88.764	10.045	80.465	95.060
PBV20	22	-26.430	27.558	-54.481	-12.833
NEL20	22	5.341	0.668	5.055	5.775
Ca	22	5.759	2.446	2.100	8.700
P	22	2.464	0.742	1.300	3.400
Mg	22	1.918	0.769	0.900	3.200
K	22	19.027	7.537	8.300	28.100
Na	22	0.786	0.581	0.100	1.400
S	22	1.945	0.672	1.000	2.600
CAB	22	267.476	174.808	30.654	462.847
Fe	19	173.842	137.381	63.000	311.000
Mn	19	112.421	113.863	33.000	334.000
Zn	19	24.474	7.366	14.000	36.000
Cu	19	5.747	1.877	2.100	8.600

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	10	411.000	111.070	253.000	537.500
Aska	10	101.500	17.759	81.500	127.000
OS smbh	10	73.710	3.653	68.500	78.000
Råprot	10	161.500	19.501	138.000	192.500
NDF	10	399.400	32.935	356.500	445.500
iNDF	10	253.207	94.265	138.390	370.057
nhNDF	10	4.788	0.596	3.866	5.488
Socker	10	83.500	25.348	48.000	108.500
TAF	10	50.900	33.988	0.500	72.000
AAT20	10	82.394	5.644	76.164	91.470
PBV20	10	37.449	19.433	10.704	63.715
NEL20	10	5.847	0.344	5.343	6.235

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	31	375.161	99.505	257.000	518.000
Aska	31	78.484	13.321	61.000	91.000
OS smbh	31	74.052	3.229	69.600	78.000
Råprot	31	145.387	29.161	121.000	178.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
sRåprot	31	605.871	67.266	490.000	672.000
NH3-N	31	82.226	25.826	55.000	124.000
NDF	31	444.806	69.296	367.000	527.000
iNDF	31	227.325	80.110	146.000	332.000
nhNDF	31	5.466	1.619	3.800	8.003
Socker	31	45.968	29.597	19.000	95.000
TAF	31	82.029	30.178	40.800	107.100
Mjölksyra	31	61.387	27.222	22.000	89.000
Ättiksyra	31	17.226	6.339	10.000	26.000
PRF	13	4.000	1.732	2.000	5.000
BUF	31	1.158	1.804	0.000	3.900
AAT20	31	78.463	3.601	75.073	83.576
PBV20	31	28.255	27.108	-1.879	65.284
NEL20	31	6.126	0.330	5.701	6.384
Ca	30	7.317	3.005	4.400	12.750
P	30	2.977	0.655	2.000	3.650
Mg	30	1.983	0.481	1.500	2.650
K	30	25.563	5.199	21.300	31.400
Na	30	0.820	0.552	0.200	1.600
Cl	31	4.000	2.574	1.200	7.700
S	30	1.923	0.445	1.300	2.450
CAB	30	456.374	97.681	336.171	589.937
Fe	20	185.000	136.420	76.500	439.000
Mn	20	49.250	17.471	25.500	72.500
Zn	20	27.250	13.170	19.000	31.500
Cu	20	6.475	1.394	4.950	8.800

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	22	411.091	140.677	261.000	552.000
Aska	22	83.591	9.399	70.000	94.000
OS smbh	22	72.341	3.068	68.500	75.700
Råprot	22	148.727	26.678	120.000	171.000
sRåprot	22	529.000	87.466	395.000	623.000
NH3-N	22	80.727	35.955	27.000	128.000
NDF	22	433.364	46.485	386.000	487.000
iNDF	22	266.310	66.546	180.000	360.874
nhNDF	22	5.045	1.207	3.692	6.809
Socker	22	47.136	29.886	15.000	89.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TAF	22	75.182	27.739	35.000	108.000
Mjölksyra	22	55.136	20.938	25.000	80.000
Ättiksyra	22	16.409	8.204	6.000	25.000
BUF	22	1.682	1.845	0.000	4.000
AAT20	22	78.256	4.469	74.262	83.300
PBV20	22	31.929	26.096	-3.588	57.236
NEL20	22	5.922	0.321	5.474	6.286
Ca	22	8.909	2.837	6.200	11.800
P	22	3.091	0.500	2.600	3.600
Mg	22	2.473	0.581	1.900	3.300
K	22	24.114	2.941	20.200	28.000
Na	22	1.036	0.622	0.300	1.900
Cl	22	4.845	1.781	2.400	7.000
S	22	2.150	0.367	1.700	2.600
CAB	22	390.910	66.210	321.443	468.360
Fe	16	171.938	112.106	86.000	342.000
Mn	16	55.438	17.603	37.000	84.000
Zn	16	27.250	4.524	21.000	33.000
Cu	16	8.144	2.314	5.600	11.400

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	393.667	113.529	248.000	592.000
Aska	18	87.333	11.951	72.000	103.000
OS smbh	18	72.611	3.665	66.500	76.200
Råprot	18	155.111	19.253	127.000	179.000
sRåprot	18	554.056	57.199	493.000	636.000
NH3-N	18	90.611	58.960	12.000	129.000
NDF	18	426.278	54.327	364.000	500.000
iNDF	18	265.588	56.965	198.411	346.339
nhNDF	18	5.007	1.106	3.457	6.268
Socker	18	46.889	28.970	13.000	99.000
TAF	18	75.267	28.701	34.900	118.000
Mjölksyra	18	54.222	23.856	23.000	92.000
Ättiksyra	18	16.278	7.676	8.000	31.000
BUF	18	2.156	4.130	0.000	3.800
AAT20	18	78.046	5.208	70.491	85.227
PBV20	18	38.414	16.461	16.893	61.854
NEL20	18	5.947	0.327	5.427	6.275

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Ca	17	9.053	2.047	6.300	13.000
P	17	3.300	0.659	2.500	3.900
Mg	17	2.653	0.332	2.100	3.000
K	17	25.188	7.058	16.000	35.600
Na	17	1.106	0.572	0.400	1.800
Cl	18	4.600	2.636	1.400	8.100
S	17	2.459	0.443	1.800	3.100
CAB	17	407.537	184.987	159.865	623.882
Fe	14	178.571	76.926	102.000	241.000
Mn	14	82.214	26.583	53.000	121.000
Zn	14	34.143	23.158	23.000	37.000
Cu	14	7.607	1.365	6.000	9.200

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	92	392.978	78.898	277.000	476.000
Aska	92	65.413	14.221	52.000	81.000
OS smbh	92	70.782	8.425	66.700	76.200
Råprot	92	133.598	25.226	107.000	155.000
sRåprot	91	526.385	61.660	463.000	611.000
NH3-N	91	84.495	57.126	36.000	144.000
NDF	92	386.783	70.239	313.000	468.000
iNDF	92	265.043	74.174	195.000	390.000
nhNDF	92	3.095	0.694	2.231	3.856
Stä	85	131.471	60.046	53.000	210.000
Socker	92	39.185	25.445	9.000	70.000
TAF	92	70.957	33.129	36.000	109.000
Mjölksyra	91	39.593	21.643	12.000	66.000
Ättiksyra	91	21.945	15.329	7.000	43.000
PRF	91	5.396	3.022	2.000	10.000
BUF	91	4.297	9.629	0.000	14.000
AAT20	92	80.959	7.028	71.858	89.686
PBV20	92	13.304	21.089	-1.402	29.745
NEL20	92	6.073	0.401	5.532	6.523
Ca	91	7.252	2.484	4.700	9.700
P	91	3.638	0.707	2.900	4.500
Mg	91	2.919	0.986	2.000	4.300
K	91	17.778	4.847	12.400	23.000
Na	91	2.465	1.349	0.900	4.500

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cl	91	6.011	3.192	3.000	11.100
S	91	2.536	0.502	2.000	3.100
CAB	91	234.007	130.189	73.085	375.020
Fe	52	329.173	177.044	183.000	470.000
Mn	52	81.288	35.330	36.000	122.000
Zn	52	71.827	32.758	35.000	120.000
Cu	52	14.673	6.755	8.000	25.000
Se	16	0.435	0.272	0.120	0.820

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	46	400.804	55.735	342.000	470.000
Aska	46	73.239	9.832	62.000	85.000
OS smbh	50	68.044	20.645	63.450	78.600
Råprot	46	148.087	18.769	113.000	167.000
sRåprot	46	543.022	73.609	423.000	662.000
NH3-N	46	74.239	27.540	49.000	132.000
NDF	46	394.391	64.031	321.000	452.000
iNDF	46	201.840	36.622	168.604	247.450
nhNDF	46	3.436	0.565	2.850	4.083
Stä	46	122.174	63.774	40.000	224.000
Socker	46	35.891	14.032	21.000	56.000
NEL20	50	0.000	0.000	0.000	0.000
Ca	39	6.656	1.395	4.600	8.200
P	39	3.485	0.591	2.800	4.400
Mg	39	3.238	1.249	2.200	4.100
K	39	16.767	2.952	13.400	22.000
Na	39	2.869	1.711	0.700	5.100
Cl	46	6.861	4.481	3.400	10.100
S	39	2.313	0.439	1.600	2.800
CAB	39	218.475	130.687	133.092	319.904
Fe	39	375.795	114.181	210.000	556.000
Mn	39	91.538	24.128	64.000	119.000
Zn	39	65.410	21.191	40.000	93.000
Cu	39	13.344	5.536	6.500	19.000

*= Parametrar från det gamla svenska fodervärderingssystemet