

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS sambh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	socker
Korn, kärna (001)	1	17	841	24	50.6	118	264	7.0	172	106	3.15	568	0.000			0
Vete, kärna (005)	1	2	734	18	88.0	115		9.0		187	3.50	660	0.000			
Majs hela plantan, grönmassa (030)	1	1	279	31	75.9	79	383		374	184	3.12	262	2.000	0.0	2.0	6
Grönmassa, gräs (0% baljv.) (161)	1	1	851	78	70.8	105			416	233	3.03		61.000			132
Ensilage, gräs (0% klöver) (162)	1	5	536	67	69.7	111	531	63.2	471	215	3.22		37.800	29.8	6.0	120
Ensilage, gräs (0% klöver) (162)	2	1	327	87	69.5	130	483	118	434	237	3.04		45.800	35.0	7.0	37
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14	361	73	72.3	129	490		474	187	3.92		64.929	0.0	14.8	108
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	430	82	72.4	136	374		484	182	4.13		71.909	0.0	17.0	74
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5	406	98	74.1	159			483	156	4.62		84.000			48
Ensilage, blandvall (1-50% klöver) (165)	0	8	433	78	70.6	126	503	75.5	450	214	3.47		68.688	52.5	10.8	69
Ensilage, blandvall (1-50% klöver) (165)	1	117	406	65	72.4	130	569	68.3	463	192	3.82		66.461	51.3	12.8	72
Ensilage, blandvall (1-50% klöver) (165)	2	119	368	80	71.5	138	503	87.3	454	208	3.68		71.146	52.6	14.3	45
Ensilage, blandvall (1-50% klöver) (165)	3	38	322	91	74.0	162	516	90.8	422	188	3.96		85.942	64.5	17.1	32
Ensilage, blandvall (1-50% klöver) (165)	4	2	265	86	72.1	156	564	66.5	451	209	3.91		103.000	78.5	21.0	25
Korn, helsädesensilage (250)	1	9	369	69	70.8	128	581	113	412	231	3.07	112	51.578	33.3	14.9	54
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	344	73	66.6	130	625	109	497	244	3.07	19	74.000	53.7	18.3	31
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	276	58	67.6	106	586	91.0	412	287	2.30	57	94.900	77.0	16.0	42
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	4	349	70	69.0	127	676	115	497	308	5.78	31	77.000	57.5	18.5	30
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	5	335	64	67.0	133	696	147	485	248	2.95	32	64.600	46.6	18.0	41
Vete, helsäd ensilage (299)	1	5	479	59	66.7	111	581	102	447	286	2.59	142	34.500	23.8	8.0	51
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	8	377	61	66.1	113	597	100	478	270	2.81	74	62.750	45.1	16.3	54
Majs, helsädesensilage (305)	1	2	304	28	74.8	85	491	26.5	379	220	3.14	280	70.500	56.5	11.0	1
Hö, blandvall, 0-50% baljväxter (383)	1	9	789	50	64.3	81	386		523	281	2.97		5.444	0.0	14.7	126
Hö, blandvall, 0-50% baljväxter (383)	3	1	751	78	72.3	120	336		499	144	3.64		12.000	0.0	12.0	91
Ensilage, blandvall (51-100% klöver) (438)	1	2	388	62	74.8	130	549	79.0	459	245	6.97		70.950	57.5	11.5	66

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Ensilage, blandvall (51-100% klöver) (438)	2	2	254	88	70.3	155	500	128	490	305	6.92		96.500	61.5	28.0	10
Grunnblanding Middels ford.grovför (326)	1	2	402	71	68.6	121	501	71.5	421	303	3.11	108	72.000	52.5	15.0	51
Övrigt foder ej kompletta data (1E3)	1	1	291	100	64.8	141	533	161	444	287	2.47	66		47.0	16.0	12

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	17				96.4	-28	7.41	13.1	93.0	-31
Vete, kärna (005)	1	2				113	-51	7.90	14.1	93.5	-40
Majs hela plantan, grönmassa (030)	1	1	0.0000	0.00000		92.0	-66	6.16	11.6		
Grönmassa, gräs (0% baljv.) (161)	1	1				77.6	-13	5.39	10.2	72.0	-18
Ensilage, gräs (0% klöver) (162)	1	5	1.0000	1.00000		78.9	-9.6	5.42	10.1	68.8	-14
Ensilage, gräs (0% klöver) (162)	2	1		2.80000		78.6	8.2	5.37	9.9	68.0	13.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14	2.0000	0.50000		81.9	4.4	5.80	10.5	73.1	1.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	0.5000	0.00000		81.6	10.5	5.83	10.4	73.2	10.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5				82.3	31.2	6.06	10.5	73.4	32.6
Ensilage, blandvall (1-50% klöver) (165)	0	8		0.91667		78.7	11.7	5.65	10.0	68.3	8.2
Ensilage, blandvall (1-50% klöver) (165)	1	117	3.3200	0.93077		80.5	6.8	5.88	10.6	70.5	6.7
Ensilage, blandvall (1-50% klöver) (165)	2	119	4.2308	2.48235		79.9	15.5	5.77	10.3	69.5	17.0
Ensilage, blandvall (1-50% klöver) (165)	3	38	4.8462	2.02105		81.3	35.7	6.04	10.5	70.4	41.6
Ensilage, blandvall (1-50% klöver) (165)	4	2	3.5000	0.00000		77.3	36.0	5.99	10.3		
Korn, helsädesensilage (250)	1	9	4.0000	2.66667		73.5	5.3	5.64	10.1	53.5	82.5
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				69.3	19.0	5.46			
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				67.4	1.0	5.51	9.3	59.0	-7.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	4	1.5000	0.00000		70.3	14.9	5.72	9.6		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	5				67.6	25.0	5.40			
Vete, helsäd ensilage (299)	1	5	1.0000	2.00000		72.7	-8.7	5.37	9.7		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	8	10.0000	1.00000		71.2	0.5	5.35	9.6	60.0	-10
Majs, helsädesensilage (305)	1	2	3.0000	0.00000		82.6	-47	6.38	11.4		
Hö, blandvall, 0-50% baljväxter (383)	1	9	1.6667	0.00000		82.2	-42	4.90	9.4	65.7	-38
Hö, blandvall, 0-50% baljväxter (383)	3	1	0.0000	0.00000		96.6	-29	5.76	10.4		
Ensilage, blandvall (51-100% klöver) (438)	1	2		0.95000		82.2	7.4	6.18	11.1	71.5	7.0
Ensilage, blandvall (51-100% klöver) (438)	2	2		6.00000		76.4	40.9	5.88	10.0	69.0	36.5
Grunnblanding Middels ford.grovför (326)	1	2	4.0000	0.50000		77.4	6.6	5.71	9.9		
Övrigt foder ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	14	0.5	3.7	1.2	5.3	0.2		1.3	28	14	63.3	20.4	37.9	6.9	0.0
Vete, kärna (005)	1	1	0.6	3.3	1.2	5.3	0.1		1.2	40	1	104.0	52.0	37.0	5.9	0.0
Majs hela plantan, grönmassa (030)	1	1	1.6	2.1	0.6	11.0			0.8	205	0					
Grönmassa, gräs (0% baljv.) (161)	1	1	11.1	2.6	2.3	20.9	0.1		1.6	298	1	103.0	49.0	29.0	6.9	0.0
Ensilage, gräs (0% klöver) (162)	1	5	6.8	1.8	2.0	17.5	0.3	2.8	1.6	280	5	329.6	60.6	29.6	6.7	0.1
Ensilage, gräs (0% klöver) (162)	2	1	13.3	2.6	2.5	20.7	0.1	2.1	2.0	350	1	115.0	101.0	37.0	8.1	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	11	7.1	2.5	2.2	21.6	0.5	2.6	2.0	333	10	201.2	57.7	28.2	7.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7	7.8	3.1	2.3	24.8	0.4	1.3	2.3	389	7	165.9	65.0	25.9	8.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	7.0	2.8	2.8	29.0	0.4		2.5	471	3	265.7	105.3	29.7	8.4	
Ensilage, blandvall (1-50% klöver) (165)	0	6	8.1	2.3	2.7	17.4	0.6	3.9	1.9	246	6	503.7	144.3	43.0	10.2	0.7
Ensilage, blandvall (1-50% klöver) (165)	1	114	6.8	2.2	2.0	18.9	0.3	2.5	1.8	312	108	240.0	65.1	39.1	7.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	114	8.7	2.7	2.5	22.6	0.4	3.1	2.1	371	104	284.1	83.9	32.9	8.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	37	9.2	3.1	2.8	26.0	0.5	4.3	2.5	407	34	273.5	80.4	31.8	9.3	0.1
Ensilage, blandvall (1-50% klöver) (165)	4	2	4.9	2.8	2.0	23.1	0.9	3.3	2.4	388	2	445.0	72.5	26.0	7.5	
Korn, helsädesensilage (250)	1	8	4.0	3.0	1.4	24.1	0.7	4.5	2.1	383	8	212.5	57.1	29.3	6.0	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	6.6	2.9	2.0	23.1	0.6	4.0	1.8	391	3	190.0	107.3	35.3	7.2	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	6.0	2.3	1.8	15.8	0.5	4.0	1.2	238	1	81.0	103.0	42.0	7.8	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	4	6.2	2.7	1.5	20.0	1.3	2.4	1.8	389	4	289.5	74.8	28.8	6.2	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	5	6.8	2.8	2.0	20.5	0.5	2.3	1.8	368	5	138.8	86.4	39.6	7.7	
Vete, helsäd ensilage (299)	1	4	2.9	2.3	1.4	17.4	0.3	4.1	1.7	232	4	178.0	64.5	27.5	5.5	0.1
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	7	5.3	2.5	1.5	18.6	0.4	3.7	1.6	306	7	213.6	57.4	27.9	6.6	0.0
Majs, helsädesensilage (305)	1	2	1.8	2.2	1.1	9.9	0.3		0.8	177	2	112.0	23.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	1	5	7.4	1.8	1.7	14.9	0.5		1.7	154	5	132.2	80.4	76.0	6.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.1	2.8	1.9	22.8	0.2	6.7	2.7	234	1	105.0	75.0	23.0	6.0	0.1
Ensilage, blandvall (51-100% klöver) (438)	1	2	5.6	1.7	1.6	18.9	0.2	1.4	1.7	348	2	320.0	44.5	26.5	6.8	
Ensilage, blandvall (51-100% klöver) (438)	2	2	7.6	2.8	2.1	25.7	0.4	4.1	2.2	422	2	423.0	42.5	31.0	10.2	
Grunnblanding Middels ford.grovfôr (326)	1	2	6.0	3.4	2.5	18.3	1.5	3.9	2.1	290	1	412.0	83.0	72.0	16.0	
Övrigt foder ej kompletta data (1E3)	1	1	13.1	2.3	2.4	21.3	0.1	1.0	1.7	415	1	731.0	93.0	29.0	9.3	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	841.176	35.5022	787.000	888.000
Aska	17	23.712	2.2363	20.000	26.000
OS smbh	17	50.588	43.6278	0.000	86.000
Råprot	17	117.547	7.7609	106.000	126.000
sRåprot	7	264.429	51.8969	198.000	351.000
NH3-N	2	7.000	0.0000	7.000	7.000
NDF	9	172.333	23.0054	143.000	214.000
iNDF	17	105.588	69.5001	25.000	162.000
nhNDF	17	3.150	0.0000	3.150	3.150
Stä	17	568.182	79.8433	471.000	679.900
TAF	17	0.000	0.0000	0.000	0.000
Socker	7	0.000	0.0000	0.000	0.000
AATp20	17	96.417	1.9082	94.131	98.945
PBVp20	17	-27.556	9.1379	-42.073	-17.261
NELp20	17	7.405	0.1669	7.103	7.577
OE*	11	13.145	0.3804	12.500	13.400
AAT*	4	93.000	0.8165	92.000	94.000
PBV*	4	-31.250	10.4682	-39.000	-16.000
Ca	14	0.479	0.1528	0.400	0.700
P	14	3.700	0.4641	3.200	4.400
Mg	14	1.236	0.1499	1.100	1.400
K	14	5.257	0.6536	4.500	6.200
Na	14	0.186	0.2179	0.100	0.700
S	14	1.293	0.1385	1.100	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	14	27.922	15.9860	4.385	43.883
Fe	14	63.286	21.8471	39.000	98.000
Mn	14	20.429	4.2010	15.000	25.000
Zn	14	37.929	6.6502	29.000	47.000
Cu	14	6.936	1.8492	4.500	9.400
Se	2	0.034	0.0375	0.007	0.060

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	733.500	170.413	613.000	854.000
Aska	2	18.300	0.990	17.600	19.000
OS smbh	2	88.000	0.000	88.000	88.000
Råprot	2	114.550	6.293	110.100	119.000
NH3-N	1	9.000	.	9.000	9.000
iNDF	2	187.000	0.000	187.000	187.000
nhNDF	2	3.500	0.000	3.500	3.500
Stä	2	660.450	52.962	623.000	697.900
TAF	2	0.000	0.000	0.000	0.000
AATp20	2	113.352	0.436	113.043	113.660
PBVp20	2	-51.352	5.750	-55.418	-47.286
NELp20	2	7.904	0.159	7.792	8.017
OE*	2	14.050	0.071	14.000	14.100
AAT*	2	93.500	0.707	93.000	94.000
PBV*	2	-40.000	5.657	-44.000	-36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	0.600	.	0.600	0.600
P	1	3.300	.	3.300	3.300
Mg	1	1.200	.	1.200	1.200
K	1	5.300	.	5.300	5.300
Na	1	0.100	.	0.100	0.100
S	1	1.200	.	1.200	1.200
CAB	1	39.546	.	39.546	39.546
Fe	1	104.000	.	104.000	104.000
Mn	1	52.000	.	52.000	52.000
Zn	1	37.000	.	37.000	37.000
Cu	1	5.900	.	5.900	5.900
Se	1	0.014	.	0.014	0.014

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	279.000	.	279.000	279.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	79.000	.	79.000	79.000
sRåprot	1	383.000	.	383.000	383.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	184.000	.	184.000	184.000
nhNDF	1	3.120	.	3.120	3.120
Stä	1	262.000	.	262.000	262.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	1	2.000	.	2.000	2.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	6.000	.	6.000	6.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	91.983	.	91.983	91.983
PBVp20	1	-66.090	.	-66.090	-66.090
NELp20	1	6.156	.	6.156	6.156
OE*	1	11.570	.	11.570	11.570
Ca	1	1.600	.	1.600	1.600
P	1	2.100	.	2.100	2.100
Mg	1	0.600	.	0.600	0.600
K	1	11.000	.	11.000	11.000
S	1	0.800	.	0.800	0.800
CAB	1	204.937	.	204.937	204.937

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	851.000	.	851.000	851.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	70.800	.	70.800	70.800
Råprot	1	105.000	.	105.000	105.000
NDF	1	416.000	.	416.000	416.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	233.457	.	233.457	233.457
nhNDF	1	3.026	.	3.026	3.026
TAF	1	61.000	.	61.000	61.000
Socket	1	132.000	.	132.000	132.000
AATp20	1	77.588	.	77.588	77.588
PBVp20	1	-13.409	.	-13.409	-13.409
NELp20	1	5.393	.	5.393	5.393
OE*	1	10.200	.	10.200	10.200
AAT*	1	72.000	.	72.000	72.000
PBV*	1	-18.000	.	-18.000	-18.000
Ca	1	11.100	.	11.100	11.100
P	1	2.600	.	2.600	2.600
Mg	1	2.300	.	2.300	2.300
K	1	20.900	.	20.900	20.900
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
CAB	1	298.030	.	298.030	298.030
Fe	1	103.000	.	103.000	103.000
Mn	1	49.000	.	49.000	49.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.900	.	6.900	6.900
Se	1	0.027	.	0.027	0.027

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	536.400	154.762	411.000	785.000
Aska	5	66.800	15.928	47.000	84.000
OS smbh	5	69.720	4.498	63.200	73.200
Råprot	5	111.200	28.244	66.000	140.000
sRåprot	5	530.800	158.159	291.000	679.000
NH3-N	5	63.200	21.811	32.000	83.000
NDF	5	471.000	73.956	392.000	557.000
iNDF	5	215.120	43.756	150.000	272.586
nhNDF	5	3.223	0.357	2.647	3.585
TAF	5	37.800	25.755	4.500	67.300
Mjölksyra	5	29.800	21.076	2.000	52.000
Ättiksyra	5	6.000	4.243	1.000	12.000
Socker	5	119.600	20.465	94.000	140.000
PRF	1	1.000	.	1.000	1.000
BUF	5	1.000	0.959	0.000	2.300
AATp20	5	78.914	2.130	77.182	82.103
PBVp20	5	-9.561	23.331	-47.815	11.644
NELp20	5	5.423	0.456	4.706	5.873
OE*	5	10.110	0.600	9.200	10.600
AAT*	4	68.750	2.217	66.000	71.000
PBV*	4	-13.500	22.782	-46.000	5.000
Ca	5	6.820	2.164	4.200	9.800
P	5	1.800	0.158	1.600	2.000
Mg	5	1.980	0.531	1.400	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	17.500	5.589	9.600	23.300
Na	5	0.260	0.305	0.100	0.800
Cl	5	2.760	0.817	1.600	3.400
S	5	1.620	0.356	1.200	2.000
CAB	5	279.878	149.908	65.782	453.283
Fe	5	329.600	264.496	102.000	646.000
Mn	5	60.600	22.007	33.000	82.000
Zn	5	29.600	6.656	24.000	41.000
Cu	5	6.680	1.838	3.900	8.800
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	327.000	.	327.000	327.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	69.500	.	69.500	69.500
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	483.000	.	483.000	483.000
NH3-N	1	118.000	.	118.000	118.000
NDF	1	434.000	.	434.000	434.000
iNDF	1	237.251	.	237.251	237.251
nhNDF	1	3.037	.	3.037	3.037
TAF	1	45.800	.	45.800	45.800
Mjölksyra	1	35.000	.	35.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	7.000	.	7.000	7.000
Socker	1	37.000	.	37.000	37.000
BUF	1	2.800	.	2.800	2.800
AATp20	1	78.575	.	78.575	78.575
PBVp20	1	8.180	.	8.180	8.180
NELp20	1	5.371	.	5.371	5.371
OE*	1	9.900	.	9.900	9.900
AAT*	1	68.000	.	68.000	68.000
PBV*	1	13.000	.	13.000	13.000
Ca	1	13.300	.	13.300	13.300
P	1	2.600	.	2.600	2.600
Mg	1	2.500	.	2.500	2.500
K	1	20.700	.	20.700	20.700
Na	1	0.100	.	0.100	0.100
Cl	1	2.100	.	2.100	2.100
S	1	2.000	.	2.000	2.000
CAB	1	349.605	.	349.605	349.605
Fe	1	115.000	.	115.000	115.000
Mn	1	101.000	.	101.000	101.000
Zn	1	37.000	.	37.000	37.000
Cu	1	8.100	.	8.100	8.100

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	360.571	98.257	250.000	503.000
Aska	14	72.500	11.461	59.000	91.000
OS smbh	14	72.314	3.576	68.400	74.800
Råprot	14	129.286	19.952	103.000	151.000
sRåprot	4	490.250	116.363	380.000	628.000
NDF	14	473.714	43.722	423.000	531.000
iNDF	14	186.902	33.486	162.439	214.300
nhNDF	14	3.916	0.600	3.455	4.430
TAF	14	64.929	31.412	14.000	84.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	14.750	3.304	11.000	19.000
Socker	14	108.429	42.257	56.000	165.000
PRF	4	2.000	2.449	0.000	5.000
BUF	4	0.500	0.577	0.000	1.000
AATp20	14	81.860	5.219	75.601	88.251
PBVp20	14	4.359	15.221	-16.865	24.731
NELp20	14	5.797	0.309	5.452	6.047
OE*	14	10.484	0.528	10.000	11.000
AAT*	10	73.100	3.315	68.500	77.000
PBV*	10	1.500	19.552	-25.500	27.000
Ca	11	7.082	1.512	5.700	9.200
P	11	2.536	0.600	1.900	3.300
Mg	11	2.236	0.323	1.900	2.600
K	11	21.627	4.497	16.600	29.100

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	11	0.473	0.539	0.100	1.300
Cl	3	2.633	2.031	0.300	4.000
S	11	1.991	0.255	1.700	2.300
CAB	11	332.731	139.557	184.853	503.140
Fe	10	201.200	176.213	70.500	512.000
Mn	10	57.700	21.515	38.500	92.000
Zn	10	28.200	3.293	24.000	33.000
Cu	10	7.870	0.948	6.650	9.150
Se	3	0.024	0.018	0.005	0.040

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	430.182	144.069	303.000	606.000
Aska	11	82.273	15.963	60.000	104.000
OS smbh	11	72.364	2.700	69.400	75.600
Råprot	11	135.636	18.896	112.000	153.000
sRåprot	2	373.500	57.276	333.000	414.000
NDF	11	484.000	25.104	451.000	513.000
iNDF	11	182.007	29.227	153.271	214.000
nhNDF	11	4.131	0.461	3.734	4.510
TAF	11	71.909	26.909	19.000	84.000
Mjölksyra	2	0.000	0.000	0.000	0.000
Ättiksyra	2	17.000	2.828	15.000	19.000
Socker	11	74.182	37.048	19.000	102.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	0.500	0.707	0.000	1.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	11	81.643	3.826	78.382	84.583
PBVp20	11	10.521	17.476	-12.846	28.205
NELp20	11	5.827	0.236	5.641	6.152
OE*	11	10.385	0.442	10.000	10.900
AAT*	9	73.222	2.635	69.000	77.000
PBV*	9	10.556	19.456	-20.000	43.000
Ca	7	7.786	2.094	4.200	11.100
P	7	3.129	0.568	2.300	4.100
Mg	7	2.314	0.406	1.600	2.900
K	7	24.786	4.703	18.800	32.900
Na	7	0.429	0.364	0.100	1.000
Cl	1	1.300	.	1.300	1.300
S	7	2.314	0.291	1.800	2.600
CAB	7	389.184	135.897	213.370	559.581
Fe	7	165.857	74.658	86.000	283.000
Mn	7	65.000	17.540	40.000	94.000
Zn	7	25.857	5.178	20.000	34.000
Cu	7	8.286	0.834	7.100	9.400
Se	1	0.020	.	0.020	0.020

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	405.600	179.444	217.000	662.000
Aska	5	97.600	11.415	80.000	111.000
OS smbh	5	74.120	2.783	70.800	78.000
Råprot	5	159.000	15.620	146.000	186.000
NDF	5	482.800	27.599	439.000	504.000
iNDF	5	155.667	23.731	128.656	182.284
nhNDF	5	4.617	0.450	4.166	5.123
TAF	5	84.000	0.000	84.000	84.000
Socket	5	48.000	36.973	13.000	111.000
AATp20	5	82.283	3.976	77.434	86.697
PBVp20	5	31.165	11.101	22.047	50.384
NELp20	5	6.055	0.279	5.728	6.360
OE*	5	10.480	0.581	9.800	11.300
AAT*	5	73.400	3.130	70.000	78.000
PBV*	5	32.600	13.867	23.000	57.000
Ca	3	7.000	0.872	6.400	8.000
P	3	2.833	0.551	2.300	3.400
Mg	3	2.800	0.557	2.200	3.300
K	3	29.000	3.081	25.500	31.300
Na	3	0.367	0.379	0.100	0.800
S	3	2.467	0.115	2.400	2.600
CAB	3	471.069	90.339	374.127	552.900
Fe	3	265.667	125.926	189.000	411.000
Mn	3	105.333	47.648	68.000	159.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	29.667	6.658	22.000	34.000
Cu	3	8.400	1.758	6.400	9.700

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	432.625	161.382	282.000	689.00
Aska	6	78.333	6.154	69.000	88.00
OS smbh	8	70.575	3.818	65.600	76.50
Råprot	6	126.000	33.651	69.000	163.00
sRåprot	6	503.167	68.686	375.000	559.00
NH3-N	6	75.500	28.891	37.000	104.00
NDF	6	449.500	38.313	386.000	485.00
iNDF	8	213.892	41.416	164.788	263.24
nhNDF	8	3.466	0.649	2.737	4.29
TAF	8	68.688	36.909	6.500	131.10
Mjölksyra	6	52.500	37.602	4.000	113.00
Ättiksyra	6	10.833	6.401	1.000	17.00
Socket	6	68.667	63.314	16.000	162.00
BUF	6	0.917	0.605	0.100	1.60
AATp20	8	78.689	2.452	75.176	82.12
PBVp20	8	11.707	26.807	-44.501	40.09
NELp20	8	5.652	0.507	4.838	6.34
OE*	6	9.983	0.591	9.400	11.00
AAT*	6	68.333	1.506	67.000	71.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	6	8.167	30.851	-45.000	40.00
Ca	6	8.100	2.259	5.600	11.30
P	6	2.300	0.678	1.100	2.90
Mg	6	2.683	0.900	1.600	4.20
K	6	17.433	6.264	8.200	24.80
Na	6	0.617	0.637	0.100	1.70
Cl	6	3.900	2.875	0.700	8.60
S	6	1.867	0.497	1.000	2.40
CAB	6	246.151	121.181	88.386	379.95
Fe	6	503.667	380.344	86.000	1118.00
Mn	6	144.333	57.826	87.000	230.00
Zn	6	43.000	22.145	30.000	88.00
Cu	6	10.167	6.823	4.900	23.60
Se	1	0.709	.	0.709	0.71

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	117	405.863	118.360	293.000	574.000
Aska	117	65.316	11.441	52.000	79.000
OS smbh	117	72.417	4.338	67.000	77.800
Råprot	117	129.726	26.500	90.000	160.000
sRåprot	117	569.274	79.370	472.000	665.000
NH3-N	117	68.265	23.341	41.000	97.000
NDF	117	462.667	43.934	399.000	524.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	117	192.500	43.946	144.889	251.254
nhNDF	117	3.821	0.665	2.912	4.718
TAF	117	66.461	28.675	28.500	106.100
Mjölksyra	117	51.256	23.685	22.000	86.000
Ättiksyra	117	12.778	6.235	5.000	20.000
Socker	117	71.701	45.147	14.000	129.000
PRF	25	3.320	2.304	1.000	7.000
BUF	117	0.931	1.242	0.000	2.400
AATp20	117	80.539	4.824	73.242	86.432
PBVp20	117	6.827	21.668	-25.295	34.186
NELp20	117	5.880	0.447	5.214	6.376
OE*	117	10.580	0.719	9.600	11.500
AAT*	92	70.511	2.351	67.000	73.000
PBV*	92	6.674	25.229	-27.000	35.000
Ca	114	6.770	2.035	4.700	9.200
P	114	2.182	0.532	1.600	2.900
Mg	114	1.982	0.355	1.500	2.500
K	114	18.909	4.850	13.400	24.900
Na	114	0.314	0.339	0.100	0.900
Cl	114	2.480	1.844	0.600	4.400
S	114	1.804	0.384	1.300	2.300
CAB	114	312.328	110.145	185.796	446.391
Fe	108	240.037	297.120	71.000	428.000
Mn	108	65.093	28.443	39.000	96.000

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	108	39.065	43.095	22.000	45.000
Cu	108	7.101	1.313	5.300	8.800
Se	9	0.024	0.019	0.005	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	119	367.630	111.088	254.000	538.000
Aska	119	80.378	15.314	62.000	94.000
OS smbh	119	71.504	3.359	66.800	75.600
Råprot	119	137.950	18.376	116.000	161.000
sRåprot	119	503.067	71.057	417.000	593.000
NH3-N	119	87.303	39.175	49.000	140.000
NDF	119	454.042	40.068	403.000	507.000
iNDF	119	207.550	37.052	164.100	260.000
nhNDF	119	3.678	0.555	3.014	4.357
TAF	119	71.146	26.270	35.800	106.000
Mjölksyra	119	52.639	20.800	26.000	80.000
Ättiksyra	119	14.319	8.385	6.000	23.000
Socker	119	45.269	34.421	10.000	97.000
PRF	26	4.231	3.468	0.000	11.000
BUF	119	2.482	5.735	0.000	4.600
AATp20	119	79.908	4.787	74.020	85.555
PBVp20	119	15.471	18.036	-7.190	35.050
NELp20	119	5.774	0.320	5.339	6.124

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	119	10.262	0.581	9.600	10.900
AAT*	93	69.452	1.839	67.000	71.000
PBV*	93	16.982	18.086	-4.000	38.000
Ca	114	8.727	2.498	5.500	12.000
P	114	2.680	0.482	2.100	3.200
Mg	114	2.453	0.525	1.900	3.200
K	114	22.590	4.886	16.300	28.400
Na	114	0.419	0.396	0.100	1.000
Cl	116	3.091	2.097	0.700	6.500
S	114	2.140	0.400	1.800	2.600
CAB	114	371.038	127.731	194.107	521.681
Fe	104	284.125	403.918	86.000	466.000
Mn	104	83.904	43.002	46.000	128.000
Zn	104	32.923	16.752	22.000	40.000
Cu	104	8.500	1.677	6.600	11.000
Se	16	0.046	0.053	0.008	0.116

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	38	321.737	63.171	247.000	420.000
Aska	38	90.711	10.332	79.000	102.000
OS smbh	38	73.955	2.636	71.100	77.400
Råprot	38	162.132	17.546	137.000	184.000
sRåprot	38	516.316	51.269	455.000	577.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	38	90.816	25.194	60.000	119.000
NDF	38	422.368	31.072	381.000	463.000
iNDF	38	188.251	37.252	148.116	243.184
nhNDF	38	3.959	0.521	3.369	4.492
TAF	38	85.942	24.457	53.700	128.000
Mjölksyra	38	64.500	18.896	41.000	93.000
Ättiksyra	38	17.105	8.123	8.000	27.000
Socker	38	31.500	22.156	10.000	68.000
PRF	13	4.846	3.870	2.000	7.000
BUF	38	2.021	2.344	0.000	3.800
AATp20	38	81.278	3.490	77.506	85.160
PBVp20	38	35.694	16.093	9.241	57.815
NELp20	38	6.038	0.242	5.730	6.406
OE*	38	10.536	0.436	10.100	11.200
AAT*	25	70.360	1.411	68.000	72.000
PBV*	25	41.640	18.954	15.000	67.000
Ca	37	9.176	1.933	6.800	11.400
P	37	3.095	0.467	2.500	3.800
Mg	37	2.759	0.428	2.200	3.300
K	37	26.005	3.912	19.800	31.200
Na	37	0.462	0.402	0.100	0.900
Cl	38	4.268	2.338	1.600	7.600
S	37	2.492	0.479	2.000	3.200
CAB	37	406.573	94.821	296.796	479.625

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	34	273.529	262.528	124.000	367.000
Mn	34	80.412	26.058	58.000	108.000
Zn	34	31.794	7.143	25.000	39.000
Cu	34	9.303	1.170	8.000	10.700
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	264.500	30.406	243.000	286.000
Aska	2	86.000	21.213	71.000	101.000
OS smbh	2	72.050	3.748	69.400	74.700
Råprot	2	155.500	21.920	140.000	171.000
sRåprot	2	564.000	12.728	555.000	573.000
NH3-N	2	66.500	19.092	53.000	80.000
NDF	2	451.000	48.083	417.000	485.000
iNDF	2	208.500	50.205	173.000	244.000
nhNDF	2	3.911	0.185	3.780	4.041
TAF	2	103.000	9.899	96.000	110.000
Mjölksyra	2	78.500	14.849	68.000	89.000
Ättiksyra	2	21.000	2.828	19.000	23.000
Socker	2	25.000	2.828	23.000	27.000
PRF	2	3.500	2.121	2.000	5.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	77.256	2.356	75.590	78.921

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	2	36.019	16.314	24.483	47.555
NELp20	2	5.987	0.298	5.776	6.198
OE*	2	10.280	0.368	10.020	10.540
Ca	2	4.850	0.212	4.700	5.000
P	2	2.800	0.141	2.700	2.900
Mg	2	2.000	0.000	2.000	2.000
K	2	23.100	1.131	22.300	23.900
Na	2	0.850	0.071	0.800	0.900
Cl	2	3.300	0.566	2.900	3.700
S	2	2.350	0.212	2.200	2.500
CAB	2	387.917	23.184	371.523	404.310
Fe	2	445.000	349.311	198.000	692.000
Mn	2	72.500	0.707	72.000	73.000
Zn	2	26.000	1.414	25.000	27.000
Cu	2	7.500	0.707	7.000	8.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	368.889	128.172	143.000	475.000
Aska	9	69.222	31.011	30.000	125.000
OS smbh	9	70.789	5.768	61.500	80.500
Råprot	9	128.111	48.434	91.000	234.000
sRåprot	9	581.111	85.842	453.000	716.000
NH3-N	9	112.778	32.725	60.000	166.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	9	411.889	63.884	274.000	481.000
iNDF	9	230.799	88.140	92.554	350.000
nhNDF	9	3.074	1.647	0.754	5.604
Stä	9	111.556	72.605	16.000	222.000
TAF	9	51.578	20.452	16.700	76.000
Mjölksyra	9	33.333	13.370	9.000	52.000
Ättiksyra	9	14.889	6.392	6.000	24.000
Socker	9	54.333	28.478	28.000	118.000
PRF	3	4.000	1.000	3.000	5.000
BUF	3	2.667	2.517	0.000	5.000
AATp20	9	73.503	5.433	67.948	82.801
PBVp20	9	5.291	32.697	-23.975	79.105
NELp20	9	5.640	0.423	4.827	6.194
OE*	5	10.148	0.435	9.720	10.650
AAT*	2	53.500	3.536	51.000	56.000
PBV*	2	82.500	40.305	54.000	111.000
Ca	8	4.000	0.974	2.800	5.500
P	8	2.950	0.674	2.000	3.800
Mg	8	1.362	0.472	0.800	2.300
K	8	24.063	14.183	9.700	46.300
Na	8	0.650	0.729	0.100	2.300
Cl	7	4.529	2.321	1.700	9.100
S	8	2.138	1.146	1.400	4.900
CAB	8	383.316	295.883	70.931	907.772

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	212.500	165.436	47.000	525.000
Mn	8	57.125	40.126	26.000	143.000
Zn	8	29.250	11.003	18.000	53.000
Cu	8	5.988	1.934	3.800	10.300

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	344.333	63.721	289.000	414.000
Aska	3	73.333	6.658	66.000	79.000
OS smbh	3	66.633	3.584	62.800	69.900
Råprot	3	129.667	22.591	106.000	151.000
sRåprot	3	625.333	101.036	517.000	717.000
NH3-N	3	108.667	35.218	84.000	149.000
NDF	3	497.000	50.567	445.000	546.000
iNDF	3	243.959	33.506	205.270	263.418
nhNDF	3	3.069	0.525	2.700	3.669
Stä	3	18.667	1.155	18.000	20.000
TAF	3	74.000	8.718	64.000	80.000
Mjölksyra	3	53.667	1.155	53.000	55.000
Ättiksyra	3	18.333	8.083	9.000	23.000
Socket	3	30.667	19.655	16.000	53.000
AATp20	3	69.293	3.718	65.131	72.289
PBVp20	3	19.027	16.065	4.962	36.534
NELp20	3	5.461	0.283	5.202	5.764

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	3	6.600	2.498	4.600	9.400
P	3	2.933	0.379	2.500	3.200
Mg	3	2.000	0.200	1.800	2.200
K	3	23.100	3.477	19.400	26.300
Na	3	0.600	0.200	0.400	0.800
Cl	3	4.033	1.012	3.400	5.200
S	3	1.800	0.100	1.700	1.900
CAB	3	390.765	103.342	278.217	481.380
Fe	3	190.000	35.595	153.000	224.000
Mn	3	107.333	43.085	80.000	157.000
Zn	3	35.333	7.767	29.000	44.000
Cu	3	7.167	0.651	6.500	7.800

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	276.000	.	276.000	276.000
Aska	1	58.000	.	58.000	58.000
OS smbh	1	67.600	.	67.600	67.600
Råprot	1	106.000	.	106.000	106.000
sRåprot	1	586.000	.	586.000	586.000
NH3-N	1	91.000	.	91.000	91.000
NDF	1	412.000	.	412.000	412.000
iNDF	1	286.937	.	286.937	286.937
nhNDF	1	2.298	.	2.298	2.298

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	57.000	.	57.000	57.000
TAF	1	94.900	.	94.900	94.900
Mjölksyra	1	77.000	.	77.000	77.000
Ättiksyra	1	16.000	.	16.000	16.000
Socket	1	42.000	.	42.000	42.000
AATp20	1	67.377	.	67.377	67.377
PBVp20	1	0.973	.	0.973	0.973
NELp20	1	5.513	.	5.513	5.513
OE*	1	9.300	.	9.300	9.300
AAT*	1	59.000	.	59.000	59.000
PBV*	1	-7.000	.	-7.000	-7.000
Ca	1	6.000	.	6.000	6.000
P	1	2.300	.	2.300	2.300
Mg	1	1.800	.	1.800	1.800
K	1	15.800	.	15.800	15.800
Na	1	0.500	.	0.500	0.500
Cl	1	4.000	.	4.000	4.000
S	1	1.200	.	1.200	1.200
CAB	1	238.155	.	238.155	238.155
Fe	1	81.000	.	81.000	81.000
Mn	1	103.000	.	103.000	103.000
Zn	1	42.000	.	42.000	42.000
Cu	1	7.800	.	7.800	7.800

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	348.750	118.114	239.000	501.000
Aska	4	69.500	7.234	63.000	78.000
OS smbh	4	69.025	3.027	66.200	72.500
Råprot	4	127.000	21.150	101.000	152.000
sRåprot	4	675.500	65.977	611.000	741.000
NH3-N	4	114.750	43.676	74.000	154.000
NDF	4	497.000	20.704	466.000	509.000
iNDF	4	308.312	30.283	273.542	341.000
nhNDF	4	5.776	1.691	4.093	7.680
Stä	4	31.250	14.009	18.000	47.000
TAF	4	77.000	14.486	67.000	98.500
Mjölksyra	4	57.500	12.450	46.000	73.000
Ättiksyra	4	18.500	7.853	8.000	25.000
Socker	4	30.000	11.547	16.000	44.000
PRF	2	1.500	0.707	1.000	2.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	4	70.348	2.485	68.732	74.051
PBVp20	4	14.913	19.105	-6.588	39.935
NELp20	4	5.725	0.277	5.432	6.040
OE*	2	9.570	0.000	9.570	9.570
Ca	4	6.225	2.277	3.800	9.300
P	4	2.700	0.245	2.500	3.000
Mg	4	1.500	0.271	1.300	1.900
K	4	19.975	2.590	18.100	23.800

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	1.325	0.741	0.700	2.400
Cl	4	2.425	1.595	0.300	3.700
S	4	1.775	0.629	1.300	2.700
CAB	4	389.231	67.473	313.278	449.174
Fe	4	289.500	171.216	114.000	518.000
Mn	4	74.750	20.106	48.000	93.000
Zn	4	28.750	2.872	25.000	31.000
Cu	4	6.225	1.613	4.500	8.400
Se	2	0.035	0.021	0.020	0.050

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	334.600	89.145	263.000	481.000
Aska	5	64.000	13.565	45.000	79.000
OS smbh	5	66.960	2.889	63.600	71.400
Råprot	5	133.400	30.080	101.000	178.000
sRåprot	5	695.600	87.973	544.000	767.000
NH3-N	5	146.800	60.018	53.000	201.000
NDF	5	485.200	18.992	453.000	501.000
iNDF	5	248.419	23.977	211.534	274.010
nhNDF	5	2.955	0.309	2.667	3.433
Stä	5	32.400	20.792	17.000	68.000
TAF	5	64.600	19.347	35.000	88.000
Mjölksyra	5	46.600	12.300	27.000	57.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtor (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	5	18.000	11.045	8.000	31.000
Socker	5	41.400	30.237	16.000	88.000
AATp20	5	67.623	4.778	60.642	73.078
PBVp20	5	25.042	30.560	-13.384	61.642
NELp20	5	5.403	0.252	5.192	5.824
Ca	5	6.800	3.185	3.500	10.900
P	5	2.780	0.526	2.100	3.400
Mg	5	1.980	0.432	1.500	2.600
K	5	20.480	4.025	15.200	25.100
Na	5	0.460	0.404	0.100	1.100
Cl	5	2.280	2.151	0.400	5.000
S	5	1.780	0.130	1.600	1.900
CAB	5	368.310	109.059	240.629	518.295
Fe	5	138.800	50.027	102.000	224.000
Mn	5	86.400	27.483	61.000	128.000
Zn	5	39.600	7.301	30.000	48.000
Cu	5	7.680	1.712	5.500	9.500

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	479.000	80.7186	358.000	537.000
Aska	5	59.400	5.0299	53.000	64.000
OS smbh	5	66.700	3.4351	62.700	70.500
Råprot	5	110.800	13.9176	87.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	581.200	42.9965	531.000	632.000
NH3-N	5	101.800	14.0428	86.000	124.000
NDF	5	447.000	70.7213	337.000	530.000
iNDF	5	285.788	60.5923	225.322	380.000
nhNDF	5	2.595	0.6201	1.770	3.227
Stä	5	141.800	92.1260	18.000	255.000
TAF	5	34.500	14.5645	23.000	59.500
Mjölksyra	5	23.800	9.4710	15.000	37.000
Ättiksyra	5	8.000	7.4162	1.000	20.000
Socker	5	51.200	21.0879	34.000	87.000
PRF	2	1.000	1.4142	0.000	2.000
BUF	2	2.000	1.4142	1.000	3.000
AATp20	5	72.695	2.4930	70.081	76.632
PBVp20	5	-8.736	10.0018	-26.160	-1.034
NELp20	5	5.370	0.3772	4.997	5.844
OE*	2	9.730	0.9475	9.060	10.400
Ca	4	2.875	1.4500	1.900	5.000
P	4	2.325	0.2872	1.900	2.500
Mg	4	1.400	0.0816	1.300	1.500
K	4	17.350	4.3943	13.300	21.300
Na	4	0.250	0.2380	0.100	0.600
Cl	5	4.120	1.7108	1.400	5.800
S	4	1.650	0.3416	1.300	2.100
CAB	4	232.464	85.5220	129.560	312.769

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	4	178.000	85.7127	72.000	280.000
Mn	4	64.500	23.3310	32.000	85.000
Zn	4	27.500	1.0000	27.000	29.000
Cu	4	5.525	1.3301	4.000	7.100
Se	1	0.050	.	0.050	0.050

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	377.000	90.098	278.000	550.000
Aska	8	61.125	9.761	52.000	80.000
OS smbh	8	66.125	2.566	62.800	70.800
Råprot	8	113.125	17.258	87.000	132.000
sRåprot	8	597.000	119.285	443.000	774.000
NH3-N	8	100.000	49.891	33.000	205.000
NDF	8	478.125	31.904	437.000	534.000
iNDF	8	269.873	29.297	225.513	311.148
nhNDF	8	2.812	0.524	2.065	3.670
Stä	8	74.250	44.580	36.000	147.000
TAF	8	62.750	34.054	22.000	134.000
Mjölksyra	8	45.125	23.787	12.000	87.000
Ättiksyra	8	16.250	8.664	9.000	36.000
Socker	8	54.250	48.717	11.000	162.000
PRF	1	10.000	.	10.000	10.000
BUF	1	1.000	.	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	8	71.188	5.693	62.664	78.028
PBVp20	8	0.511	20.332	-34.068	32.058
NELp20	8	5.348	0.279	5.026	5.846
OE*	2	9.620	0.453	9.300	9.940
AAT*	1	60.000	.	60.000	60.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	7	5.329	1.404	3.600	7.300
P	7	2.471	0.373	1.900	2.900
Mg	7	1.514	0.372	0.800	1.900
K	7	18.629	4.241	13.400	25.500
Na	7	0.414	0.418	0.100	1.300
Cl	8	3.738	2.530	0.700	8.600
S	7	1.643	0.351	1.100	2.200
CAB	7	306.054	122.018	107.503	444.707
Fe	7	213.571	146.056	62.000	464.000
Mn	7	57.429	28.786	20.000	94.000
Zn	7	27.857	7.358	14.000	37.000
Cu	7	6.614	1.202	5.000	8.400
Se	1	0.021	.	0.021	0.021

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	303.500	2.1213	302.000	305.000
Aska	2	27.500	3.5355	25.000	30.000
OS smbh	2	74.800	1.8385	73.500	76.100
Råprot	2	84.500	9.1924	78.000	91.000
sRåprot	2	490.500	34.6482	466.000	515.000
NH3-N	2	26.500	7.7782	21.000	32.000
NDF	2	378.500	27.5772	359.000	398.000
iNDF	2	220.000	16.9706	208.000	232.000
nhNDF	2	3.139	0.0796	3.082	3.195
Stä	2	280.000	7.0711	275.000	285.000
TAF	2	70.500	0.7071	70.000	71.000
Mjölksyra	2	56.500	0.7071	56.000	57.000
Ättiksyra	2	11.000	1.4142	10.000	12.000
Socker	2	0.500	0.7071	0.000	1.000
PRF	2	3.000	0.0000	3.000	3.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	82.592	2.6144	80.743	84.440
PBVp20	2	-46.583	3.4317	-49.010	-44.157
NELp20	2	6.385	0.1595	6.272	6.498
OE*	2	11.420	0.2828	11.220	11.620
Ca	2	1.800	0.1414	1.700	1.900
P	2	2.150	0.0707	2.100	2.200
Mg	2	1.100	0.1414	1.000	1.200
K	2	9.900	0.5657	9.500	10.300

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.300	0.1414	0.200	0.400
S	2	0.750	0.0707	0.700	0.800
CAB	2	177.112	16.1970	165.659	188.565
Fe	2	112.000	56.5685	72.000	152.000
Mn	2	23.000	1.4142	22.000	24.000
Zn	2	24.000	4.2426	21.000	27.000
Cu	2	5.000	0.0000	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	789.444	91.7607	575.000	856.000
Aska	9	50.444	11.2485	38.000	68.000
OS smbh	9	64.311	3.5041	59.900	72.700
Råprot	9	80.667	18.0347	53.000	118.000
sRåprot	3	385.667	37.0720	359.000	428.000
NDF	9	522.778	51.3853	430.000	591.000
iNDF	9	280.907	46.1126	226.675	357.000
nhNDF	9	2.967	0.5517	2.097	3.950
TAF	9	5.444	8.1718	0.000	17.000
Mjölksyra	3	0.000	0.0000	0.000	0.000
Ättiksyra	3	14.667	3.2146	11.000	17.000
Socker	9	126.111	31.1426	85.000	175.000
PRF	3	1.667	2.8868	0.000	5.000
BUF	3	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	9	82.247	5.6399	74.356	94.460
PBVp20	9	-41.544	9.0913	-54.176	-26.753
NELp20	9	4.895	0.3773	4.362	5.735
OE*	9	9.377	0.5537	8.700	10.650
AAT*	6	65.667	2.0656	63.000	69.000
PBV*	6	-38.000	11.8152	-54.000	-19.000
Ca	5	7.360	3.0361	3.200	11.500
P	5	1.800	0.8456	1.000	2.800
Mg	5	1.720	0.7981	1.100	3.000
K	5	14.860	2.5106	12.300	18.400
Na	5	0.480	0.3493	0.100	0.800
S	5	1.700	0.4848	1.200	2.400
CAB	5	153.826	54.0540	97.918	214.526
Fe	5	132.200	65.1514	57.000	225.000
Mn	5	80.400	25.3041	39.000	104.000
Zn	5	76.000	61.1474	17.000	171.000
Cu	5	6.620	2.5243	4.500	11.000
Se	1	0.005	.	0.005	0.005

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	751.000	.	751.000	751.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	72.300	.	72.300	72.300
Råprot	1	120.000	.	120.000	120.000
sRåprot	1	336.000	.	336.000	336.000
NDF	1	499.000	.	499.000	499.000
iNDF	1	144.000	.	144.000	144.000
nhNDF	1	3.637	.	3.637	3.637
TAF	1	12.000	.	12.000	12.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	12.000	.	12.000	12.000
Socket	1	91.000	.	91.000	91.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	96.613	.	96.613	96.613
PBVp20	1	-28.957	.	-28.957	-28.957
NELp20	1	5.759	.	5.759	5.759
OE*	1	10.420	.	10.420	10.420
Ca	1	4.100	.	4.100	4.100
P	1	2.800	.	2.800	2.800
Mg	1	1.900	.	1.900	1.900
K	1	22.800	.	22.800	22.800
Na	1	0.200	.	0.200	0.200
Cl	1	6.700	.	6.700	6.700

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	2.700	.	2.700	2.700
CAB	1	234.333	.	234.333	234.333
Fe	1	105.000	.	105.000	105.000
Mn	1	75.000	.	75.000	75.000
Zn	1	23.000	.	23.000	23.000
Cu	1	6.000	.	6.000	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	387.500	184.555	257.000	518.000
Aska	2	62.000	1.414	61.000	63.000
OS smbh	2	74.800	4.808	71.400	78.200
Råprot	2	130.000	24.042	113.000	147.000
sRåprot	2	549.000	83.439	490.000	608.000
NH3-N	2	79.000	8.485	73.000	85.000
NDF	2	458.500	96.874	390.000	527.000
iNDF	2	244.507	61.097	201.305	287.710
nhNDF	2	6.971	1.726	5.751	8.191
TAF	2	70.950	42.639	40.800	101.100
Mjölksyra	2	57.500	44.548	26.000	89.000
Ättiksyra	2	11.500	0.707	11.000	12.000
Socker	2	65.500	77.075	11.000	120.000
BUF	2	0.950	1.202	0.100	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	82.209	6.317	77.742	86.675
PBVp20	2	7.395	13.114	-1.879	16.668
NELp20	2	6.177	0.200	6.036	6.319
OE*	2	11.050	0.778	10.500	11.600
AAT*	2	71.500	2.121	70.000	73.000
PBV*	2	7.000	19.799	-7.000	21.000
Ca	2	5.550	1.061	4.800	6.300
P	2	1.650	0.071	1.600	1.700
Mg	2	1.600	0.000	1.600	1.600
K	2	18.900	4.525	15.700	22.100
Na	2	0.200	0.141	0.100	0.300
Cl	2	1.350	0.778	0.800	1.900
S	2	1.700	0.141	1.600	1.800
CAB	2	347.793	78.843	292.043	403.544
Fe	2	320.000	325.269	90.000	550.000
Mn	2	44.500	13.435	35.000	54.000
Zn	2	26.500	3.536	24.000	29.000
Cu	2	6.800	0.990	6.100	7.500

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	253.500	10.607	246.000	261.000
Aska	2	87.500	2.121	86.000	89.000
OS smbh	2	70.300	2.970	68.200	72.400
Råprot	2	155.000	8.485	149.000	161.000
sRåprot	2	499.500	62.933	455.000	544.000
NH3-N	2	128.000	0.000	128.000	128.000
NDF	2	489.500	3.536	487.000	492.000
iNDF	2	305.366	59.865	263.035	347.697
nhNDF	2	6.918	0.154	6.809	7.027
TAF	2	96.500	5.798	92.400	100.600
Mjölksyra	2	61.500	10.607	54.000	69.000
Ättiksyra	2	28.000	4.243	25.000	31.000
Socker	2	10.000	0.000	10.000	10.000
BUF	2	6.000	0.566	5.600	6.400
AATp20	2	76.359	1.666	75.181	77.537
PBVp20	2	40.946	5.317	37.187	44.706
NELp20	2	5.883	0.318	5.658	6.108
OE*	2	9.950	0.495	9.600	10.300
AAT*	2	69.000	1.414	68.000	70.000
PBV*	2	36.500	6.364	32.000	41.000
Ca	2	7.600	0.566	7.200	8.000
P	2	2.800	0.141	2.700	2.900
Mg	2	2.100	0.283	1.900	2.300
K	2	25.650	2.333	24.000	27.300

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.400	0.141	0.300	0.500
Cl	2	4.050	2.333	2.400	5.700
S	2	2.200	0.141	2.100	2.300
CAB	2	421.817	8.742	415.635	427.999
Fe	2	423.000	114.551	342.000	504.000
Mn	2	42.500	17.678	30.000	55.000
Zn	2	31.000	2.828	29.000	33.000
Cu	2	10.200	0.141	10.100	10.300

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	401.500	14.849	391.000	412.000
Aska	2	70.500	14.849	60.000	81.000
OS smbh	2	68.550	1.202	67.700	69.400
Råprot	2	120.500	12.021	112.000	129.000
sRåprot	2	501.000	43.841	470.000	532.000
NH3-N	2	71.500	4.950	68.000	75.000
NDF	2	421.000	72.125	370.000	472.000
iNDF	2	302.500	2.121	301.000	304.000
nhNDF	2	3.110	1.243	2.231	3.989
Stä	2	108.000	77.782	53.000	163.000
TAF	2	72.000	14.142	62.000	82.000
Mjölksyra	2	52.500	4.950	49.000	56.000
Ättiksyra	2	15.000	5.657	11.000	19.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	2	50.500	37.477	24.000	77.000
PRF	2	4.000	2.828	2.000	6.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	77.422	0.862	76.812	78.031
PBVp20	2	6.568	12.953	-2.591	15.728
NELp20	2	5.709	0.037	5.683	5.735
OE*	2	9.885	0.361	9.630	10.140
Ca	2	5.950	0.354	5.700	6.200
P	2	3.350	0.212	3.200	3.500
Mg	2	2.500	0.000	2.500	2.500
K	2	18.250	4.879	14.800	21.700
Na	2	1.450	0.212	1.300	1.600
Cl	2	3.850	0.212	3.700	4.000
S	2	2.100	0.141	2.000	2.200
CAB	2	290.095	130.375	197.906	382.284
Fe	1	412.000	.	412.000	412.000
Mn	1	83.000	.	83.000	83.000
Zn	1	72.000	.	72.000	72.000
Cu	1	16.000	.	16.000	16.000

* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	291.000	.	291.000	291.000
Aska	1	100.000	.	100.000	100.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	533.000	.	533.000	533.000
NH3-N	1	161.000	.	161.000	161.000
NDF	1	444.000	.	444.000	444.000
iNDF	1	286.532	.	286.532	286.532
nhNDF	1	2.471	.	2.471	2.471
Stä	1	66.000	.	66.000	66.000
Mjölksyra	1	47.000	.	47.000	47.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	12.000	.	12.000	12.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	13.100	.	13.100	13.100
P	1	2.300	.	2.300	2.300
Mg	1	2.400	.	2.400	2.400
K	1	21.300	.	21.300	21.300
Na	1	0.100	.	0.100	0.100
Cl	1	1.000	.	1.000	1.000
S	1	1.700	.	1.700	1.700
CAB	1	414.686	.	414.686	414.686
Fe	1	731.000	.	731.000	731.000
Mn	1	93.000	.	93.000	93.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	29.000	.	29.000	29.000
Cu	1	9.300	.	9.300	9.300

*= Parametrar från det gamla svenska fodervärderingssystemet