

Statistik för område A

| Fodermedel                                    | Sk. nr. | Ant. | TS  | Aska | OS sambh | Rå-prot | sRå-prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjölksyra | Ättiksyra | Socker |
|---|---------|------|-----|------|----------|---------|----------|-------|-----|------|-------|-----|---------|-----------|-----------|--------|
| Korn, kärna (001)                             | 1       | 9    | 807 | 34   | 38.2     | 149     | 245      | 7.7   | 159 | 101  | 3.15  | 429 | 0.000   |           |           | 19     |
| Vete, kärna (005)                             | 1       | 7    | 870 | 18   | 25.1     | 111     | 364      | 6.5   | 116 | 71   | 3.50  | 576 | 0.000   |           |           | 11     |
| Majs, finmald kärna (014)                     | 1       | 1    | 612 | 20   | 0.0      | 84      | 328      |       | 77  | 25   | 3.70  | 648 | 0.000   |           |           | 0      |
| Rågvete (015)                                 | 1       | 1    | 855 | 20   | 0.0      | 104     | 380      |       | 107 | 25   | 3.50  | 612 | 0.000   |           |           | 0      |
| Åkerböna, kärna (007)                         | 1       | 1    | 860 | 37   | 89.0     | 285     |          | 3.0   | 225 | 32   | 4.70  | 390 | 0.000   |           |           |        |
| Majs hela plantan, grönmassa (030)            | 1       | 23   | 353 | 27   | 76.9     | 69      | 365      |       | 355 | 185  | 3.30  | 339 | 28.348  | 0.0       | 5.1       | 26     |
| Grönmassa, gräs (0% baljv.) (161)             | 1       | 10   | 623 | 61   | 69.2     | 120     | 467      |       | 528 | 206  | 3.85  | 22  | 21.500  | 0.0       | 2.1       | 100    |
| Grönmassa, gräs (0% baljv.) (161)             | 2       | 1    | 839 | 56   | 64.3     | 86      | 399      |       | 594 | 255  | 3.73  |     | 2.000   | 0.0       | 0.0       | 59     |
| Ensilage, gräs (0% klöver) (162)              | 0       | 3    | 565 | 76   | 68.6     | 124     | 454      | 44.0  | 448 | 242  | 2.94  |     | 57.033  | 42.3      | 13.3      | 92     |
| Ensilage, gräs (0% klöver) (162)              | 1       | 10   | 545 | 67   | 72.1     | 129     | 544      | 57.7  | 510 | 159  | 3.98  |     | 49.550  | 35.2      | 12.2      | 68     |
| Ensilage, gräs (0% klöver) (162)              | 2       | 12   | 419 | 77   | 75.5     | 153     | 593      | 80.3  | 449 | 152  | 4.36  |     | 66.833  | 50.8      | 13.2      | 59     |
| Ensilage, gräs (0% klöver) (162)              | 3       | 7    | 477 | 81   | 74.1     | 150     | 529      | 74.4  | 448 | 171  | 4.08  |     | 59.729  | 46.9      | 11.1      | 59     |
| Ensilage, gräs (0% klöver) (162)              | 4       | 3    | 279 | 107  | 72.0     | 154     | 530      | 132   | 451 | 190  | 3.86  |     | 87.033  | 51.7      | 23.7      | 34     |
| Ensilage, gräs (0% klöver) (162)              | 5       | 1    | 390 | 98   | 79.3     | 178     | 602      | 73.0  | 342 | 135  | 4.28  |     | 101.100 | 83.0      | 17.0      | 76     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0       | 3    | 503 | 85   | 76.2     | 156     |          |       | 463 | 140  | 4.89  |     | 84.000  |           |           | 113    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 72   | 445 | 71   | 73.9     | 140     | 446      | 51.0  | 491 | 155  | 4.39  |     | 36.403  | 0.0       | 5.1       | 125    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2       | 40   | 484 | 81   | 74.0     | 152     | 423      |       | 482 | 165  | 4.52  |     | 52.625  | 0.0       | 7.8       | 97     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3       | 16   | 514 | 85   | 75.5     | 158     | 376      |       | 471 | 149  | 4.82  |     | 58.375  | 0.0       | 0.8       | 102    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4       | 13   | 466 | 94   | 75.2     | 164     | 361      |       | 442 | 158  | 4.39  |     | 58.692  | 0.0       | 1.8       | 87     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 5       | 2    | 460 | 98   | 77.5     | 192     | 655      |       | 388 | 144  | 4.33  |     | 50.000  | 0.0       | 15.0      | 92     |
| Ensilage, blandvall (1-50% klöver) (165)      | 0       | 6    | 419 | 79   | 77.2     | 159     | 643      | 81.5  | 448 | 138  | 4.95  |     | 62.450  | 48.5      | 12.2      | 69     |
| Ensilage, blandvall (1-50% klöver) (165)      | 1       | 172  | 425 | 75   | 74.7     | 150     | 627      | 77.5  | 462 | 154  | 4.22  | 34  | 70.284  | 51.1      | 15.6      | 78     |
| Ensilage, blandvall (1-50% klöver) (165)      | 2       | 99   | 417 | 79   | 73.4     | 158     | 577      | 80.4  | 458 | 181  | 4.08  |     | 77.051  | 56.2      | 16.9      | 54     |
| Ensilage, blandvall (1-50% klöver) (165)      | 3       | 81   | 439 | 81   | 74.4     | 161     | 550      | 75.7  | 447 | 173  | 4.18  |     | 68.711  | 50.8      | 14.9      | 53     |
| Ensilage, blandvall (1-50% klöver) (165)      | 4       | 44   | 394 | 85   | 74.1     | 166     | 569      | 79.2  | 435 | 186  | 4.09  |     | 75.841  | 55.0      | 17.4      | 50     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel  | Sk. nr. | Ant. | TS  | Aska | OS sambh | Rå-prot | sRå-prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjölksyra | Ättiksyra | Socker |
|---|---------|------|-----|------|----------|---------|----------|-------|-----|------|-------|-----|---------|-----------|-----------|--------|
| Ensilage, blandvall (1-50% klöver) (165)            | 5       | 7    | 305 | 94   | 74.8     | 176     | 549      | 59.7  | 395 | 204  | 4.06  |     | 110.886 | 91.4      | 16.7      | 25     |
| Korn, helsädesensilage (250)                        | 1       | 7    | 417 | 59   | 68.1     | 117     | 645      | 104   | 454 | 266  | 2.90  | 105 | 84.286  | 56.9      | 22.1      | 40     |
| Havre-ärt, helsädesensilage, 50% ärter (251)        | 1       | 1    | 278 | 48   | 60.1     | 91      | 718      | 110   | 516 | 314  | 2.11  | 64  | 105.000 | 83.0      | 20.0      | 12     |
| Åkerböna-vete, helsädesensilage, 50% vete (252)     | 1       | 1    | 375 | 46   | 63.7     | 94      | 489      | 45.0  | 464 | 349  | 2.47  | 162 | 9.000   | 7.0       | 0.0       | 54     |
| Ärter/Vicker/Havre, hela plantan, axgång till blom  | 1       | 3    | 364 | 62   | 66.4     | 108     | 472      | 50.7  | 461 | 383  | 5.77  | 105 | 42.667  | 29.7      | 10.3      | 63     |
| Majskolv, ensilerad (257)                           | 1       | 14   | 533 | 15   | 80.5     | 74      | 398      | 34.1  | 228 | 229  | 2.47  | 531 | 43.371  | 40.4      | 3.6       | 2      |
| Solros ensilage skattat (286)                       | 1       | 1    | 230 | 111  | 56.4     | 68      |          | 55.0  | 389 | 443  | 0.95  | 17  | 96.000  |           |           | 101    |
| Havre helsädesensilage degmognad (296)              | 1       | 5    | 297 | 63   | 64.8     | 111     | 557      | 108   | 490 | 288  | 2.94  | 88  | 59.000  | 37.0      | 18.4      | 29     |
| Vete, helsäd ensilage (299)                         | 1       | 4    | 399 | 69   | 74.7     | 143     | 665      | 85.0  | 450 | 145  | 3.81  | 46  | 97.000  | 73.5      | 20.0      | 104    |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30) | 1       | 7    | 396 | 55   | 67.3     | 109     | 566      | 76.4  | 419 | 304  | 2.46  | 173 | 51.000  | 33.4      | 15.7      | 42     |
| Majs, helsädesensilage (305)                        | 1       | 93   | 357 | 27   | 75.5     | 72      | 518      | 50.0  | 369 | 216  | 3.21  | 323 | 62.226  | 45.6      | 13.7      | 6      |
| Råg, helsädesensilage, axgång (311)                 | 1       | 1    | 333 | 59   | 70.1     | 106     | 599      | 60.0  | 555 | 187  | 4.09  | 18  | 51.000  | 37.0      | 14.0      | 87     |
| Hö, blandvall, 0-50% baljväxter (383)               | 0       | 1    | 875 | 51   | 59.6     | 44      |          |       | 583 | 282  | 2.59  |     | 0.000   |           |           | 147    |
| Hö, blandvall, 0-50% baljväxter (383)               | 1       | 11   | 832 | 56   | 64.0     | 85      | 448      |       | 569 | 260  | 3.44  |     | 2.636   | 0.0       | 4.4       | 126    |
| Hö, blandvall, 0-50% baljväxter (383)               | 2       | 4    | 861 | 83   | 72.0     | 150     | 368      |       | 499 | 187  | 4.29  |     | 1.500   | 0.0       | 5.0       | 87     |
| Grönmassa, blandvall (51-100% baljväxter) (437)     | 1       | 3    | 622 | 94   | 71.3     | 184     | 291      |       | 385 | 332  | 4.39  |     | 5.000   | 0.0       | 5.0       | 111    |
| Ensilage, blandvall (51-100% klöver) (438)          | 1       | 2    | 476 | 85   | 71.9     | 163     | 614      | 60.5  | 383 | 313  | 4.07  |     | 77.500  | 48.0      | 22.5      | 47     |
| Straw, untreated (barley, wheat, oat) (468)         | 1       | 2    | 713 | 49   | 57.1     | 90      | 492      |       | 596 | 377  | 3.08  |     | 5.500   | 0.0       | 2.5       | 25     |
| Grunnblanding Middels ford.grovför (326)            | 1       | 11   | 403 | 69   | 71.4     | 139     | 497      | 65.1  | 388 | 262  | 2.97  | 120 | 56.364  | 34.0      | 17.0      | 47     |
| Fullfoder (TMR) ej kompletta data (1E3)             | 1       | 1    | 568 | 63   | 78.6     | 148     | 533      | 55.0  | 400 | 140  | 4.61  | 116 |         |           |           | 70     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                    | Sk. nr. | Ant. | PRF     | BUF     | FOF | AAT-p20 | PBV-p20 | NEL-p20 | OE*  | AAT* | PBV* |
|---|---------|------|---------|---------|-----|---------|---------|---------|------|------|------|
| Korn, kärna (001)                             | 1       | 9    |         |         |     | 95.4    | 4.3     | 7.45    | 12.7 |      |      |
| Vete, kärna (005)                             | 1       | 7    |         |         |     | 112     | -54     | 7.93    | 13.9 |      |      |
| Majs, finmald kärna (014)                     | 1       | 1    |         |         |     | 108     | -73     | 7.96    | 13.7 |      |      |
| Rågvete (015)                                 | 1       | 1    |         |         |     | 110     | -59     | 7.99    | 14.0 |      |      |
| Åkerböna, kärna (007)                         | 1       | 1    |         |         |     | 99.3    | 137     | 7.59    |      |      |      |
| Majs hela plantan, grönmassa (030)            | 1       | 23   | 1.23077 | 0.0000  |     | 90.8    | -73     | 6.42    | 11.5 | 81.7 | -78  |
| Grönmassa, gräs (0% baljv.) (161)             | 1       | 10   | 1.85714 | 0.5714  |     | 83.4    | -8.4    | 5.48    | 10.1 | 69.3 | 23.0 |
| Grönmassa, gräs (0% baljv.) (161)             | 2       | 1    | 2.00000 | 0.0000  |     | 80.4    | -35     | 5.03    | 9.3  |      |      |
| Ensilage, gräs (0% klöver) (162)              | 0       | 3    |         | 0.3667  |     | 77.5    | 4.1     | 5.36    | 9.8  | 68.0 | 7.0  |
| Ensilage, gräs (0% klöver) (162)              | 1       | 10   | 2.33333 | 0.3500  |     | 81.8    | 1.5     | 5.88    | 10.5 | 70.5 | 8.3  |
| Ensilage, gräs (0% klöver) (162)              | 2       | 12   | 3.00000 | 1.1667  |     | 82.5    | 22.6    | 6.16    | 10.9 | 71.3 | 25.9 |
| Ensilage, gräs (0% klöver) (162)              | 3       | 7    | 1.00000 | 0.7286  |     | 82.7    | 20.0    | 5.98    | 10.7 | 70.3 | 29.9 |
| Ensilage, gräs (0% klöver) (162)              | 4       | 3    |         | 10.7000 |     | 76.6    | 33.3    | 5.78    | 10.1 | 69.0 | 35.7 |
| Ensilage, gräs (0% klöver) (162)              | 5       | 1    |         | 0.1000  |     | 81.5    | 46.8    | 6.40    | 11.3 | 72.0 | 53.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0       | 3    |         |         |     | 84.8    | 23.9    | 6.20    | 11.0 | 75.7 | 25.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 72   | 2.02222 | 0.7333  |     | 87.9    | 5.1     | 5.96    | 10.8 | 74.8 | 17.2 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2       | 40   | 1.70588 | 0.6471  |     | 86.4    | 17.9    | 6.00    | 10.7 | 74.2 | 29.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3       | 16   | 1.20000 | 0.0000  |     | 87.7    | 21.4    | 6.13    | 10.9 | 75.1 | 26.6 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4       | 13   | 0.00000 | 0.0000  |     | 86.6    | 28.9    | 6.04    | 10.7 | 74.0 | 40.7 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 5       | 2    | 1.00000 | 0.0000  |     | 87.5    | 53.5    | 6.23    | 11.1 | 76.0 | 65.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 0       | 6    |         | 0.7833  |     | 85.1    | 26.9    | 6.34    | 11.2 | 72.0 | 34.8 |
| Ensilage, blandvall (1-50% klöver) (165)      | 1       | 172  | 3.41538 | 0.7605  |     | 81.7    | 23.9    | 6.17    | 10.8 | 71.1 | 21.4 |
| Ensilage, blandvall (1-50% klöver) (165)      | 2       | 99   | 3.93333 | 1.1919  |     | 81.1    | 32.2    | 6.08    | 10.6 | 70.1 | 31.9 |
| Ensilage, blandvall (1-50% klöver) (165)      | 3       | 81   | 2.85455 | 0.7605  |     | 83.4    | 31.7    | 6.13    | 10.7 | 70.8 | 35.7 |
| Ensilage, blandvall (1-50% klöver) (165)      | 4       | 44   | 3.12500 | 0.8636  |     | 81.8    | 38.6    | 6.10    | 10.6 | 70.8 | 41.3 |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel  | Sk. nr. | Ant. | PRF     | BUF    | FOF | AAT-p20 | PBV-p20 | NEL-p20 | OE*  | AAT* | PBV* |
|---|---------|------|---------|--------|-----|---------|---------|---------|------|------|------|
| Ensilage, blandvall (1-50% klöver) (165)            | 5       | 7    | 3.20000 | 0.1714 |     | 79.6    | 51.4    | 6.21    | 10.6 | 71.0 | 39.0 |
| Korn, helsädesensilage (250)                        | 1       | 7    | 4.28571 | 1.0000 |     | 67.6    | 5.3     | 5.61    | 9.9  |      |      |
| Havre-ärt, helsädesensilage, 50% ärter (251)        | 1       | 1    |         |        |     | 59.1    | 2.0     | 5.05    |      |      |      |
| Åkerböna-vete, helsädesensilage, 50% vete (252)     | 1       | 1    | 2.00000 | 0.0000 |     | 74.3    | -20     | 5.11    | 9.3  |      |      |
| Ärter/Vicker/Havre, hela plantan, axgång till blom  | 1       | 3    | 6.00000 | 1.0000 |     | 74.6    | -9.9    | 5.41    | 9.8  |      |      |
| Majskolv, ensilerad (257)                           | 1       | 14   | 0.25000 | 0.0000 |     | 93.3    | -73     | 7.03    | 12.5 |      |      |
| Solros ensilage skattat (286)                       | 1       | 1    |         |        |     | 47.7    | -6.1    | 4.07    |      |      |      |
| Havre helsädesensilage degmognad (296)              | 1       | 5    | 4.66667 | 1.3333 |     | 73.2    | -6.4    | 5.32    | 9.2  |      |      |
| Vete, helsäd ensilage (299)                         | 1       | 4    | 2.75000 | 0.7500 |     | 71.0    | 21.6    | 6.30    | 10.9 |      |      |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30) | 1       | 7    | 2.50000 | 0.7500 |     | 73.7    | -7.0    | 5.53    | 9.8  |      |      |
| Majs, helsädesensilage (305)                        | 1       | 93   | 2.96667 | 0.0492 |     | 82.9    | -58     | 6.45    | 11.4 | 79.0 | -56  |
| Råg, helsädesensilage, axgång (311)                 | 1       | 1    |         |        |     | 73.5    | -13     | 5.70    |      |      |      |
| Hö, blandvall, 0-50% baljväxter (383)               | 0       | 1    |         |        |     | 73.5    | -61     | 4.37    | 8.6  | 62.0 | -61  |
| Hö, blandvall, 0-50% baljväxter (383)               | 1       | 11   | 1.40000 | 0.0000 |     | 83.1    | -39     | 4.93    | 9.3  | 65.3 | -36  |
| Hö, blandvall, 0-50% baljväxter (383)               | 2       | 4    | 1.00000 | 0.0000 |     | 95.4    | 1.4     | 5.69    | 10.3 | 73.3 | 36.0 |
| Halm, sträsäd, ej behandlad (385)                   | 0       | 0    |         |        |     |         |         | 0.00    |      |      |      |
| Grönmassa, blandvall (51-100% baljväxter) (437)     | 1       | 3    | 0.00000 | 0.0000 |     | 89.3    | 48.1    | 5.57    | 10.1 |      |      |
| Ensilage, blandvall (51-100% klöver) (438)          | 1       | 2    | 5.00000 | 2.0000 |     | 75.7    | 49.5    | 5.89    | 10.3 |      |      |
| Straw, untreated (barley, wheat, oat) (468)         | 1       | 2    | 1.00000 | 2.0000 |     | 73.1    | -35     | 4.24    | 8.2  |      |      |
| Grunnblanding Middels ford.grovför (326)            | 1       | 11   | 4.54545 | 0.8182 |     | 82.7    | 16.2    | 5.97    | 10.4 |      |      |
| Fullfoder (TMR) ej kompletta data (1E3)             | 1       | 1    |         |        |     |         |         | 0.00    |      |      |      |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                    | Sk. nr. | Ant. Ca | Ca  | P   | Mg  | K    | Na  | Cl   | S   | CAB | Ant. Fe | Fe    | Mn   | Zn   | Cu  | Se  |
|---|---------|---------|-----|-----|-----|------|-----|------|-----|-----|---------|-------|------|------|-----|-----|
| Korn, kärna (001)                             | 1       | 4       | 0.5 | 3.5 | 1.3 | 5.6  | 0.2 |      | 1.3 | 35  | 4       | 77.3  | 17.8 | 34.8 | 5.5 |     |
| Vete, kärna (005)                             | 1       | 2       | 0.4 | 3.1 | 1.3 | 5.1  | 0.1 |      | 1.3 | 31  | 2       | 54.0  | 19.5 | 32.5 | 4.5 |     |
| Majs hela plantan, grönmassa (030)            | 1       | 22      | 1.5 | 2.0 | 1.0 | 8.5  | 0.2 | 1.7  | 0.9 | 128 | 13      | 82.5  | 24.0 | 27.0 | 5.5 | 0.0 |
| Grönmassa, gräs (0% baljv.) (161)             | 1       | 10      | 3.9 | 2.6 | 1.7 | 18.7 | 0.9 | 3.6  | 2.0 | 280 | 4       | 159.0 | 72.5 | 23.5 | 5.4 |     |
| Grönmassa, gräs (0% baljv.) (161)             | 2       | 1       | 2.9 | 2.5 | 1.4 | 20.3 | 1.0 | 1.2  | 1.5 | 435 | 0       |       |      |      |     |     |
| Ensilage, gräs (0% klöver) (162)              | 0       | 3       | 6.4 | 2.2 | 2.1 | 17.6 | 1.6 | 5.4  | 1.8 | 253 | 3       | 365.7 | 70.7 | 23.7 | 6.1 |     |
| Ensilage, gräs (0% klöver) (162)              | 1       | 10      | 5.0 | 2.8 | 1.8 | 24.1 | 0.8 | 3.4  | 2.0 | 427 | 8       | 179.1 | 54.1 | 31.6 | 5.5 | 0.1 |
| Ensilage, gräs (0% klöver) (162)              | 2       | 11      | 6.8 | 3.0 | 2.5 | 23.7 | 1.7 | 8.0  | 2.7 | 301 | 11      | 174.6 | 62.2 | 28.7 | 6.5 | 0.1 |
| Ensilage, gräs (0% klöver) (162)              | 3       | 6       | 7.1 | 3.1 | 2.8 | 23.3 | 1.7 | 7.7  | 2.6 | 323 | 6       | 223.7 | 82.5 | 25.7 | 6.4 | 0.1 |
| Ensilage, gräs (0% klöver) (162)              | 4       | 2       | 6.9 | 3.7 | 2.9 | 24.5 | 2.6 | 15.2 | 2.6 | 262 | 2       | 344.5 | 93.0 | 26.5 | 8.0 |     |
| Ensilage, gräs (0% klöver) (162)              | 5       | 1       | 5.8 | 3.4 | 2.6 | 25.0 | 1.9 | 9.0  | 2.5 | 312 | 1       | 395.0 | 84.0 | 30.0 | 6.4 |     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0       | 3       | 6.8 | 3.0 | 2.3 | 26.0 | 1.9 |      | 2.2 | 480 | 3       | 94.7  | 65.3 | 26.7 | 6.4 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 71      | 5.2 | 3.0 | 1.9 | 24.7 | 1.1 | 4.8  | 2.1 | 414 | 38      | 160.8 | 54.7 | 31.2 | 5.6 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2       | 39      | 6.4 | 3.2 | 2.3 | 25.7 | 1.1 | 5.3  | 2.4 | 416 | 27      | 161.9 | 63.6 | 34.5 | 6.1 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3       | 16      | 6.6 | 3.3 | 2.4 | 26.1 | 1.4 | 5.6  | 2.5 | 435 | 12      | 137.2 | 72.6 | 29.3 | 6.7 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4       | 13      | 7.8 | 3.2 | 2.8 | 23.4 | 2.2 | 4.6  | 2.7 | 397 | 13      | 181.7 | 70.0 | 27.3 | 7.4 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 5       | 2       | 9.8 | 3.6 | 2.5 | 22.7 | 1.8 | 3.0  | 3.5 | 331 | 2       | 178.5 | 76.0 | 65.5 | 7.5 | 0.1 |
| Ensilage, blandvall (1-50% klöver) (165)      | 0       | 5       | 6.0 | 3.3 | 1.9 | 26.3 | 0.8 | 7.3  | 2.2 | 364 | 5       | 178.0 | 60.8 | 31.2 | 6.2 | 0.1 |
| Ensilage, blandvall (1-50% klöver) (165)      | 1       | 167     | 5.9 | 3.1 | 2.0 | 25.0 | 1.5 | 5.3  | 2.3 | 413 | 115     | 220.4 | 64.5 | 35.2 | 6.5 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 2       | 91      | 7.1 | 3.3 | 2.4 | 24.8 | 1.6 | 5.7  | 2.5 | 390 | 67      | 192.6 | 68.8 | 33.6 | 7.0 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 3       | 81      | 7.1 | 3.3 | 2.5 | 25.4 | 1.7 | 5.6  | 2.6 | 400 | 55      | 198.4 | 73.4 | 34.3 | 7.2 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 4       | 44      | 7.6 | 3.4 | 2.7 | 24.8 | 1.8 | 5.9  | 2.7 | 380 | 25      | 243.2 | 83.4 | 34.9 | 7.6 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 5       | 7       | 8.5 | 3.5 | 2.5 | 24.7 | 1.7 | 5.3  | 2.4 | 400 | 3       | 301.7 | 83.7 | 32.3 | 7.6 |     |
| Korn, helsädesensilage (250)                  | 1       | 7       | 4.3 | 2.7 | 1.6 | 18.9 | 0.8 | 3.6  | 1.8 | 305 | 4       | 158.0 | 51.3 | 29.8 | 4.3 | 0.1 |
| Havre-ärt, helsädesensilage, 50% ärter (251)  | 1       | 1       | 4.5 | 3.0 | 1.9 | 14.9 | 1.3 | 1.1  | 1.5 | 313 | 1       | 93.0  | 43.0 | 40.0 | 4.6 |     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel  | Sk. nr. | Ant. Ca | Ca   | P   | Mg  | K    | Na  | Cl  | S   | CAB | Ant. Fe | Fe    | Mn    | Zn    | Cu   | Se  |
|---|---------|---------|------|-----|-----|------|-----|-----|-----|-----|---------|-------|-------|-------|------|-----|
| Åkerböna-vete, helsädesensilage, 50% vete (252)     | 1       | 1       | 3.8  | 2.9 | 1.7 | 12.5 | 0.7 | 1.5 | 1.6 | 208 | 0       |       |       |       |      |     |
| Ärter/Vicker/Havre, hela plantan, axgång till blom  | 1       | 3       | 5.7  | 2.9 | 1.9 | 17.9 | 1.1 | 3.2 | 1.5 | 321 | 2       | 135.0 | 59.5  | 37.5  | 4.8  |     |
| Majskolv, ensilerad (257)                           | 1       | 14      | 0.5  | 2.2 | 0.8 | 5.1  | 0.3 | 0.8 | 0.9 | 57  | 8       | 53.1  | 7.8   | 22.6  | 2.4  |     |
| Solros ensilage skattat (286)                       | 1       | 1       | 15.0 | 1.7 | 3.1 | 31.4 | 0.2 |     | 1.6 | 346 | 1       | 120.0 | 39.0  | 19.0  | 10.6 | 0.1 |
| Havre helsädesensilage degmognad (296)              | 1       | 5       | 3.6  | 3.1 | 1.7 | 20.1 | 1.9 | 4.2 | 1.9 | 339 | 2       | 129.0 | 91.5  | 34.5  | 5.3  |     |
| Vete, helsäd ensilage (299)                         | 1       | 4       | 4.0  | 3.9 | 1.4 | 29.5 | 0.6 | 3.4 | 2.7 | 509 | 4       | 256.5 | 57.5  | 33.0  | 6.3  |     |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30) | 1       | 6       | 5.0  | 2.8 | 1.8 | 15.2 | 1.1 | 3.5 | 1.7 | 233 | 3       | 197.7 | 41.0  | 31.0  | 5.0  |     |
| Majs, helsädesensilage (305)                        | 1       | 92      | 1.6  | 1.9 | 1.0 | 8.8  | 0.3 | 1.4 | 0.9 | 141 | 64      | 134.2 | 24.7  | 29.2  | 4.7  | 0.0 |
| Råg, helsädesensilage, axgång (311)                 | 1       | 1       | 3.2  | 2.8 | 0.9 | 22.8 | 0.5 | 0.5 | 1.4 | 503 | 1       | 194.0 | 42.0  | 24.0  | 4.4  |     |
| Hö, blandvall, 0-50% baljväxter (383)               | 0       | 1       | 1.5  | 1.4 | 0.8 | 15.3 | 0.2 |     | 0.9 | 203 | 1       | 38.0  | 89.0  | 17.0  | 2.5  |     |
| Hö, blandvall, 0-50% baljväxter (383)               | 1       | 11      | 2.7  | 2.2 | 1.3 | 17.3 | 0.6 | 1.3 | 1.3 | 274 | 6       | 68.0  | 87.7  | 25.5  | 3.8  | 0.0 |
| Hö, blandvall, 0-50% baljväxter (383)               | 2       | 4       | 5.9  | 3.3 | 2.0 | 28.1 | 0.6 | 4.3 | 2.1 | 475 | 4       | 153.0 | 53.3  | 27.5  | 6.7  |     |
| Grönmassa, blandvall (51-100% baljväxter) (437)     | 1       | 3       | 11.7 | 3.3 | 3.1 | 25.8 | 0.7 | 2.1 | 2.5 | 454 | 0       |       |       |       |      |     |
| Ensilage, blandvall (51-100% klöver) (438)          | 1       | 2       | 11.1 | 3.3 | 2.4 | 26.2 | 1.0 | 4.5 | 2.8 | 413 | 1       | 220.0 | 22.0  | 31.0  | 5.0  | 0.0 |
| Straw, untreated (barley, wheat, oat) (468)         | 1       | 2       | 2.7  | 2.1 | 1.0 | 12.3 | 1.6 | 0.7 | 1.7 | 263 | 1       | 200.0 | 44.0  | 156.0 | 6.0  | 0.1 |
| Grunnblanding Middels ford.grovför (326)            | 1       | 11      | 8.0  | 3.9 | 3.4 | 18.6 | 2.2 | 4.7 | 2.6 | 278 | 5       | 281.0 | 108.0 | 90.4  | 18.2 |     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Statistik för område A

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 9     | 807.000    | 200.497 | 282.000       | 913.000       |
| Aska      | 9     | 33.933     | 19.923  | 17.400        | 69.000        |
| OS smbh   | 9     | 38.222     | 45.326  | 0.000         | 86.000        |
| Råprot    | 9     | 148.933    | 75.706  | 97.400        | 309.000       |
| sRåprot   | 5     | 244.800    | 66.721  | 150.000       | 303.000       |
| NH3-N     | 3     | 7.667      | 1.155   | 7.000         | 9.000         |
| NDF       | 5     | 158.800    | 20.042  | 132.000       | 186.000       |
| iNDF      | 9     | 101.111    | 72.205  | 25.000        | 162.000       |
| nhNDF     | 9     | 3.150      | 0.000   | 3.150         | 3.150         |
| Stä       | 9     | 429.178    | 236.787 | 11.000        | 685.600       |
| TAF       | 9     | 0.000      | 0.000   | 0.000         | 0.000         |
| Socket    | 5     | 18.800     | 42.038  | 0.000         | 94.000        |
| AATp20    | 9     | 95.353     | 2.660   | 91.901        | 99.612        |
| PBVp20    | 9     | 4.333      | 76.676  | -50.458       | 164.069       |
| NELp20    | 9     | 7.455      | 0.304   | 7.102         | 8.151         |
| OE*       | 4     | 12.675     | 0.486   | 12.400        | 13.400        |
| Ca        | 4     | 0.525      | 0.189   | 0.400         | 0.800         |
| P         | 4     | 3.450      | 0.342   | 3.100         | 3.900         |
| Mg        | 4     | 1.250      | 0.129   | 1.100         | 1.400         |
| K         | 4     | 5.600      | 0.762   | 4.600         | 6.400         |
| Na        | 4     | 0.150      | 0.058   | 0.100         | 0.200         |
| S         | 4     | 1.300      | 0.163   | 1.100         | 1.500         |
| CAB       | 4     | 34.691     | 15.715  | 11.290        | 44.826        |
| Fe        | 4     | 77.250     | 21.869  | 48.000        | 100.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 4     | 17.750     | 4.113   | 14.000        | 23.000        |
| Zn        | 4     | 34.750     | 4.193   | 29.000        | 39.000        |
| Cu        | 4     | 5.500      | 1.281   | 4.600         | 7.400         |

Fodermedel=Vete, kärna (005) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 869.571    | 40.0702 | 825.000       | 925.000       |
| Aska      | 7     | 18.429     | 3.4087  | 14.000        | 23.000        |
| OS smbh   | 7     | 25.143     | 42.9396 | 0.000         | 88.000        |
| Råprot    | 7     | 111.000    | 12.8841 | 86.000        | 126.000       |
| sRåprot   | 5     | 363.800    | 61.5727 | 306.000       | 460.000       |
| NH3-N     | 2     | 6.500      | 0.7071  | 6.000         | 7.000         |
| NDF       | 5     | 116.400    | 26.2640 | 94.000        | 161.000       |
| iNDF      | 7     | 71.286     | 79.0479 | 25.000        | 187.000       |
| nhNDF     | 7     | 3.500      | 0.0000  | 3.500         | 3.500         |
| Stä       | 7     | 576.143    | 50.1479 | 503.000       | 669.000       |
| TAF       | 7     | 0.000      | 0.0000  | 0.000         | 0.000         |
| Socket    | 5     | 10.800     | 24.1495 | 0.000         | 54.000        |
| AATp20    | 7     | 111.813    | 2.3296  | 107.769       | 114.380       |
| PBVp20    | 7     | -53.794    | 11.2638 | -76.929       | -42.256       |
| NELp20    | 7     | 7.927      | 0.1665  | 7.616         | 8.104         |
| OE*       | 5     | 13.860     | 0.3975  | 13.200        | 14.200        |
| Ca        | 2     | 0.350      | 0.0707  | 0.300         | 0.400         |
| P         | 2     | 3.050      | 0.4950  | 2.700         | 3.400         |

\*= Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Vete, kärna (005) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mg        | 2     | 1.250      | 0.0707  | 1.200         | 1.300         |
| K         | 2     | 5.100      | 1.2728  | 4.200         | 6.000         |
| Na        | 2     | 0.100      | 0.0000  | 0.100         | 0.100         |
| S         | 2     | 1.250      | 0.0707  | 1.200         | 1.300         |
| CAB       | 2     | 31.305     | 28.1328 | 11.413        | 51.198        |
| Fe        | 2     | 54.000     | 11.3137 | 46.000        | 62.000        |
| Mn        | 2     | 19.500     | 3.5355  | 17.000        | 22.000        |
| Zn        | 2     | 32.500     | 0.7071  | 32.000        | 33.000        |
| Cu        | 2     | 4.450      | 2.0506  | 3.000         | 5.900         |

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 612.000    | .       | 612.000       | 612.000       |
| Aska      | 1     | 20.000     | .       | 20.000        | 20.000        |
| OS smbh   | 1     | 0.000      | .       | 0.000         | 0.000         |
| Råprot    | 1     | 84.000     | .       | 84.000        | 84.000        |
| sRåprot   | 1     | 328.000    | .       | 328.000       | 328.000       |
| NDF       | 1     | 77.000     | .       | 77.000        | 77.000        |
| iNDF      | 1     | 25.000     | .       | 25.000        | 25.000        |
| nhNDF     | 1     | 3.700      | .       | 3.700         | 3.700         |
| Stä       | 1     | 648.000    | .       | 648.000       | 648.000       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socker    | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 107.856    | .       | 107.856       | 107.856       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 1     | -72.892    | .       | -72.892       | -72.892       |
| NELp20    | 1     | 7.962      | .       | 7.962         | 7.962         |
| OE*       | 1     | 13.700     | .       | 13.700        | 13.700        |

Fodermedel=Rågvete (015) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 855.000    | .       | 855.000       | 855.000       |
| Aska      | 1     | 20.000     | .       | 20.000        | 20.000        |
| OS smbh   | 1     | 0.000      | .       | 0.000         | 0.000         |
| Råprot    | 1     | 104.000    | .       | 104.000       | 104.000       |
| sRåprot   | 1     | 380.000    | .       | 380.000       | 380.000       |
| NDF       | 1     | 107.000    | .       | 107.000       | 107.000       |
| iNDF      | 1     | 25.000     | .       | 25.000        | 25.000        |
| nhNDF     | 1     | 3.500      | .       | 3.500         | 3.500         |
| Stä       | 1     | 612.000    | .       | 612.000       | 612.000       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socket    | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 109.994    | .       | 109.994       | 109.994       |
| PBVp20    | 1     | -58.662    | .       | -58.662       | -58.662       |
| NELp20    | 1     | 7.993      | .       | 7.993         | 7.993         |
| OE*       | 1     | 14.000     | .       | 14.000        | 14.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 860.000    | .       | 860.000       | 860.000       |
| Aska      | 1     | 37.000     | .       | 37.000        | 37.000        |
| OS smbh   | 1     | 88.959     | .       | 88.959        | 88.959        |
| Råprot    | 1     | 285.000    | .       | 285.000       | 285.000       |
| NH3-N     | 1     | 3.000      | .       | 3.000         | 3.000         |
| NDF       | 1     | 225.000    | .       | 225.000       | 225.000       |
| iNDF      | 1     | 32.000     | .       | 32.000        | 32.000        |
| nhNDF     | 1     | 4.700      | .       | 4.700         | 4.700         |
| Stä       | 1     | 390.000    | .       | 390.000       | 390.000       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 99.322     | .       | 99.322        | 99.322        |
| PBVp20    | 1     | 137.315    | .       | 137.315       | 137.315       |
| NElp20    | 1     | 7.593      | .       | 7.593         | 7.593         |

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 23    | 353.348    | 38.7939 | 299.000       | 394.000       |
| Aska      | 23    | 26.913     | 4.8889  | 20.000        | 33.000        |
| OS smbh   | 23    | 76.935     | 3.0391  | 74.200        | 80.400        |
| Råprot    | 23    | 68.783     | 5.0178  | 63.000        | 75.000        |
| sRåprot   | 23    | 365.261    | 38.4131 | 325.000       | 409.000       |
| NDF       | 23    | 355.174    | 36.8704 | 313.000       | 387.000       |
| iNDF      | 23    | 185.318    | 30.9752 | 134.508       | 229.000       |
| nhNDF     | 23    | 3.300      | 0.6686  | 2.617         | 4.453         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Stä       | 23    | 339.130    | 38.4120 | 279.000       | 383.000       |
| TAF       | 23    | 28.348     | 25.8538 | 3.000         | 57.000        |
| Mjölksyra | 13    | 0.000      | 0.0000  | 0.000         | 0.000         |
| Ättiksyra | 13    | 5.077      | 2.8125  | 2.000         | 10.000        |
| Socker    | 23    | 25.957     | 33.3419 | 1.000         | 80.000        |
| PRF       | 13    | 1.231      | 1.6408  | 0.000         | 4.000         |
| BUF       | 13    | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 23    | 90.817     | 2.3240  | 87.283        | 93.394        |
| PBVp20    | 23    | -73.168    | 5.2780  | -80.601       | -67.187       |
| NELp20    | 23    | 6.420      | 0.3180  | 6.070         | 6.858         |
| OE*       | 16    | 11.501     | 0.3113  | 11.110        | 11.950        |
| AAT*      | 3     | 81.667     | 0.5774  | 81.000        | 82.000        |
| PBV*      | 3     | -78.000    | 4.5826  | -83.000       | -74.000       |
| Ca        | 22    | 1.473      | 0.2434  | 1.200         | 1.800         |
| P         | 22    | 1.986      | 0.2532  | 1.700         | 2.200         |
| Mg        | 22    | 0.964      | 0.1590  | 0.700         | 1.100         |
| K         | 22    | 8.473      | 1.3850  | 7.400         | 10.200        |
| Na        | 21    | 0.176      | 0.0831  | 0.100         | 0.300         |
| Cl        | 10    | 1.700      | 0.4497  | 1.150         | 2.300         |
| S         | 22    | 0.868      | 0.1673  | 0.700         | 1.000         |
| CAB       | 22    | 127.828    | 36.3719 | 103.903       | 175.312       |
| Fe        | 13    | 82.462     | 26.1808 | 60.000        | 101.000       |
| Mn        | 13    | 24.000     | 12.7475 | 11.000        | 37.000        |
| Zn        | 13    | 27.000     | 17.5973 | 17.000        | 28.000        |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cu        | 13    | 5.469      | 8.0978  | 2.000         | 4.100         |
| Se        | 4     | 0.028      | 0.0240  | 0.006         | 0.050         |

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 10    | 623.200    | 213.537 | 276.000       | 849.000       |
| Aska      | 10    | 61.300     | 17.858  | 44.500        | 89.000        |
| OS smbh   | 10    | 69.150     | 7.084   | 59.000        | 76.400        |
| Råprot    | 10    | 120.200    | 37.261  | 72.500        | 172.000       |
| sRåprot   | 7     | 466.714    | 82.129  | 376.000       | 638.000       |
| NDF       | 10    | 527.500    | 65.908  | 435.000       | 610.000       |
| iNDF      | 10    | 206.223    | 72.911  | 107.025       | 291.771       |
| nhNDF     | 10    | 3.849      | 0.816   | 2.852         | 5.065         |
| Stä       | 1     | 22.000     | .       | 22.000        | 22.000        |
| TAF       | 10    | 21.500     | 27.802  | 0.000         | 61.000        |
| Mjölksyra | 7     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 7     | 2.143      | 5.242   | 0.000         | 14.000        |
| Socket    | 10    | 100.200    | 42.525  | 64.000        | 163.000       |
| PRF       | 7     | 1.857      | 2.268   | 0.000         | 6.000         |
| BUF       | 7     | 0.571      | 1.134   | 0.000         | 3.000         |
| AATp20    | 10    | 83.417     | 7.772   | 72.021        | 91.268        |
| PBVp20    | 10    | -8.352     | 29.659  | -48.582       | 34.060        |
| NELp20    | 10    | 5.481      | 0.611   | 4.643         | 6.183         |
| OE*       | 10    | 10.055     | 1.082   | 8.480         | 11.105        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AAT*      | 3     | 69.333     | 10.693  | 57.000        | 76.000        |
| PBV*      | 3     | 23.000     | 33.808  | 2.000         | 62.000        |
| Ca        | 10    | 3.890      | 1.496   | 2.450         | 6.250         |
| P         | 10    | 2.610      | 0.709   | 1.850         | 3.650         |
| Mg        | 10    | 1.700      | 0.424   | 1.150         | 2.250         |
| K         | 10    | 18.720     | 8.118   | 8.800         | 29.900        |
| Na        | 10    | 0.930      | 0.742   | 0.250         | 2.050         |
| Cl        | 7     | 3.629      | 3.633   | 0.400         | 9.200         |
| S         | 10    | 2.010      | 0.582   | 1.350         | 2.950         |
| CAB       | 10    | 279.779    | 174.916 | 53.220        | 516.860       |
| Fe        | 4     | 159.000    | 48.942  | 112.000       | 226.000       |
| Mn        | 4     | 72.500     | 41.805  | 38.000        | 132.000       |
| Zn        | 4     | 23.500     | 2.082   | 21.000        | 26.000        |
| Cu        | 4     | 5.425      | 1.401   | 3.400         | 6.600         |

## Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 839.000    | .       | 839.000       | 839.000       |
| Aska      | 1     | 56.000     | .       | 56.000        | 56.000        |
| OS smbh   | 1     | 64.300     | .       | 64.300        | 64.300        |
| Råprot    | 1     | 86.000     | .       | 86.000        | 86.000        |
| sRåprot   | 1     | 399.000    | .       | 399.000       | 399.000       |
| NDF       | 1     | 594.000    | .       | 594.000       | 594.000       |
| iNDF      | 1     | 255.000    | .       | 255.000       | 255.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| nhNDF     | 1     | 3.725      | .       | 3.725         | 3.725         |
| TAF       | 1     | 2.000      | .       | 2.000         | 2.000         |
| Mjölksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Ättiksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socket    | 1     | 59.000     | .       | 59.000        | 59.000        |
| PRF       | 1     | 2.000      | .       | 2.000         | 2.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 80.428     | .       | 80.428        | 80.428        |
| PBVp20    | 1     | -34.674    | .       | -34.674       | -34.674       |
| NELp20    | 1     | 5.027      | .       | 5.027         | 5.027         |
| OE*       | 1     | 9.320      | .       | 9.320         | 9.320         |
| Ca        | 1     | 2.900      | .       | 2.900         | 2.900         |
| P         | 1     | 2.500      | .       | 2.500         | 2.500         |
| Mg        | 1     | 1.400      | .       | 1.400         | 1.400         |
| K         | 1     | 20.300     | .       | 20.300        | 20.300        |
| Na        | 1     | 1.000      | .       | 1.000         | 1.000         |
| Cl        | 1     | 1.200      | .       | 1.200         | 1.200         |
| S         | 1     | 1.500      | .       | 1.500         | 1.500         |
| CAB       | 1     | 435.107    | .       | 435.107       | 435.107       |

\* = Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 564.667    | 288.621 | 258.000       | 831.000       |
| Aska      | 3     | 76.000     | 29.816  | 43.000        | 101.000       |
| OS smbh   | 3     | 68.567     | 5.442   | 62.300        | 72.100        |
| Råprot    | 3     | 123.667    | 41.549  | 81.000        | 164.000       |
| sRåprot   | 3     | 454.000    | 84.327  | 360.000       | 523.000       |
| NH3-N     | 3     | 44.000     | 22.605  | 18.000        | 59.000        |
| NDF       | 3     | 448.333    | 93.725  | 385.000       | 556.000       |
| iNDF      | 3     | 241.856    | 24.838  | 224.408       | 270.293       |
| nhNDF     | 3     | 2.939      | 0.236   | 2.686         | 3.154         |
| TAF       | 3     | 57.033     | 57.230  | 14.500        | 122.100       |
| Mjölksyra | 3     | 42.333     | 46.801  | 10.000        | 96.000        |
| Ättiksyra | 3     | 13.333     | 11.060  | 3.000         | 25.000        |
| Socker    | 3     | 91.667     | 59.543  | 23.000        | 129.000       |
| BUF       | 3     | 0.367      | 0.231   | 0.100         | 0.500         |
| AATp20    | 3     | 77.487     | 2.310   | 75.455        | 80.000        |
| PBVp20    | 3     | 4.144      | 38.855  | -33.576       | 44.043        |
| NELp20    | 3     | 5.364      | 0.573   | 4.789         | 5.934         |
| OE*       | 3     | 9.800      | 0.624   | 9.100         | 10.300        |
| AAT*      | 3     | 68.000     | 1.732   | 66.000        | 69.000        |
| PBV*      | 3     | 7.000      | 37.510  | -31.000       | 44.000        |
| Ca        | 3     | 6.367      | 2.950   | 3.000         | 8.500         |
| P         | 3     | 2.200      | 0.656   | 1.500         | 2.800         |
| Mg        | 3     | 2.133      | 0.839   | 1.600         | 3.100         |
| K         | 3     | 17.567     | 8.815   | 8.200         | 25.700        |

\*= Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 3     | 1.600      | 1.212   | 0.300         | 2.700         |
| Cl        | 3     | 5.433      | 1.966   | 4.200         | 7.700         |
| S         | 3     | 1.800      | 0.436   | 1.500         | 2.300         |
| CAB       | 3     | 253.289    | 178.364 | 108.800       | 452.639       |
| Fe        | 3     | 365.667    | 305.883 | 69.000        | 680.000       |
| Mn        | 3     | 70.667     | 34.530  | 31.000        | 94.000        |
| Zn        | 3     | 23.667     | 5.686   | 19.000        | 30.000        |
| Cu        | 3     | 6.067      | 1.050   | 5.000         | 7.100         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 10    | 545.400    | 205.012 | 277.500       | 817.000       |
| Aska      | 10    | 67.300     | 12.166  | 48.000        | 80.000        |
| OS smbh   | 10    | 72.130     | 5.479   | 64.250        | 77.800        |
| Råprot    | 10    | 128.600    | 24.892  | 91.500        | 159.500       |
| sRåprot   | 10    | 544.400    | 79.989  | 430.500       | 628.500       |
| NH3-N     | 9     | 57.667     | 37.974  | 6.000         | 118.000       |
| NDF       | 10    | 509.600    | 51.295  | 443.500       | 575.500       |
| iNDF      | 10    | 159.157    | 65.515  | 81.500        | 253.000       |
| nhNDF     | 10    | 3.982      | 0.696   | 3.262         | 4.969         |
| TAF       | 10    | 49.550     | 34.289  | 11.000        | 94.600        |
| Mjölksyra | 10    | 35.200     | 30.915  | 3.000         | 76.000        |
| Ättiksyra | 10    | 12.200     | 5.978   | 4.000         | 19.500        |
| Socker    | 10    | 67.800     | 52.994  | 17.000        | 146.500       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PRF       | 6     | 2.333      | 1.366   | 0.000         | 4.000         |
| BUF       | 10    | 0.350      | 0.846   | 0.000         | 1.650         |
| AATp20    | 10    | 81.820     | 5.421   | 75.337        | 89.218        |
| PBVp20    | 10    | 1.521      | 17.077  | -22.800       | 22.308        |
| NELp20    | 10    | 5.880      | 0.519   | 5.150         | 6.342         |
| OE*       | 10    | 10.503     | 0.807   | 9.355         | 11.355        |
| AAT*      | 4     | 70.500     | 2.380   | 67.000        | 72.000        |
| PBV*      | 4     | 8.250      | 21.061  | -20.000       | 31.000        |
| Ca        | 10    | 4.990      | 0.849   | 4.100         | 6.250         |
| P         | 10    | 2.800      | 0.651   | 2.000         | 3.750         |
| Mg        | 10    | 1.750      | 0.406   | 1.350         | 2.400         |
| K         | 10    | 24.110     | 6.071   | 15.500        | 31.700        |
| Na        | 10    | 0.770      | 0.558   | 0.250         | 1.550         |
| Cl        | 10    | 3.430      | 2.168   | 0.150         | 5.800         |
| S         | 10    | 2.030      | 0.568   | 1.550         | 2.900         |
| CAB       | 10    | 426.608    | 113.681 | 293.004       | 583.218       |
| Fe        | 8     | 179.125    | 115.818 | 93.000        | 443.000       |
| Mn        | 8     | 54.125     | 12.112  | 38.000        | 74.000        |
| Zn        | 8     | 31.625     | 15.014  | 20.000        | 66.000        |
| Cu        | 8     | 5.475      | 0.948   | 4.500         | 7.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

\* = Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 12    | 419.083    | 149.583 | 250.000       | 678.000       |
| Aska      | 12    | 76.750     | 10.101  | 66.000        | 90.000        |
| OS smbh   | 12    | 75.467     | 3.115   | 72.200        | 78.900        |
| Råprot    | 12    | 152.917    | 24.604  | 117.000       | 175.000       |
| sRåprot   | 12    | 593.417    | 84.730  | 457.000       | 707.000       |
| NH3-N     | 12    | 80.333     | 32.659  | 29.000        | 117.000       |
| NDF       | 12    | 448.917    | 33.372  | 411.000       | 482.000       |
| iNDF      | 12    | 152.207    | 35.893  | 110.927       | 205.063       |
| nhNDF     | 12    | 4.361      | 0.559   | 3.702         | 5.182         |
| TAF       | 12    | 66.833     | 28.268  | 24.000        | 90.200        |
| Mjölksyra | 12    | 50.833     | 21.315  | 20.000        | 70.000        |
| Ättiksyra | 12    | 13.167     | 6.873   | 2.000         | 20.000        |
| Socker    | 12    | 58.750     | 34.557  | 18.000        | 106.000       |
| PRF       | 4     | 3.000      | 2.160   | 1.000         | 6.000         |
| BUF       | 12    | 1.167      | 1.550   | 0.000         | 3.400         |
| AATp20    | 12    | 82.476     | 5.078   | 75.814        | 89.474        |
| PBVp20    | 12    | 22.567     | 22.000  | -9.285        | 45.702        |
| NELp20    | 12    | 6.163      | 0.331   | 5.661         | 6.482         |
| OE*       | 12    | 10.940     | 0.541   | 10.400        | 11.500        |
| AAT*      | 8     | 71.250     | 1.982   | 68.000        | 74.000        |
| PBV*      | 8     | 25.875     | 25.820  | -20.000       | 50.000        |
| Ca        | 11    | 6.836      | 0.895   | 5.700         | 8.000         |
| P         | 11    | 2.955      | 0.345   | 2.700         | 3.400         |
| Mg        | 11    | 2.473      | 0.490   | 2.100         | 3.100         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 11    | 23.718     | 3.049   | 20.500        | 28.900        |
| Na        | 11    | 1.745      | 0.591   | 1.000         | 2.200         |
| Cl        | 11    | 7.982      | 1.957   | 5.700         | 10.000        |
| S         | 11    | 2.673      | 0.498   | 1.900         | 3.300         |
| CAB       | 11    | 301.362    | 77.875  | 208.650       | 385.675       |
| Fe        | 11    | 174.636    | 85.716  | 102.000       | 263.000       |
| Mn        | 11    | 62.182     | 16.630  | 36.000        | 77.000        |
| Zn        | 11    | 28.727     | 6.166   | 21.000        | 37.000        |
| Cu        | 11    | 6.464      | 0.916   | 5.700         | 7.000         |
| Se        | 2     | 0.095      | 0.064   | 0.050         | 0.140         |

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 476.571    | 204.185 | 275.000       | 866.000       |
| Aska      | 7     | 81.143     | 11.838  | 63.000        | 95.000        |
| OS smbh   | 7     | 74.071     | 3.528   | 69.600        | 79.300        |
| Råprot    | 7     | 150.429    | 36.805  | 102.000       | 206.000       |
| sRåprot   | 7     | 529.429    | 115.654 | 344.000       | 619.000       |
| NH3-N     | 7     | 74.429     | 33.286  | 12.000        | 113.000       |
| NDF       | 7     | 448.429    | 42.011  | 395.000       | 508.000       |
| iNDF      | 7     | 170.833    | 34.005  | 131.400       | 219.921       |
| nhNDF     | 7     | 4.082      | 0.511   | 3.364         | 4.772         |
| TAF       | 7     | 59.729     | 33.322  | 9.500         | 88.500        |
| Mjölksyra | 7     | 46.857     | 26.767  | 5.000         | 67.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 7     | 11.143     | 6.414   | 2.000         | 18.000        |
| Socker    | 7     | 59.286     | 37.911  | 10.000        | 109.000       |
| PRF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| BUF       | 7     | 0.729      | 1.255   | 0.000         | 3.500         |
| AATp20    | 7     | 82.721     | 6.264   | 73.777        | 92.789        |
| PBVp20    | 7     | 19.955     | 31.916  | -23.894       | 71.729        |
| NELp20    | 7     | 5.979      | 0.447   | 5.296         | 6.618         |
| OE*       | 7     | 10.669     | 0.676   | 9.800         | 11.800        |
| AAT*      | 6     | 70.333     | 1.751   | 68.000        | 73.000        |
| PBV*      | 6     | 29.850     | 37.167  | -15.000       | 83.000        |
| Ca        | 6     | 7.083      | 1.105   | 6.300         | 9.200         |
| P         | 6     | 3.083      | 0.279   | 2.800         | 3.600         |
| Mg        | 6     | 2.767      | 0.589   | 2.000         | 3.500         |
| K         | 6     | 23.267     | 5.516   | 14.900        | 31.900        |
| Na        | 6     | 1.700      | 0.669   | 1.000         | 2.900         |
| Cl        | 6     | 7.733      | 2.897   | 4.300         | 12.900        |
| S         | 6     | 2.633      | 0.388   | 2.100         | 3.300         |
| CAB       | 6     | 322.695    | 100.142 | 176.263       | 488.629       |
| Fe        | 6     | 223.667    | 147.127 | 81.000        | 475.000       |
| Mn        | 6     | 82.500     | 25.571  | 52.000        | 112.000       |
| Zn        | 6     | 25.667     | 5.854   | 17.000        | 33.000        |
| Cu        | 6     | 6.383      | 0.928   | 5.000         | 7.700         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 278.667    | 76.107  | 205.000       | 357.000       |
| Aska      | 3     | 107.000    | 21.000  | 92.000        | 131.000       |
| OS smbh   | 3     | 71.967     | 3.190   | 69.300        | 75.500        |
| Råprot    | 3     | 154.333    | 15.822  | 137.000       | 168.000       |
| sRåprot   | 3     | 530.000    | 110.666 | 427.000       | 647.000       |
| NH3-N     | 3     | 132.000    | 44.034  | 89.000        | 177.000       |
| NDF       | 3     | 450.667    | 40.772  | 417.000       | 496.000       |
| iNDF      | 3     | 190.076    | 25.564  | 162.153       | 212.328       |
| nhNDF     | 3     | 3.859      | 0.394   | 3.423         | 4.192         |
| TAF       | 3     | 87.033     | 25.380  | 58.600        | 107.400       |
| Mjölksyra | 3     | 51.667     | 19.399  | 39.000        | 74.000        |
| Ättiksyra | 3     | 23.667     | 13.868  | 12.000        | 39.000        |
| Socker    | 3     | 33.667     | 35.105  | 10.000        | 74.000        |
| BUF       | 3     | 10.700     | 13.139  | 0.100         | 25.400        |
| AATp20    | 3     | 76.559     | 4.092   | 72.447        | 80.631        |
| PBVp20    | 3     | 33.306     | 8.431   | 23.692        | 39.442        |
| NELp20    | 3     | 5.785      | 0.220   | 5.549         | 5.984         |
| OE*       | 3     | 10.067     | 0.651   | 9.400         | 10.700        |
| AAT*      | 3     | 69.000     | 2.000   | 67.000        | 71.000        |
| PBV*      | 3     | 35.667     | 12.342  | 22.000        | 46.000        |
| Ca        | 2     | 6.850      | 2.475   | 5.100         | 8.600         |
| P         | 2     | 3.650      | 0.212   | 3.500         | 3.800         |
| Mg        | 2     | 2.900      | 0.283   | 2.700         | 3.100         |
| K         | 2     | 24.450     | 2.616   | 22.600        | 26.300        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 2     | 2.600      | 0.566   | 2.200         | 3.000         |
| Cl        | 3     | 15.233     | 7.200   | 9.800         | 23.400        |
| S         | 2     | 2.600      | 0.566   | 2.200         | 3.000         |
| CAB       | 2     | 261.779    | 2.373   | 260.101       | 263.456       |
| Fe        | 2     | 344.500    | 70.004  | 295.000       | 394.000       |
| Mn        | 2     | 93.000     | 24.042  | 76.000        | 110.000       |
| Zn        | 2     | 26.500     | 3.536   | 24.000        | 29.000        |
| Cu        | 2     | 7.950      | 0.212   | 7.800         | 8.100         |

## Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 390.000    | .       | 390.000       | 390.000       |
| Aska      | 1     | 98.000     | .       | 98.000        | 98.000        |
| OS smbh   | 1     | 79.300     | .       | 79.300        | 79.300        |
| Råprot    | 1     | 178.000    | .       | 178.000       | 178.000       |
| sRåprot   | 1     | 602.000    | .       | 602.000       | 602.000       |
| NH3-N     | 1     | 73.000     | .       | 73.000        | 73.000        |
| NDF       | 1     | 342.000    | .       | 342.000       | 342.000       |
| iNDF      | 1     | 135.491    | .       | 135.491       | 135.491       |
| nhNDF     | 1     | 4.280      | .       | 4.280         | 4.280         |
| TAF       | 1     | 101.100    | .       | 101.100       | 101.100       |
| Mjölksyra | 1     | 83.000     | .       | 83.000        | 83.000        |
| Ättiksyra | 1     | 17.000     | .       | 17.000        | 17.000        |
| Socket    | 1     | 76.000     | .       | 76.000        | 76.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| BUF       | 1     | 0.100      | .       | 0.100         | 0.100         |
| AATp20    | 1     | 81.479     | .       | 81.479        | 81.479        |
| PBVp20    | 1     | 46.774     | .       | 46.774        | 46.774        |
| NELp20    | 1     | 6.403      | .       | 6.403         | 6.403         |
| OE*       | 1     | 11.300     | .       | 11.300        | 11.300        |
| AAT*      | 1     | 72.000     | .       | 72.000        | 72.000        |
| PBV*      | 1     | 53.000     | .       | 53.000        | 53.000        |
| Ca        | 1     | 5.800      | .       | 5.800         | 5.800         |
| P         | 1     | 3.400      | .       | 3.400         | 3.400         |
| Mg        | 1     | 2.600      | .       | 2.600         | 2.600         |
| K         | 1     | 25.000     | .       | 25.000        | 25.000        |
| Na        | 1     | 1.900      | .       | 1.900         | 1.900         |
| Cl        | 1     | 9.000      | .       | 9.000         | 9.000         |
| S         | 1     | 2.500      | .       | 2.500         | 2.500         |
| CAB       | 1     | 312.224    | .       | 312.224       | 312.224       |
| Fe        | 1     | 395.000    | .       | 395.000       | 395.000       |
| Mn        | 1     | 84.000     | .       | 84.000        | 84.000        |
| Zn        | 1     | 30.000     | .       | 30.000        | 30.000        |
| Cu        | 1     | 6.400      | .       | 6.400         | 6.400         |

\* = Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 503.000    | 34.3948 | 474.000       | 541.000       |
| Aska      | 3     | 85.333     | 7.7675  | 79.000        | 94.000        |
| OS smbh   | 3     | 76.233     | 3.4269  | 73.300        | 80.000        |
| Råprot    | 3     | 155.667    | 19.7569 | 138.000       | 177.000       |
| NDF       | 3     | 463.333    | 19.7569 | 442.000       | 481.000       |
| iNDF      | 3     | 140.397    | 36.0607 | 101.364       | 172.472       |
| nhNDF     | 3     | 4.887      | 0.7732  | 4.225         | 5.737         |
| TAF       | 3     | 84.000     | 0.0000  | 84.000        | 84.000        |
| Socket    | 3     | 112.667    | 46.0145 | 66.000        | 158.000       |
| AATp20    | 3     | 84.840     | 3.4801  | 81.403        | 88.362        |
| PBVp20    | 3     | 23.851     | 17.5428 | 13.028        | 44.092        |
| NELp20    | 3     | 6.203      | 0.2964  | 5.911         | 6.503         |
| OE*       | 3     | 10.967     | 0.5508  | 10.600        | 11.600        |
| AAT*      | 3     | 75.667     | 2.8868  | 74.000        | 79.000        |
| PBV*      | 3     | 25.000     | 20.0749 | 11.000        | 48.000        |
| Ca        | 3     | 6.767      | 1.7502  | 5.000         | 8.500         |
| P         | 3     | 3.033      | 0.8145  | 2.100         | 3.600         |
| Mg        | 3     | 2.267      | 0.9018  | 1.400         | 3.200         |
| K         | 3     | 26.000     | 1.2166  | 25.200        | 27.400        |
| Na        | 3     | 1.900      | 0.7550  | 1.200         | 2.700         |
| S         | 3     | 2.167      | 0.3215  | 1.800         | 2.400         |
| CAB       | 3     | 479.759    | 4.2377  | 476.797       | 484.613       |
| Fe        | 3     | 94.667     | 13.0512 | 81.000        | 107.000       |
| Mn        | 3     | 65.333     | 6.5064  | 59.000        | 72.000        |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 3     | 26.667     | 6.3509  | 23.000        | 34.000        |
| Cu        | 3     | 6.400      | 1.4107  | 5.100         | 7.900         |
| Se        | 1     | 0.031      | .       | 0.031         | 0.031         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 72    | 445.250    | 143.884 | 294.000       | 613.000       |
| Aska      | 71    | 71.479     | 9.977   | 61.000        | 85.000        |
| OS smbh   | 72    | 73.919     | 4.533   | 68.500        | 78.300        |
| Råprot    | 71    | 140.310    | 25.372  | 111.000       | 167.000       |
| sRåprot   | 45    | 446.333    | 73.475  | 378.000       | 529.000       |
| NH3-N     | 1     | 51.000     | .       | 51.000        | 51.000        |
| NDF       | 71    | 491.225    | 60.075  | 427.000       | 553.000       |
| iNDF      | 72    | 155.391    | 51.707  | 97.000        | 222.515       |
| nhNDF     | 72    | 4.394      | 0.812   | 3.585         | 5.560         |
| TAF       | 72    | 36.403     | 37.762  | 1.000         | 84.000        |
| Mjölksyra | 45    | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 45    | 5.089      | 6.898   | 0.000         | 12.000        |
| Socket    | 71    | 124.803    | 49.680  | 52.000        | 189.000       |
| PRF       | 45    | 2.022      | 2.692   | 0.000         | 6.000         |
| BUF       | 45    | 0.733      | 1.737   | 0.000         | 3.000         |
| AATp20    | 72    | 87.871     | 6.195   | 79.971        | 94.946        |
| PBVp20    | 72    | 5.129      | 19.167  | -19.807       | 25.166        |
| NELp20    | 72    | 5.957      | 0.433   | 5.349         | 6.445         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 71    | 10.753     | 0.718   | 9.940         | 11.480        |
| AAT*      | 26    | 74.769     | 4.885   | 66.000        | 80.000        |
| PBV*      | 26    | 17.231     | 19.539  | -9.000        | 39.000        |
| Ca        | 71    | 5.217      | 1.451   | 3.600         | 7.300         |
| P         | 71    | 3.014      | 0.462   | 2.600         | 3.600         |
| Mg        | 71    | 1.889      | 0.452   | 1.300         | 2.400         |
| K         | 71    | 24.683     | 5.221   | 17.500        | 31.500        |
| Na        | 71    | 1.099      | 0.850   | 0.400         | 1.600         |
| Cl        | 45    | 4.827      | 3.462   | 1.600         | 8.600         |
| S         | 71    | 2.089      | 0.456   | 1.600         | 2.500         |
| CAB       | 71    | 413.845    | 127.061 | 251.380       | 573.264       |
| Fe        | 38    | 160.816    | 137.452 | 80.000        | 316.000       |
| Mn        | 38    | 54.658     | 17.589  | 34.000        | 81.000        |
| Zn        | 38    | 31.184     | 7.454   | 23.000        | 43.000        |
| Cu        | 38    | 5.639      | 2.630   | 3.400         | 9.000         |
| Se        | 11    | 0.023      | 0.016   | 0.011         | 0.040         |

## Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 40    | 484.350    | 174.026 | 270.500       | 742.000       |
| Aska      | 40    | 80.675     | 12.001  | 62.500        | 96.000        |
| OS smbh   | 40    | 73.955     | 3.836   | 68.550        | 77.450        |
| Råprot    | 40    | 151.600    | 27.760  | 115.000       | 180.500       |
| sRåprot   | 17    | 422.765    | 82.503  | 336.000       | 590.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 40    | 482.200    | 47.769  | 405.000       | 548.000       |
| iNDF      | 40    | 164.545    | 45.227  | 98.603        | 217.780       |
| nhNDF     | 40    | 4.521      | 0.802   | 3.618         | 5.635         |
| TAF       | 40    | 52.625     | 37.826  | 0.000         | 84.000        |
| Mjölksyra | 17    | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 17    | 7.824      | 10.678  | 0.000         | 28.000        |
| Socker    | 40    | 97.275     | 49.235  | 25.500        | 161.500       |
| PRF       | 17    | 1.706      | 2.519   | 0.000         | 7.000         |
| BUF       | 17    | 0.647      | 1.367   | 0.000         | 4.000         |
| AATp20    | 40    | 86.386     | 6.106   | 76.288        | 94.458        |
| PBVp20    | 40    | 17.915     | 23.744  | -10.129       | 47.664        |
| NELp20    | 40    | 5.996      | 0.395   | 5.522         | 6.417         |
| OE*       | 40    | 10.661     | 0.607   | 9.700         | 11.325        |
| AAT*      | 23    | 74.174     | 3.798   | 68.000        | 78.000        |
| PBV*      | 23    | 29.043     | 25.492  | -4.000        | 58.000        |
| Ca        | 39    | 6.359      | 2.071   | 3.600         | 9.700         |
| P         | 39    | 3.200      | 0.523   | 2.500         | 4.000         |
| Mg        | 39    | 2.290      | 0.500   | 1.600         | 3.000         |
| K         | 39    | 25.741     | 5.057   | 19.900        | 32.600        |
| Na        | 39    | 1.090      | 0.595   | 0.300         | 1.900         |
| Cl        | 17    | 5.253      | 4.112   | 1.800         | 9.700         |
| S         | 39    | 2.415      | 0.386   | 1.800         | 3.000         |
| CAB       | 39    | 415.573    | 121.122 | 256.736       | 597.497       |
| Fe        | 27    | 161.852    | 132.696 | 84.000        | 380.000       |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 27    | 63.630     | 17.447  | 42.000        | 81.000        |
| Zn        | 27    | 34.481     | 24.472  | 21.000        | 40.000        |
| Cu        | 27    | 6.070      | 1.092   | 4.700         | 7.400         |
| Se        | 7     | 0.025      | 0.009   | 0.011         | 0.040         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 16    | 513.938    | 129.059 | 337.000       | 663.000       |
| Aska      | 16    | 84.563     | 9.201   | 71.000        | 96.000        |
| OS smbh   | 16    | 75.544     | 2.417   | 72.800        | 79.700        |
| Råprot    | 16    | 157.688    | 17.846  | 145.000       | 180.000       |
| sRåprot   | 5     | 375.800    | 48.122  | 301.000       | 431.000       |
| NDF       | 16    | 470.813    | 39.551  | 394.000       | 515.000       |
| iNDF      | 16    | 149.500    | 32.427  | 99.320        | 169.238       |
| nhNDF     | 16    | 4.818      | 0.722   | 4.164         | 6.108         |
| TAF       | 16    | 58.375     | 39.258  | 1.000         | 84.000        |
| Mjölksyra | 5     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 5     | 0.800      | 1.304   | 0.000         | 3.000         |
| Socker    | 16    | 102.313    | 30.992  | 53.000        | 139.000       |
| PRF       | 5     | 1.200      | 1.304   | 0.000         | 3.000         |
| BUF       | 5     | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 16    | 87.673     | 5.808   | 80.765        | 95.451        |
| PBVp20    | 16    | 21.375     | 14.770  | -2.840        | 37.682        |
| NELp20    | 16    | 6.132      | 0.249   | 5.901         | 6.594         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 16    | 10.853     | 0.351   | 10.400        | 11.400        |
| AAT*      | 11    | 75.091     | 1.921   | 73.000        | 77.000        |
| PBV*      | 11    | 26.636     | 18.051  | 22.000        | 42.000        |
| Ca        | 16    | 6.594      | 1.987   | 4.800         | 9.600         |
| P         | 16    | 3.281      | 0.387   | 2.700         | 3.700         |
| Mg        | 16    | 2.394      | 0.406   | 2.000         | 2.900         |
| K         | 16    | 26.081     | 4.659   | 20.600        | 33.300        |
| Na        | 16    | 1.438      | 0.609   | 0.700         | 2.400         |
| Cl        | 4     | 5.550      | 1.308   | 4.800         | 7.500         |
| S         | 16    | 2.506      | 0.422   | 1.900         | 3.200         |
| CAB       | 16    | 434.519    | 109.526 | 316.471       | 602.948       |
| Fe        | 12    | 137.167    | 68.620  | 87.000        | 180.000       |
| Mn        | 12    | 72.583     | 19.256  | 51.000        | 93.000        |
| Zn        | 12    | 29.333     | 5.433   | 24.000        | 36.000        |
| Cu        | 12    | 6.742      | 1.129   | 4.900         | 7.500         |
| Se        | 3     | 0.015      | 0.005   | 0.010         | 0.019         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 13    | 466.231    | 114.053 | 337.000       | 574.000       |
| Aska      | 13    | 93.692     | 13.967  | 74.000        | 110.000       |
| OS smbh   | 13    | 75.162     | 2.328   | 72.300        | 78.400        |
| Råprot    | 13    | 163.769    | 21.837  | 138.000       | 189.000       |
| sRåprot   | 4     | 361.000    | 49.221  | 296.000       | 414.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 13    | 442.385    | 29.910  | 409.000       | 473.000       |
| iNDF      | 13    | 158.266    | 30.230  | 114.994       | 192.679       |
| nhNDF     | 13    | 4.389      | 0.621   | 3.521         | 5.317         |
| TAF       | 13    | 58.692     | 39.525  | 0.000         | 84.000        |
| Mjölksyra | 4     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 4     | 1.750      | 2.062   | 0.000         | 4.000         |
| Socker    | 13    | 87.000     | 28.490  | 42.000        | 128.000       |
| PRF       | 4     | 0.000      | 0.000   | 0.000         | 0.000         |
| BUF       | 4     | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 13    | 86.576     | 5.893   | 79.717        | 93.181        |
| PBVp20    | 13    | 28.863     | 22.680  | -1.901        | 59.359        |
| NELp20    | 13    | 6.036      | 0.239   | 5.793         | 6.351         |
| OE*       | 13    | 10.695     | 0.418   | 10.100        | 11.200        |
| AAT*      | 9     | 74.000     | 2.500   | 70.000        | 77.000        |
| PBV*      | 9     | 40.667     | 22.677  | 1.000         | 67.000        |
| Ca        | 13    | 7.831      | 2.035   | 5.700         | 11.400        |
| P         | 13    | 3.154      | 0.496   | 2.500         | 3.800         |
| Mg        | 13    | 2.815      | 0.731   | 2.100         | 4.300         |
| K         | 13    | 23.446     | 6.128   | 14.100        | 31.600        |
| Na        | 13    | 2.192      | 1.541   | 0.900         | 2.600         |
| Cl        | 4     | 4.575      | 2.600   | 1.900         | 7.000         |
| S         | 13    | 2.669      | 0.550   | 2.000         | 3.400         |
| CAB       | 13    | 396.826    | 132.639 | 187.874       | 528.507       |
| Fe        | 13    | 181.692    | 70.540  | 115.000       | 313.000       |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 13    | 70.000     | 19.638  | 46.000        | 91.000        |
| Zn        | 13    | 27.308     | 6.713   | 20.000        | 38.000        |
| Cu        | 13    | 7.446      | 1.585   | 5.800         | 9.200         |
| Se        | 3     | 0.049      | 0.044   | 0.022         | 0.100         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 460.000    | 107.480 | 384.000       | 536.000       |
| Aska      | 2     | 97.500     | 14.849  | 87.000        | 108.000       |
| OS smbh   | 2     | 77.500     | 1.414   | 76.500        | 78.500        |
| Råprot    | 2     | 191.500    | 6.364   | 187.000       | 196.000       |
| sRåprot   | 1     | 655.000    | .       | 655.000       | 655.000       |
| NDF       | 2     | 387.500    | 0.707   | 387.000       | 388.000       |
| iNDF      | 2     | 143.938    | 24.129  | 126.876       | 161.000       |
| nhNDF     | 2     | 4.335      | 0.545   | 3.950         | 4.720         |
| TAF       | 2     | 50.000     | 48.083  | 16.000        | 84.000        |
| Mjölksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Ättiksyra | 1     | 15.000     | .       | 15.000        | 15.000        |
| Socker    | 2     | 92.000     | 39.598  | 64.000        | 120.000       |
| PRF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 2     | 87.496     | 1.022   | 86.773        | 88.219        |
| PBVp20    | 2     | 53.528     | 6.997   | 48.580        | 58.476        |
| NELp20    | 2     | 6.234      | 0.138   | 6.137         | 6.332         |

\*= Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 2     | 11.050     | 0.071   | 11.000        | 11.100        |
| AAT*      | 1     | 76.000     | .       | 76.000        | 76.000        |
| PBV*      | 1     | 65.000     | .       | 65.000        | 65.000        |
| Ca        | 2     | 9.750      | 4.172   | 6.800         | 12.700        |
| P         | 2     | 3.550      | 0.354   | 3.300         | 3.800         |
| Mg        | 2     | 2.500      | 0.566   | 2.100         | 2.900         |
| K         | 2     | 22.650     | 5.869   | 18.500        | 26.800        |
| Na        | 2     | 1.750      | 1.485   | 0.700         | 2.800         |
| Cl        | 1     | 3.000      | .       | 3.000         | 3.000         |
| S         | 2     | 3.450      | 0.919   | 2.800         | 4.100         |
| CAB       | 2     | 331.295    | 109.131 | 254.128       | 408.462       |
| Fe        | 2     | 178.500    | 17.678  | 166.000       | 191.000       |
| Mn        | 2     | 76.000     | 43.841  | 45.000        | 107.000       |
| Zn        | 2     | 65.500     | 58.690  | 24.000        | 107.000       |
| Cu        | 2     | 7.450      | 0.636   | 7.000         | 7.900         |
| Se        | 1     | 0.060      | .       | 0.060         | 0.060         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 6     | 418.667    | 112.432 | 330.000       | 593.000       |
| Aska      | 6     | 78.667     | 15.095  | 54.000        | 97.000        |
| OS smbh   | 6     | 77.150     | 3.163   | 72.700        | 80.600        |
| Råprot    | 6     | 159.333    | 27.031  | 120.000       | 185.000       |
| sRåprot   | 6     | 642.833    | 92.370  | 522.000       | 742.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NH3-N     | 6     | 81.500     | 21.352  | 56.000        | 110.000       |
| NDF       | 6     | 448.000    | 31.267  | 411.000       | 505.000       |
| iNDF      | 6     | 137.973    | 37.278  | 91.196        | 187.544       |
| nhNDF     | 6     | 4.953      | 1.000   | 3.850         | 6.568         |
| TAF       | 6     | 62.450     | 34.884  | 18.500        | 98.100        |
| Mjölksyra | 6     | 48.500     | 30.448  | 8.000         | 82.000        |
| Ättiksyra | 6     | 12.167     | 5.345   | 5.000         | 19.000        |
| Socker    | 6     | 68.500     | 40.599  | 13.000        | 113.000       |
| BUF       | 6     | 0.783      | 0.475   | 0.100         | 1.500         |
| AATp20    | 6     | 85.103     | 6.479   | 79.151        | 94.005        |
| PBVp20    | 6     | 26.912     | 20.022  | -3.820        | 55.187        |
| NELp20    | 6     | 6.337      | 0.318   | 6.015         | 6.858         |
| OE*       | 6     | 11.200     | 0.669   | 10.300        | 12.100        |
| AAT*      | 6     | 72.000     | 2.098   | 69.000        | 74.000        |
| PBV*      | 6     | 34.833     | 27.184  | -6.000        | 63.000        |
| Ca        | 5     | 5.960      | 1.659   | 3.200         | 7.100         |
| P         | 5     | 3.320      | 0.415   | 2.700         | 3.700         |
| Mg        | 5     | 1.940      | 0.737   | 1.100         | 3.000         |
| K         | 5     | 26.260     | 4.239   | 22.200        | 31.900        |
| Na        | 5     | 0.800      | 0.758   | 0.200         | 2.100         |
| Cl        | 6     | 7.300      | 3.382   | 3.600         | 12.700        |
| S         | 5     | 2.160      | 0.650   | 1.500         | 3.100         |
| CAB       | 5     | 363.507    | 57.867  | 273.485       | 432.708       |
| Fe        | 5     | 178.000    | 108.950 | 79.000        | 340.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 5     | 60.800     | 17.413  | 42.000        | 89.000        |
| Zn        | 5     | 31.200     | 11.212  | 20.000        | 50.000        |
| Cu        | 5     | 6.240      | 2.686   | 2.200         | 8.900         |
| Se        | 1     | 0.073      | .       | 0.073         | 0.073         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 172   | 424.738    | 121.921 | 286.000       | 588.000       |
| Aska      | 172   | 74.634     | 10.840  | 60.000        | 87.000        |
| OS smbh   | 172   | 74.672     | 3.510   | 69.700        | 78.100        |
| Råprot    | 172   | 150.058    | 24.366  | 119.000       | 176.000       |
| sRåprot   | 172   | 627.221    | 71.908  | 551.000       | 704.000       |
| NH3-N     | 171   | 77.480     | 25.398  | 50.000        | 105.000       |
| NDF       | 172   | 462.384    | 44.183  | 407.000       | 518.000       |
| iNDF      | 172   | 154.355    | 45.083  | 114.000       | 211.000       |
| nhNDF     | 172   | 4.220      | 0.526   | 3.626         | 4.979         |
| Stä       | 1     | 34.000     | .       | 34.000        | 34.000        |
| TAF       | 172   | 70.284     | 31.777  | 26.000        | 111.000       |
| Mjölksyra | 172   | 51.122     | 26.640  | 12.000        | 82.000        |
| Ättiksyra | 172   | 15.576     | 6.669   | 7.000         | 24.000        |
| Socker    | 172   | 77.791     | 43.920  | 25.000        | 140.000       |
| PRF       | 130   | 3.415      | 1.751   | 1.000         | 5.000         |
| BUF       | 172   | 0.760      | 1.275   | 0.000         | 2.000         |
| AATp20    | 172   | 81.676     | 4.492   | 76.402        | 87.201        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 172   | 23.909     | 20.754  | -2.771        | 47.432        |
| NELp20    | 172   | 6.174      | 0.364   | 5.684         | 6.519         |
| OE*       | 172   | 10.841     | 0.540   | 10.150        | 11.400        |
| AAT*      | 42    | 71.119     | 1.756   | 69.000        | 73.000        |
| PBV*      | 42    | 21.381     | 20.848  | 2.000         | 49.000        |
| Ca        | 167   | 5.871      | 1.631   | 4.000         | 7.800         |
| P         | 167   | 3.123      | 0.563   | 2.400         | 3.900         |
| Mg        | 167   | 1.957      | 0.370   | 1.500         | 2.500         |
| K         | 167   | 24.960     | 5.346   | 18.700        | 30.500        |
| Na        | 167   | 1.460      | 0.736   | 0.600         | 2.600         |
| Cl        | 169   | 5.298      | 2.794   | 2.400         | 8.700         |
| S         | 167   | 2.290      | 0.523   | 1.600         | 2.900         |
| CAB       | 167   | 412.763    | 129.057 | 237.238       | 557.035       |
| Fe        | 115   | 220.443    | 194.669 | 62.000        | 355.000       |
| Mn        | 115   | 64.539     | 20.717  | 45.000        | 83.000        |
| Zn        | 115   | 35.200     | 20.041  | 24.000        | 43.000        |
| Cu        | 115   | 6.506      | 2.962   | 4.400         | 8.000         |
| Se        | 22    | 0.032      | 0.017   | 0.010         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 99    | 417.172    | 140.832 | 266.000       | 631.000       |
| Aska      | 99    | 78.818     | 10.159  | 67.000        | 91.000        |
| OS smbh   | 99    | 73.430     | 3.271   | 68.200        | 77.100        |
| Råprot    | 99    | 157.909    | 25.104  | 124.000       | 188.000       |
| sRåprot   | 99    | 577.283    | 77.423  | 479.000       | 654.000       |
| NH3-N     | 98    | 80.429     | 33.764  | 38.000        | 119.000       |
| NDF       | 99    | 457.899    | 37.645  | 413.000       | 505.000       |
| iNDF      | 99    | 180.653    | 44.154  | 130.000       | 240.921       |
| nhNDF     | 99    | 4.081      | 0.471   | 3.488         | 4.642         |
| TAF       | 99    | 77.051     | 33.782  | 20.500        | 118.000       |
| Mjölksyra | 99    | 56.162     | 27.198  | 15.000        | 94.000        |
| Ättiksyra | 99    | 16.919     | 9.538   | 5.000         | 27.000        |
| Socker    | 99    | 53.798     | 33.422  | 15.000        | 104.000       |
| PRF       | 60    | 3.933      | 2.130   | 2.000         | 6.500         |
| BUF       | 99    | 1.192      | 2.649   | 0.000         | 2.500         |
| AATp20    | 99    | 81.116     | 4.594   | 75.467        | 87.804        |
| PBVp20    | 99    | 32.195     | 21.750  | 5.823         | 57.787        |
| NELp20    | 99    | 6.079      | 0.376   | 5.455         | 6.500         |
| OE*       | 99    | 10.595     | 0.545   | 9.690         | 11.200        |
| AAT*      | 39    | 70.103     | 2.023   | 67.000        | 72.000        |
| PBV*      | 39    | 31.897     | 25.344  | -14.000       | 67.000        |
| Ca        | 91    | 7.148      | 1.946   | 5.500         | 8.900         |
| P         | 91    | 3.280      | 0.446   | 2.800         | 3.800         |
| Mg        | 91    | 2.396      | 0.371   | 1.900         | 2.900         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 91    | 24.800     | 4.305   | 19.500        | 30.800        |
| Na        | 91    | 1.591      | 0.718   | 0.700         | 2.400         |
| Cl        | 99    | 5.724      | 2.298   | 2.600         | 9.000         |
| S         | 91    | 2.526      | 0.459   | 1.900         | 3.100         |
| CAB       | 91    | 390.286    | 95.217  | 275.136       | 492.856       |
| Fe        | 67    | 192.597    | 139.547 | 80.000        | 324.000       |
| Mn        | 67    | 68.776     | 21.802  | 44.000        | 96.000        |
| Zn        | 67    | 33.642     | 14.872  | 22.000        | 42.000        |
| Cu        | 67    | 6.958      | 1.321   | 5.500         | 8.700         |
| Se        | 11    | 0.038      | 0.041   | 0.010         | 0.060         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 81    | 439.012    | 120.692 | 297.000       | 634.000       |
| Aska      | 81    | 80.679     | 9.410   | 70.000        | 91.000        |
| OS smbh   | 81    | 74.354     | 2.627   | 72.000        | 77.000        |
| Råprot    | 81    | 161.370    | 16.778  | 142.000       | 182.000       |
| sRåprot   | 81    | 549.889    | 88.546  | 416.000       | 625.000       |
| NH3-N     | 81    | 75.667     | 27.720  | 44.000        | 106.000       |
| NDF       | 81    | 446.975    | 28.277  | 408.000       | 484.000       |
| iNDF      | 81    | 173.306    | 42.389  | 132.842       | 222.000       |
| nhNDF     | 81    | 4.178      | 0.478   | 3.677         | 4.647         |
| TAF       | 81    | 68.711     | 28.623  | 31.000        | 107.000       |
| Mjölksyra | 81    | 50.840     | 22.632  | 19.000        | 78.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 81    | 14.852     | 7.355   | 7.000         | 23.000        |
| Socker    | 81    | 52.630     | 24.659  | 23.000        | 85.000        |
| PRF       | 55    | 2.855      | 1.758   | 0.000         | 5.000         |
| BUF       | 81    | 0.760      | 1.200   | 0.000         | 2.000         |
| AATp20    | 81    | 83.420     | 4.747   | 78.646        | 89.975        |
| PBVp20    | 81    | 31.678     | 15.370  | 12.458        | 51.601        |
| NELp20    | 81    | 6.126      | 0.281   | 5.888         | 6.407         |
| OE*       | 81    | 10.723     | 0.449   | 10.300        | 11.200        |
| AAT*      | 26    | 70.769     | 1.557   | 69.000        | 72.000        |
| PBV*      | 26    | 35.654     | 14.105  | 17.000        | 55.000        |
| Ca        | 81    | 7.105      | 1.509   | 5.700         | 9.200         |
| P         | 81    | 3.286      | 0.481   | 2.700         | 3.800         |
| Mg        | 81    | 2.516      | 0.331   | 2.200         | 3.000         |
| K         | 81    | 25.362     | 4.737   | 19.000        | 31.200        |
| Na        | 81    | 1.704      | 0.841   | 0.800         | 2.600         |
| Cl        | 81    | 5.599      | 2.489   | 2.100         | 9.100         |
| S         | 81    | 2.632      | 0.524   | 2.100         | 3.300         |
| CAB       | 81    | 400.494    | 100.288 | 274.534       | 524.100       |
| Fe        | 55    | 198.364    | 143.410 | 89.000        | 335.000       |
| Mn        | 55    | 73.400     | 19.663  | 53.000        | 98.000        |
| Zn        | 55    | 34.345     | 21.418  | 23.000        | 43.000        |
| Cu        | 55    | 7.176      | 1.060   | 6.000         | 8.500         |
| Se        | 12    | 0.032      | 0.016   | 0.013         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 44    | 394.341    | 108.596 | 254.000       | 562.000       |
| Aska      | 44    | 85.295     | 9.863   | 71.000        | 96.000        |
| OS smbh   | 44    | 74.114     | 2.234   | 70.700        | 76.500        |
| Råprot    | 44    | 166.000    | 23.367  | 139.000       | 201.000       |
| sRåprot   | 44    | 569.023    | 63.100  | 489.000       | 636.000       |
| NH3-N     | 44    | 79.182     | 32.159  | 50.000        | 109.000       |
| NDF       | 44    | 434.523    | 38.572  | 392.000       | 482.000       |
| iNDF      | 44    | 185.944    | 49.218  | 137.922       | 269.000       |
| nhNDF     | 44    | 4.092      | 0.375   | 3.571         | 4.569         |
| TAF       | 44    | 75.841     | 27.988  | 33.000        | 111.000       |
| Mjölksyra | 44    | 55.000     | 21.509  | 20.000        | 81.000        |
| Ättiksyra | 44    | 17.432     | 11.257  | 8.000         | 29.000        |
| Socker    | 44    | 49.591     | 23.143  | 19.000        | 83.000        |
| PRF       | 32    | 3.125      | 2.803   | 0.000         | 6.000         |
| BUF       | 44    | 0.864      | 1.501   | 0.000         | 2.400         |
| AATp20    | 44    | 81.789     | 3.915   | 74.740        | 86.981        |
| PBVp20    | 44    | 38.641     | 22.744  | 14.184        | 70.344        |
| NELp20    | 44    | 6.101      | 0.234   | 5.781         | 6.359         |
| OE*       | 44    | 10.627     | 0.379   | 10.160        | 11.100        |
| AAT*      | 12    | 70.833     | 0.718   | 70.000        | 72.000        |
| PBV*      | 12    | 41.250     | 24.988  | 18.000        | 66.000        |
| Ca        | 44    | 7.568      | 2.009   | 5.700         | 9.700         |
| P         | 44    | 3.375      | 0.403   | 2.800         | 3.900         |
| Mg        | 44    | 2.684      | 0.383   | 2.200         | 3.200         |

\* = Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 44    | 24.809     | 3.707   | 19.700        | 29.900        |
| Na        | 44    | 1.780      | 0.646   | 0.900         | 2.700         |
| Cl        | 43    | 5.888      | 2.600   | 3.200         | 9.500         |
| S         | 44    | 2.661      | 0.382   | 2.200         | 3.100         |
| CAB       | 44    | 380.431    | 81.783  | 271.854       | 507.257       |
| Fe        | 25    | 243.160    | 177.425 | 125.000       | 393.000       |
| Mn        | 25    | 83.400     | 21.685  | 58.000        | 113.000       |
| Zn        | 25    | 34.920     | 14.955  | 21.000        | 55.000        |
| Cu        | 25    | 7.632      | 1.504   | 6.000         | 9.300         |
| Se        | 7     | 0.049      | 0.024   | 0.010         | 0.080         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 305.143    | 62.8555 | 214.000       | 403.000       |
| Aska      | 7     | 94.429     | 5.5334  | 87.000        | 103.000       |
| OS smbh   | 7     | 74.786     | 2.2327  | 70.400        | 77.300        |
| Råprot    | 7     | 176.143    | 14.9491 | 161.000       | 199.000       |
| sRåprot   | 7     | 548.714    | 68.0728 | 405.000       | 604.000       |
| NH3-N     | 7     | 59.714     | 16.3576 | 30.000        | 74.000        |
| NDF       | 7     | 394.714    | 13.7078 | 374.000       | 415.000       |
| iNDF      | 7     | 203.644    | 56.0426 | 147.855       | 321.000       |
| nhNDF     | 7     | 4.063      | 0.2885  | 3.447         | 4.312         |
| TAF       | 7     | 110.886    | 15.2792 | 85.100        | 130.000       |
| Mjölksyra | 7     | 91.429     | 14.2929 | 68.000        | 107.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 7     | 16.714     | 3.3022  | 10.000        | 20.000        |
| Socker    | 7     | 25.143     | 6.4143  | 15.000        | 32.000        |
| PRF       | 5     | 3.200      | 2.2804  | 1.000         | 6.000         |
| BUF       | 7     | 0.171      | 0.3684  | 0.000         | 1.000         |
| AATp20    | 7     | 79.588     | 3.5585  | 74.302        | 86.192        |
| PBVp20    | 7     | 51.392     | 16.6256 | 28.165        | 72.330        |
| NELp20    | 7     | 6.206      | 0.1719  | 5.864         | 6.363         |
| OE*       | 7     | 10.633     | 0.3875  | 9.830         | 11.000        |
| AAT*      | 2     | 71.000     | 0.0000  | 71.000        | 71.000        |
| PBV*      | 2     | 39.000     | 1.4142  | 38.000        | 40.000        |
| Ca        | 7     | 8.529      | 1.6997  | 6.400         | 11.100        |
| P         | 7     | 3.471      | 0.4231  | 3.000         | 4.100         |
| Mg        | 7     | 2.514      | 0.2268  | 2.200         | 2.800         |
| K         | 7     | 24.671     | 2.9119  | 21.200        | 30.200        |
| Na        | 7     | 1.657      | 0.4036  | 1.100         | 2.100         |
| Cl        | 7     | 5.343      | 2.8118  | 2.800         | 11.200        |
| S         | 7     | 2.443      | 0.4276  | 1.700         | 3.000         |
| CAB       | 7     | 399.851    | 44.8686 | 345.284       | 467.067       |
| Fe        | 3     | 301.667    | 91.2433 | 203.000       | 383.000       |
| Mn        | 3     | 83.667     | 14.3643 | 73.000        | 100.000       |
| Zn        | 3     | 32.333     | 3.0551  | 29.000        | 35.000        |
| Cu        | 3     | 7.567      | 1.3577  | 6.300         | 9.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 417.286    | 130.110 | 229.000       | 579.000       |
| Aska      | 7     | 59.000     | 11.045  | 51.000        | 76.000        |
| OS smbh   | 7     | 68.086     | 3.341   | 64.400        | 73.000        |
| Råprot    | 7     | 116.571    | 30.718  | 76.000        | 151.000       |
| sRåprot   | 7     | 645.286    | 63.958  | 558.000       | 717.000       |
| NH3-N     | 7     | 104.429    | 33.014  | 38.000        | 137.000       |
| NDF       | 7     | 454.000    | 61.946  | 358.000       | 541.000       |
| iNDF      | 7     | 266.286    | 50.970  | 195.000       | 324.000       |
| nhNDF     | 7     | 2.898      | 0.526   | 2.289         | 3.625         |
| Stä       | 7     | 105.000    | 65.618  | 26.000        | 193.000       |
| TAF       | 7     | 84.286     | 46.403  | 29.000        | 148.000       |
| Mjölksyra | 7     | 56.857     | 34.503  | 15.000        | 100.000       |
| Ättiksyra | 7     | 22.143     | 9.805   | 12.000        | 38.000        |
| Socker    | 7     | 39.571     | 14.270  | 20.000        | 61.000        |
| PRF       | 7     | 4.286      | 3.302   | 0.000         | 8.000         |
| BUF       | 7     | 1.000      | 0.816   | 0.000         | 2.000         |
| AATp20    | 7     | 67.594     | 2.582   | 63.576        | 71.136        |
| PBVp20    | 7     | 5.315      | 28.246  | -31.174       | 38.035        |
| NELp20    | 7     | 5.612      | 0.415   | 5.128         | 6.132         |
| OE*       | 7     | 9.927      | 0.527   | 9.380         | 10.640        |
| Ca        | 7     | 4.300      | 2.489   | 1.700         | 9.100         |
| P         | 7     | 2.686      | 0.807   | 1.300         | 3.700         |
| Mg        | 7     | 1.643      | 0.391   | 1.100         | 2.300         |
| K         | 7     | 18.929     | 6.755   | 7.500         | 28.200        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 7     | 0.843      | 0.500   | 0.200         | 1.500         |
| Cl        | 6     | 3.550      | 2.114   | 2.100         | 7.700         |
| S         | 7     | 1.843      | 0.251   | 1.400         | 2.200         |
| CAB       | 7     | 304.568    | 133.339 | 63.459        | 455.210       |
| Fe        | 4     | 158.000    | 90.248  | 64.000        | 263.000       |
| Mn        | 4     | 51.250     | 25.448  | 29.000        | 86.000        |
| Zn        | 4     | 29.750     | 5.315   | 24.000        | 36.000        |
| Cu        | 4     | 4.250      | 1.708   | 2.000         | 6.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 278.000    | .       | 278.000       | 278.000       |
| Aska      | 1     | 48.000     | .       | 48.000        | 48.000        |
| OS smbh   | 1     | 60.100     | .       | 60.100        | 60.100        |
| Råprot    | 1     | 91.000     | .       | 91.000        | 91.000        |
| sRåprot   | 1     | 718.000    | .       | 718.000       | 718.000       |
| NH3-N     | 1     | 110.000    | .       | 110.000       | 110.000       |
| NDF       | 1     | 516.000    | .       | 516.000       | 516.000       |
| iNDF      | 1     | 313.581    | .       | 313.581       | 313.581       |
| nhNDF     | 1     | 2.114      | .       | 2.114         | 2.114         |
| Stä       | 1     | 64.000     | .       | 64.000        | 64.000        |
| TAF       | 1     | 105.000    | .       | 105.000       | 105.000       |
| Mjölksyra | 1     | 83.000     | .       | 83.000        | 83.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 1     | 20.000     | .       | 20.000        | 20.000        |
| Socker    | 1     | 12.000     | .       | 12.000        | 12.000        |
| AATp20    | 1     | 59.063     | .       | 59.063        | 59.063        |
| PBVp20    | 1     | 1.962      | .       | 1.962         | 1.962         |
| NELp20    | 1     | 5.047      | .       | 5.047         | 5.047         |
| Ca        | 1     | 4.500      | .       | 4.500         | 4.500         |
| P         | 1     | 3.000      | .       | 3.000         | 3.000         |
| Mg        | 1     | 1.900      | .       | 1.900         | 1.900         |
| K         | 1     | 14.900     | .       | 14.900        | 14.900        |
| Na        | 1     | 1.300      | .       | 1.300         | 1.300         |
| Cl        | 1     | 1.100      | .       | 1.100         | 1.100         |
| S         | 1     | 1.500      | .       | 1.500         | 1.500         |
| CAB       | 1     | 312.860    | .       | 312.860       | 312.860       |
| Fe        | 1     | 93.000     | .       | 93.000        | 93.000        |
| Mn        | 1     | 43.000     | .       | 43.000        | 43.000        |
| Zn        | 1     | 40.000     | .       | 40.000        | 40.000        |
| Cu        | 1     | 4.600      | .       | 4.600         | 4.600         |

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 375.000    | .       | 375.000       | 375.000       |
| Aska      | 1     | 46.000     | .       | 46.000        | 46.000        |
| OS smbh   | 1     | 63.700     | .       | 63.700        | 63.700        |
| Råprot    | 1     | 94.000     | .       | 94.000        | 94.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| sRåprot   | 1     | 489.000    | .       | 489.000       | 489.000       |
| NH3-N     | 1     | 45.000     | .       | 45.000        | 45.000        |
| NDF       | 1     | 464.000    | .       | 464.000       | 464.000       |
| iNDF      | 1     | 349.000    | .       | 349.000       | 349.000       |
| nhNDF     | 1     | 2.467      | .       | 2.467         | 2.467         |
| Stä       | 1     | 162.000    | .       | 162.000       | 162.000       |
| TAF       | 1     | 9.000      | .       | 9.000         | 9.000         |
| Mjölksyra | 1     | 7.000      | .       | 7.000         | 7.000         |
| Ättiksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socket    | 1     | 54.000     | .       | 54.000        | 54.000        |
| PRF       | 1     | 2.000      | .       | 2.000         | 2.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 74.272     | .       | 74.272        | 74.272        |
| PBVp20    | 1     | -20.337    | .       | -20.337       | -20.337       |
| NELp20    | 1     | 5.105      | .       | 5.105         | 5.105         |
| OE*       | 1     | 9.320      | .       | 9.320         | 9.320         |
| Ca        | 1     | 3.800      | .       | 3.800         | 3.800         |
| P         | 1     | 2.900      | .       | 2.900         | 2.900         |
| Mg        | 1     | 1.700      | .       | 1.700         | 1.700         |
| K         | 1     | 12.500     | .       | 12.500        | 12.500        |
| Na        | 1     | 0.700      | .       | 0.700         | 0.700         |
| Cl        | 1     | 1.500      | .       | 1.500         | 1.500         |
| S         | 1     | 1.600      | .       | 1.600         | 1.600         |
| CAB       | 1     | 207.874    | .       | 207.874       | 207.874       |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 363.667    | 38.682  | 323.000       | 400.000       |
| Aska      | 3     | 62.000     | 5.000   | 57.000        | 67.000        |
| OS smbh   | 3     | 66.433     | 2.122   | 64.000        | 67.900        |
| Råprot    | 3     | 107.667    | 7.638   | 101.000       | 116.000       |
| sRåprot   | 3     | 472.000    | 45.706  | 429.000       | 520.000       |
| NH3-N     | 3     | 50.667     | 26.633  | 20.000        | 68.000        |
| NDF       | 3     | 461.000    | 29.052  | 433.000       | 491.000       |
| iNDF      | 3     | 383.392    | 101.530 | 273.000       | 472.772       |
| nhNDF     | 3     | 5.769      | 2.893   | 2.491         | 7.963         |
| Stä       | 3     | 105.000    | 15.100  | 91.000        | 121.000       |
| TAF       | 3     | 42.667     | 13.270  | 29.000        | 55.500        |
| Mjölksyra | 3     | 29.667     | 13.503  | 16.000        | 43.000        |
| Ättiksyra | 3     | 10.333     | 3.786   | 6.000         | 13.000        |
| Socker    | 3     | 63.333     | 24.173  | 41.000        | 89.000        |
| PRF       | 1     | 6.000      | .       | 6.000         | 6.000         |
| BUF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| AATp20    | 3     | 74.645     | 1.348   | 73.187        | 75.846        |
| PBVp20    | 3     | -9.948     | 8.607   | -16.242       | -0.140        |
| NELp20    | 3     | 5.405      | 0.103   | 5.290         | 5.488         |
| OE*       | 1     | 9.780      | .       | 9.780         | 9.780         |
| Ca        | 3     | 5.733      | 1.422   | 4.100         | 6.700         |
| P         | 3     | 2.900      | 0.300   | 2.600         | 3.200         |
| Mg        | 3     | 1.900      | 0.000   | 1.900         | 1.900         |
| K         | 3     | 17.900     | 3.175   | 14.300        | 20.300        |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 3     | 1.100      | 0.700   | 0.300         | 1.600         |
| Cl        | 3     | 3.167      | 1.450   | 1.700         | 4.600         |
| S         | 3     | 1.533      | 0.208   | 1.300         | 1.700         |
| CAB       | 3     | 320.591    | 102.592 | 205.717       | 403.088       |
| Fe        | 2     | 135.000    | 14.142  | 125.000       | 145.000       |
| Mn        | 2     | 59.500     | 38.891  | 32.000        | 87.000        |
| Zn        | 2     | 37.500     | 2.121   | 36.000        | 39.000        |
| Cu        | 2     | 4.750      | 0.354   | 4.500         | 5.000         |

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 14    | 532.857    | 37.2081 | 501.000       | 569.000       |
| Aska      | 14    | 14.786     | 2.7784  | 11.000        | 19.000        |
| OS smbh   | 14    | 80.450     | 1.8254  | 78.700        | 82.900        |
| Råprot    | 14    | 73.714     | 4.8742  | 69.000        | 81.000        |
| sRåprot   | 14    | 397.571    | 62.4743 | 320.000       | 459.000       |
| NH3-N     | 12    | 34.083     | 16.4010 | 12.000        | 51.000        |
| NDF       | 14    | 227.857    | 23.3068 | 199.000       | 256.000       |
| iNDF      | 14    | 228.814    | 26.1619 | 184.613       | 257.000       |
| nhNDF     | 14    | 2.466      | 0.6641  | 1.581         | 3.365         |
| Stä       | 14    | 531.071    | 25.9895 | 500.000       | 555.000       |
| TAF       | 14    | 43.371     | 6.8449  | 36.000        | 51.000        |
| Mjölksyra | 12    | 40.417     | 5.6159  | 34.000        | 46.000        |
| Ättiksyra | 12    | 3.583      | 2.2344  | 0.000         | 6.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socket    | 14    | 1.571      | 3.9945  | 0.000         | 11.000        |
| PRF       | 12    | 0.250      | 0.4523  | 0.000         | 1.000         |
| BUF       | 12    | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 14    | 93.294     | 1.6548  | 91.081        | 95.198        |
| PBVp20    | 14    | -73.244    | 3.5631  | -78.295       | -70.149       |
| NELp20    | 14    | 7.025      | 0.1518  | 6.847         | 7.236         |
| OE*       | 12    | 12.500     | 0.2856  | 12.230        | 12.850        |
| Ca        | 14    | 0.479      | 0.2860  | 0.200         | 1.000         |
| P         | 14    | 2.214      | 0.3655  | 1.800         | 2.600         |
| Mg        | 14    | 0.807      | 0.1774  | 0.500         | 1.000         |
| K         | 14    | 5.121      | 1.1709  | 3.600         | 6.600         |
| Na        | 14    | 0.307      | 0.0997  | 0.200         | 0.400         |
| Cl        | 2     | 0.750      | 0.0707  | 0.700         | 0.800         |
| S         | 14    | 0.907      | 0.1072  | 0.800         | 1.000         |
| CAB       | 14    | 56.856     | 30.5948 | 20.819        | 101.525       |
| Fe        | 8     | 53.125     | 9.4179  | 40.000        | 65.000        |
| Mn        | 8     | 7.750      | 1.6690  | 6.000         | 11.000        |
| Zn        | 8     | 22.625     | 6.5452  | 16.000        | 35.000        |
| Cu        | 8     | 2.388      | 0.4853  | 2.000         | 3.000         |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Solros ensilage skattat (286) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 230.000    | .       | 230.000       | 230.000       |
| Aska      | 1     | 111.000    | .       | 111.000       | 111.000       |
| OS smbh   | 1     | 56.400     | .       | 56.400        | 56.400        |
| Råprot    | 1     | 68.000     | .       | 68.000        | 68.000        |
| NH3-N     | 1     | 55.000     | .       | 55.000        | 55.000        |
| NDF       | 1     | 389.000    | .       | 389.000       | 389.000       |
| iNDF      | 1     | 443.473    | .       | 443.473       | 443.473       |
| nhNDF     | 1     | 0.950      | .       | 0.950         | 0.950         |
| Stä       | 1     | 17.000     | .       | 17.000        | 17.000        |
| TAF       | 1     | 96.000     | .       | 96.000        | 96.000        |
| Socker    | 1     | 101.000    | .       | 101.000       | 101.000       |
| AATp20    | 1     | 47.655     | .       | 47.655        | 47.655        |
| PBVp20    | 1     | -6.133     | .       | -6.133        | -6.133        |
| NElp20    | 1     | 4.067      | .       | 4.067         | 4.067         |
| Ca        | 1     | 15.000     | .       | 15.000        | 15.000        |
| P         | 1     | 1.700      | .       | 1.700         | 1.700         |
| Mg        | 1     | 3.100      | .       | 3.100         | 3.100         |
| K         | 1     | 31.400     | .       | 31.400        | 31.400        |
| Na        | 1     | 0.200      | .       | 0.200         | 0.200         |
| S         | 1     | 1.600      | .       | 1.600         | 1.600         |
| CAB       | 1     | 345.568    | .       | 345.568       | 345.568       |
| Fe        | 1     | 120.000    | .       | 120.000       | 120.000       |
| Mn        | 1     | 39.000     | .       | 39.000        | 39.000        |
| Zn        | 1     | 19.000     | .       | 19.000        | 19.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Solros ensilage skattat (286) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cu        | 1     | 10.600     | .       | 10.600        | 10.600        |
| Se        | 1     | 0.060      | .       | 0.060         | 0.060         |

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 297.400    | 46.950  | 235.000       | 364.000       |
| Aska      | 5     | 63.400     | 13.667  | 42.000        | 78.000        |
| OS smbh   | 5     | 64.840     | 6.620   | 58.600        | 74.200        |
| Råprot    | 5     | 111.400    | 30.835  | 65.000        | 145.000       |
| sRåprot   | 5     | 557.000    | 112.245 | 418.000       | 718.000       |
| NH3-N     | 5     | 108.400    | 61.272  | 31.000        | 191.000       |
| NDF       | 5     | 490.000    | 47.791  | 447.000       | 564.000       |
| iNDF      | 5     | 288.280    | 69.109  | 174.671       | 362.000       |
| nhNDF     | 5     | 2.943      | 0.850   | 1.993         | 4.070         |
| Stä       | 4     | 87.750     | 88.466  | 17.000        | 206.000       |
| TAF       | 5     | 59.000     | 36.899  | 12.000        | 107.000       |
| Mjölksyra | 5     | 37.000     | 29.606  | 12.000        | 75.000        |
| Ättiksyra | 5     | 18.400     | 16.861  | 0.000         | 43.000        |
| Socker    | 5     | 29.400     | 13.240  | 18.000        | 47.000        |
| PRF       | 3     | 4.667      | 4.163   | 0.000         | 8.000         |
| BUF       | 3     | 1.333      | 2.309   | 0.000         | 4.000         |
| AATp20    | 5     | 73.206     | 4.827   | 68.264        | 80.666        |
| PBVp20    | 5     | -6.360     | 29.185  | -41.376       | 31.366        |
| NELp20    | 5     | 5.323      | 0.500   | 4.826         | 5.977         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 3     | 9.203      | 0.678   | 8.490         | 9.840         |
| Ca        | 5     | 3.580      | 2.057   | 0.400         | 5.400         |
| P         | 5     | 3.120      | 0.396   | 2.600         | 3.500         |
| Mg        | 5     | 1.740      | 0.483   | 1.100         | 2.300         |
| K         | 5     | 20.060     | 8.607   | 10.000        | 33.600        |
| Na        | 5     | 1.860      | 2.182   | 0.300         | 5.700         |
| Cl        | 4     | 4.150      | 2.924   | 0.500         | 7.600         |
| S         | 5     | 1.880      | 0.630   | 1.200         | 2.900         |
| CAB       | 5     | 338.779    | 214.525 | -0.678        | 545.794       |
| Fe        | 2     | 129.000    | 28.284  | 109.000       | 149.000       |
| Mn        | 2     | 91.500     | 86.974  | 30.000        | 153.000       |
| Zn        | 2     | 34.500     | 16.263  | 23.000        | 46.000        |
| Cu        | 2     | 5.250      | 2.051   | 3.800         | 6.700         |

## Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 398.500    | 190.020 | 243.000       | 643.000       |
| Aska      | 4     | 69.250     | 10.436  | 58.000        | 83.000        |
| OS smbh   | 4     | 74.725     | 3.512   | 70.500        | 78.500        |
| Råprot    | 4     | 143.250    | 32.572  | 106.000       | 173.000       |
| sRåprot   | 4     | 664.500    | 155.901 | 446.000       | 788.000       |
| NH3-N     | 4     | 85.000     | 40.554  | 25.000        | 112.000       |
| NDF       | 4     | 450.000    | 31.422  | 419.000       | 484.000       |
| iNDF      | 4     | 145.250    | 52.677  | 83.000        | 208.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| nhNDF     | 4     | 3.806      | 0.255   | 3.473         | 4.076         |
| Stä       | 4     | 45.750     | 58.659  | 6.000         | 133.000       |
| TAF       | 4     | 97.000     | 57.602  | 29.000        | 164.000       |
| Mjölksyra | 4     | 73.500     | 48.515  | 21.000        | 134.000       |
| Ättiksyra | 4     | 20.000     | 8.524   | 8.000         | 28.000        |
| Socker    | 4     | 104.250    | 101.019 | 42.000        | 255.000       |
| PRF       | 4     | 2.750      | 2.500   | 0.000         | 6.000         |
| BUF       | 4     | 0.750      | 0.957   | 0.000         | 2.000         |
| AATp20    | 4     | 70.994     | 9.653   | 62.652        | 84.378        |
| PBVp20    | 4     | 21.581     | 41.135  | -17.316       | 57.157        |
| NELp20    | 4     | 6.304      | 0.295   | 5.967         | 6.670         |
| OE*       | 4     | 10.915     | 0.530   | 10.340        | 11.580        |
| Ca        | 4     | 3.950      | 1.245   | 3.100         | 5.800         |
| P         | 4     | 3.925      | 1.204   | 2.600         | 5.400         |
| Mg        | 4     | 1.350      | 0.342   | 1.000         | 1.800         |
| K         | 4     | 29.525     | 6.155   | 20.900        | 34.100        |
| Na        | 4     | 0.575      | 0.386   | 0.200         | 1.100         |
| Cl        | 3     | 3.367      | 1.890   | 1.900         | 5.500         |
| S         | 4     | 2.700      | 0.294   | 2.300         | 3.000         |
| CAB       | 4     | 508.619    | 158.498 | 281.689       | 650.875       |
| Fe        | 4     | 256.500    | 177.175 | 157.000       | 522.000       |
| Mn        | 4     | 57.500     | 7.326   | 50.000        | 67.000        |
| Zn        | 4     | 33.000     | 6.055   | 25.000        | 39.000        |
| Cu        | 4     | 6.250      | 1.258   | 5.000         | 8.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 396.000    | 36.157  | 351.000       | 463.000       |
| Aska      | 7     | 55.143     | 12.812  | 34.000        | 73.000        |
| OS smbh   | 7     | 67.271     | 2.093   | 63.000        | 69.300        |
| Råprot    | 7     | 109.286    | 21.352  | 80.000        | 138.000       |
| sRåprot   | 7     | 566.143    | 127.812 | 322.000       | 671.000       |
| NH3-N     | 7     | 76.429     | 41.024  | 20.000        | 130.000       |
| NDF       | 7     | 418.857    | 49.394  | 353.000       | 499.000       |
| iNDF      | 7     | 304.172    | 17.815  | 282.118       | 334.000       |
| nhNDF     | 7     | 2.462      | 0.607   | 1.815         | 3.351         |
| Stä       | 6     | 172.833    | 70.471  | 79.000        | 246.000       |
| TAF       | 7     | 51.000     | 29.057  | 6.000         | 78.000        |
| Mjölksyra | 7     | 33.429     | 23.013  | 1.000         | 57.000        |
| Ättiksyra | 7     | 15.714     | 5.794   | 5.000         | 21.000        |
| Socker    | 7     | 42.000     | 26.300  | 22.000        | 99.000        |
| PRF       | 4     | 2.500      | 3.000   | 0.000         | 6.000         |
| BUF       | 4     | 0.750      | 1.500   | 0.000         | 3.000         |
| AATp20    | 7     | 73.680     | 4.238   | 69.578        | 82.090        |
| PBVp20    | 7     | -7.037     | 21.696  | -31.537       | 25.357        |
| NELp20    | 7     | 5.526      | 0.241   | 5.006         | 5.711         |
| OE*       | 4     | 9.765      | 0.434   | 9.160         | 10.170        |
| Ca        | 6     | 5.017      | 1.619   | 2.800         | 7.100         |
| P         | 6     | 2.833      | 0.258   | 2.400         | 3.200         |
| Mg        | 6     | 1.800      | 0.434   | 1.200         | 2.300         |
| K         | 6     | 15.200     | 4.249   | 8.100         | 19.500        |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 6     | 1.100      | 0.724   | 0.300         | 2.100         |
| Cl        | 6     | 3.467      | 0.480   | 2.600         | 4.000         |
| S         | 6     | 1.700      | 0.486   | 1.200         | 2.300         |
| CAB       | 6     | 233.281    | 66.368  | 143.976       | 300.845       |
| Fe        | 3     | 197.667    | 223.885 | 60.000        | 456.000       |
| Mn        | 3     | 41.000     | 13.748  | 29.000        | 56.000        |
| Zn        | 3     | 31.000     | 2.000   | 29.000        | 33.000        |
| Cu        | 3     | 5.033      | 1.739   | 3.700         | 7.000         |

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 93    | 357.355    | 53.340  | 282.000       | 427.000       |
| Aska      | 93    | 26.570     | 9.579   | 20.000        | 32.000        |
| OS smbh   | 93    | 75.481     | 2.270   | 72.600        | 78.400        |
| Råprot    | 93    | 72.086     | 7.909   | 63.000        | 80.000        |
| sRåprot   | 93    | 518.086    | 65.438  | 452.000       | 607.000       |
| NH3-N     | 92    | 50.011     | 21.566  | 30.000        | 78.000        |
| NDF       | 93    | 369.237    | 40.058  | 331.000       | 422.000       |
| iNDF      | 93    | 215.953    | 26.329  | 178.000       | 248.000       |
| nhNDF     | 93    | 3.207      | 0.420   | 2.583         | 3.707         |
| Stä       | 93    | 323.011    | 46.688  | 258.000       | 372.000       |
| TAF       | 93    | 62.226     | 12.402  | 49.000        | 79.000        |
| Mjölksyra | 93    | 45.591     | 10.123  | 34.000        | 56.000        |
| Ättiksyra | 93    | 13.656     | 5.627   | 8.000         | 23.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socket    | 93    | 6.280      | 9.640   | 0.000         | 16.000        |
| PRF       | 60    | 2.967      | 1.646   | 1.000         | 5.000         |
| BUF       | 61    | 0.049      | 0.384   | 0.000         | 0.000         |
| AATp20    | 93    | 82.948     | 2.748   | 79.491        | 86.046        |
| PBVp20    | 93    | -57.729    | 8.672   | -67.647       | -47.436       |
| NELp20    | 93    | 6.455      | 0.207   | 6.172         | 6.685         |
| OE*       | 66    | 11.430     | 0.348   | 11.000        | 11.890        |
| AAT*      | 6     | 79.000     | 2.000   | 75.000        | 80.000        |
| PBV*      | 6     | -56.000    | 38.807  | -80.000       | 22.000        |
| Ca        | 92    | 1.611      | 0.915   | 1.100         | 2.000         |
| P         | 92    | 1.868      | 0.303   | 1.600         | 2.200         |
| Mg        | 92    | 1.032      | 0.242   | 0.800         | 1.300         |
| K         | 92    | 8.820      | 2.100   | 7.100         | 10.000        |
| Na        | 92    | 0.323      | 0.528   | 0.100         | 0.500         |
| Cl        | 34    | 1.415      | 0.316   | 1.100         | 1.900         |
| S         | 92    | 0.913      | 0.405   | 0.700         | 1.100         |
| CAB       | 92    | 140.664    | 48.214  | 101.496       | 177.820       |
| Fe        | 64    | 134.234    | 181.621 | 59.000        | 221.000       |
| Mn        | 64    | 24.703     | 9.358   | 15.000        | 37.000        |
| Zn        | 64    | 29.203     | 21.385  | 16.000        | 41.000        |
| Cu        | 64    | 4.678      | 4.781   | 3.000         | 5.000         |
| Se        | 10    | 0.032      | 0.021   | 0.006         | 0.050         |

\* = Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 333.000    | .       | 333.000       | 333.000       |
| Aska      | 1     | 59.000     | .       | 59.000        | 59.000        |
| OS smbh   | 1     | 70.100     | .       | 70.100        | 70.100        |
| Råprot    | 1     | 106.000    | .       | 106.000       | 106.000       |
| sRåprot   | 1     | 599.000    | .       | 599.000       | 599.000       |
| NH3-N     | 1     | 60.000     | .       | 60.000        | 60.000        |
| NDF       | 1     | 555.000    | .       | 555.000       | 555.000       |
| iNDF      | 1     | 187.494    | .       | 187.494       | 187.494       |
| nhNDF     | 1     | 4.090      | .       | 4.090         | 4.090         |
| Stä       | 1     | 18.000     | .       | 18.000        | 18.000        |
| TAF       | 1     | 51.000     | .       | 51.000        | 51.000        |
| Mjölksyra | 1     | 37.000     | .       | 37.000        | 37.000        |
| Ättiksyra | 1     | 14.000     | .       | 14.000        | 14.000        |
| Socket    | 1     | 87.000     | .       | 87.000        | 87.000        |
| AATp20    | 1     | 73.517     | .       | 73.517        | 73.517        |
| PBVp20    | 1     | -13.002    | .       | -13.002       | -13.002       |
| NELp20    | 1     | 5.695      | .       | 5.695         | 5.695         |
| Ca        | 1     | 3.200      | .       | 3.200         | 3.200         |
| P         | 1     | 2.800      | .       | 2.800         | 2.800         |
| Mg        | 1     | 0.900      | .       | 0.900         | 0.900         |
| K         | 1     | 22.800     | .       | 22.800        | 22.800        |
| Na        | 1     | 0.500      | .       | 0.500         | 0.500         |
| Cl        | 1     | 0.500      | .       | 0.500         | 0.500         |
| S         | 1     | 1.400      | .       | 1.400         | 1.400         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 1     | 503.275    | .       | 503.275       | 503.275       |
| Fe        | 1     | 194.000    | .       | 194.000       | 194.000       |
| Mn        | 1     | 42.000     | .       | 42.000        | 42.000        |
| Zn        | 1     | 24.000     | .       | 24.000        | 24.000        |
| Cu        | 1     | 4.400      | .       | 4.400         | 4.400         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 875.000    | .       | 875.000       | 875.000       |
| Aska      | 1     | 51.000     | .       | 51.000        | 51.000        |
| OS smbh   | 1     | 59.600     | .       | 59.600        | 59.600        |
| Råprot    | 1     | 44.000     | .       | 44.000        | 44.000        |
| NDF       | 1     | 583.000    | .       | 583.000       | 583.000       |
| iNDF      | 1     | 281.528    | .       | 281.528       | 281.528       |
| nhNDF     | 1     | 2.589      | .       | 2.589         | 2.589         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socket    | 1     | 147.000    | .       | 147.000       | 147.000       |
| AATp20    | 1     | 73.513     | .       | 73.513        | 73.513        |
| PBVp20    | 1     | -61.363    | .       | -61.363       | -61.363       |
| NELp20    | 1     | 4.372      | .       | 4.372         | 4.372         |
| OE*       | 1     | 8.600      | .       | 8.600         | 8.600         |
| AAT*      | 1     | 62.000     | .       | 62.000        | 62.000        |
| PBV*      | 1     | -61.000    | .       | -61.000       | -61.000       |
| Ca        | 1     | 1.500      | .       | 1.500         | 1.500         |

\* = Parametrar från det gamla svenska fodervärderingssystemet

## Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| P         | 1     | 1.400      | .       | 1.400         | 1.400         |
| Mg        | 1     | 0.800      | .       | 0.800         | 0.800         |
| K         | 1     | 15.300     | .       | 15.300        | 15.300        |
| Na        | 1     | 0.200      | .       | 0.200         | 0.200         |
| S         | 1     | 0.900      | .       | 0.900         | 0.900         |
| CAB       | 1     | 202.905    | .       | 202.905       | 202.905       |
| Fe        | 1     | 38.000     | .       | 38.000        | 38.000        |
| Mn        | 1     | 89.000     | .       | 89.000        | 89.000        |
| Zn        | 1     | 17.000     | .       | 17.000        | 17.000        |
| Cu        | 1     | 2.500      | .       | 2.500         | 2.500         |

## Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 11    | 832.182    | 83.489  | 747.000       | 888.000       |
| Aska      | 11    | 56.000     | 12.759  | 45.000        | 74.000        |
| OS smbh   | 11    | 63.964     | 5.367   | 58.900        | 72.000        |
| Råprot    | 11    | 85.364     | 32.312  | 48.000        | 136.000       |
| sRåprot   | 5     | 447.600    | 83.936  | 376.000       | 583.000       |
| NDF       | 11    | 568.636    | 33.859  | 551.000       | 607.000       |
| iNDF      | 11    | 260.136    | 54.935  | 178.000       | 307.459       |
| nhNDF     | 11    | 3.445      | 0.809   | 2.647         | 4.574         |
| TAF       | 11    | 2.636      | 5.921   | 0.000         | 8.000         |
| Mjölksyra | 5     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 5     | 4.400      | 6.387   | 0.000         | 14.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socket    | 11    | 125.818    | 37.357  | 85.000        | 153.000       |
| PRF       | 5     | 1.400      | 2.074   | 0.000         | 5.000         |
| BUF       | 5     | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 11    | 83.129     | 8.670   | 73.367        | 94.424        |
| PBVp20    | 11    | -38.646    | 17.576  | -58.122       | -20.396       |
| NELp20    | 11    | 4.931      | 0.531   | 4.392         | 5.763         |
| OE*       | 11    | 9.257      | 0.782   | 8.500         | 10.400        |
| AAT*      | 6     | 65.333     | 5.610   | 60.000        | 73.000        |
| PBV*      | 6     | -36.333    | 26.696  | -61.000       | 14.000        |
| Ca        | 11    | 2.709      | 1.409   | 1.700         | 3.400         |
| P         | 11    | 2.200      | 0.868   | 1.500         | 3.800         |
| Mg        | 11    | 1.291      | 0.474   | 0.900         | 1.700         |
| K         | 11    | 17.282     | 8.149   | 8.200         | 27.100        |
| Na        | 11    | 0.627      | 0.494   | 0.100         | 1.200         |
| Cl        | 3     | 1.300      | 0.854   | 0.500         | 2.200         |
| S         | 11    | 1.327      | 0.408   | 0.800         | 1.700         |
| CAB       | 11    | 273.888    | 206.963 | 35.993        | 580.216       |
| Fe        | 6     | 68.000     | 29.421  | 34.000        | 109.000       |
| Mn        | 6     | 87.667     | 54.419  | 41.000        | 183.000       |
| Zn        | 6     | 25.500     | 9.050   | 15.000        | 39.000        |
| Cu        | 6     | 3.750      | 1.711   | 2.300         | 6.900         |
| Se        | 1     | 0.018      | .       | 0.018         | 0.018         |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 860.500    | 19.1224 | 848.000       | 889.000       |
| Aska      | 4     | 83.000     | 6.6833  | 74.000        | 90.000        |
| OS smbh   | 4     | 71.950     | 2.3629  | 68.900        | 74.100        |
| Råprot    | 4     | 150.250    | 60.7858 | 112.000       | 241.000       |
| sRåprot   | 1     | 368.000    | .       | 368.000       | 368.000       |
| NDF       | 4     | 499.250    | 33.3304 | 457.000       | 537.000       |
| iNDF      | 4     | 186.669    | 28.1892 | 159.534       | 225.000       |
| nhNDF     | 4     | 4.289      | 0.2921  | 3.965         | 4.585         |
| TAF       | 4     | 1.500      | 3.0000  | 0.000         | 6.000         |
| Mjölksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Ättiksyra | 1     | 5.000      | .       | 5.000         | 5.000         |
| Socker    | 4     | 87.000     | 45.1885 | 32.000        | 131.000       |
| PRF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 4     | 95.378     | 4.9029  | 92.447        | 102.715       |
| PBVp20    | 4     | 1.415      | 48.9970 | -29.620       | 74.539        |
| NELp20    | 4     | 5.693      | 0.2534  | 5.350         | 5.962         |
| OE*       | 4     | 10.333     | 0.4728  | 9.730         | 10.800        |
| AAT*      | 3     | 73.333     | 2.0817  | 71.000        | 75.000        |
| PBV*      | 3     | 36.000     | 69.3470 | -7.000        | 116.000       |
| Ca        | 4     | 5.925      | 1.8875  | 4.600         | 8.700         |
| P         | 4     | 3.275      | 0.2630  | 2.900         | 3.500         |
| Mg        | 4     | 1.975      | 0.2500  | 1.700         | 2.300         |
| K         | 4     | 28.075     | 3.7053  | 24.300        | 32.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 4     | 0.550      | 0.4041  | 0.200         | 0.900         |
| Cl        | 1     | 4.300      | .       | 4.300         | 4.300         |
| S         | 4     | 2.100      | 0.8718  | 1.600         | 3.400         |
| CAB       | 4     | 474.778    | 87.8884 | 419.769       | 605.983       |
| Fe        | 4     | 153.000    | 56.3264 | 90.000        | 227.000       |
| Mn        | 4     | 53.250     | 19.2072 | 37.000        | 80.000        |
| Zn        | 4     | 27.500     | 6.9522  | 21.000        | 37.000        |
| Cu        | 4     | 6.675      | 1.4592  | 5.400         | 8.600         |

Fodermedel=Halm, sträsäd, ej behandlad (385) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OS smbh   | 2     | 47.000     | 0       | 47.000        | 47.000        |
| iNDF      | 2     | 310.570    | 0       | 310.570       | 310.570       |
| NELp20    | 2     | 0.000      | 0       | 0.000         | 0.000         |

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 622.000    | 150.000 | 472.000       | 772.000       |
| Aska      | 3     | 93.667     | 8.021   | 86.000        | 102.000       |
| OS smbh   | 3     | 71.333     | 0.764   | 70.500        | 72.000        |
| Råprot    | 3     | 183.667    | 40.772  | 150.000       | 229.000       |
| sRåprot   | 3     | 290.667    | 111.541 | 170.000       | 390.000       |
| NDF       | 3     | 385.333    | 27.592  | 354.000       | 406.000       |
| iNDF      | 3     | 331.667    | 1.528   | 330.000       | 333.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| nhNDF     | 3     | 4.395      | 0.413   | 3.925         | 4.701         |
| TAF       | 3     | 5.000      | 3.606   | 2.000         | 9.000         |
| Mjölksyra | 3     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 3     | 5.000      | 3.606   | 2.000         | 9.000         |
| Socker    | 3     | 111.000    | 18.520  | 92.000        | 129.000       |
| PRF       | 3     | 0.000      | 0.000   | 0.000         | 0.000         |
| BUF       | 3     | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 3     | 89.325     | 5.360   | 85.624        | 95.472        |
| PBVp20    | 3     | 48.139     | 30.737  | 21.697        | 81.863        |
| NELp20    | 3     | 5.575      | 0.122   | 5.497         | 5.715         |
| OE*       | 3     | 10.087     | 0.121   | 9.960         | 10.200        |
| Ca        | 3     | 11.667     | 0.551   | 11.300        | 12.300        |
| P         | 3     | 3.300      | 0.173   | 3.100         | 3.400         |
| Mg        | 3     | 3.067      | 0.603   | 2.500         | 3.700         |
| K         | 3     | 25.800     | 2.095   | 24.000        | 28.100        |
| Na        | 3     | 0.700      | 0.100   | 0.600         | 0.800         |
| Cl        | 2     | 2.050      | 0.071   | 2.000         | 2.100         |
| S         | 3     | 2.467      | 0.473   | 2.100         | 3.000         |
| CAB       | 3     | 454.425    | 90.897  | 360.416       | 541.852       |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 476.000    | 94.7523 | 409.000       | 543.000       |
| Aska      | 2     | 84.500     | 4.9497  | 81.000        | 88.000        |
| OS smbh   | 2     | 71.900     | 1.4142  | 70.900        | 72.900        |
| Råprot    | 2     | 162.500    | 21.9203 | 147.000       | 178.000       |
| sRåprot   | 2     | 614.000    | 5.6569  | 610.000       | 618.000       |
| NH3-N     | 2     | 60.500     | 9.1924  | 54.000        | 67.000        |
| NDF       | 2     | 383.000    | 1.4142  | 382.000       | 384.000       |
| iNDF      | 2     | 312.500    | 60.1041 | 270.000       | 355.000       |
| nhNDF     | 2     | 4.066      | 0.2219  | 3.909         | 4.223         |
| TAF       | 2     | 77.500     | 30.4056 | 56.000        | 99.000        |
| Mjölksyra | 2     | 48.000     | 36.7696 | 22.000        | 74.000        |
| Ättiksyra | 2     | 22.500     | 0.7071  | 22.000        | 23.000        |
| Socker    | 2     | 46.500     | 17.6777 | 34.000        | 59.000        |
| PRF       | 2     | 5.000      | 4.2426  | 2.000         | 8.000         |
| BUF       | 2     | 2.000      | 2.8284  | 0.000         | 4.000         |
| AATp20    | 2     | 75.720     | 0.9157  | 75.073        | 76.368        |
| PBVp20    | 2     | 49.478     | 22.3532 | 33.672        | 65.284        |
| NELp20    | 2     | 5.892      | 0.2707  | 5.701         | 6.083         |
| OE*       | 2     | 10.275     | 0.1768  | 10.150        | 10.400        |
| Ca        | 2     | 11.050     | 2.4749  | 9.300         | 12.800        |
| P         | 2     | 3.250      | 0.3536  | 3.000         | 3.500         |
| Mg        | 2     | 2.400      | 0.2828  | 2.200         | 2.600         |
| K         | 2     | 26.150     | 4.8790  | 22.700        | 29.600        |
| Na        | 2     | 0.950      | 0.9192  | 0.300         | 1.600         |

\* = Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cl        | 2     | 4.450      | 1.3435  | 3.500         | 5.400         |
| S         | 2     | 2.750      | 0.3536  | 2.500         | 3.000         |
| CAB       | 2     | 412.875    | 24.8744 | 395.286       | 430.464       |
| Fe        | 1     | 220.000    | .       | 220.000       | 220.000       |
| Mn        | 1     | 22.000     | .       | 22.000        | 22.000        |
| Zn        | 1     | 31.000     | .       | 31.000        | 31.000        |
| Cu        | 1     | 5.000      | .       | 5.000         | 5.000         |
| Se        | 1     | 0.030      | .       | 0.030         | 0.030         |

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 713.000    | 243.245 | 541.000       | 885.000       |
| Aska      | 2     | 49.000     | 1.414   | 48.000        | 50.000        |
| OS smbh   | 2     | 57.050     | 4.455   | 53.900        | 60.200        |
| Råprot    | 2     | 89.500     | 44.548  | 58.000        | 121.000       |
| sRåprot   | 2     | 492.000    | 76.368  | 438.000       | 546.000       |
| NDF       | 2     | 595.500    | 126.572 | 506.000       | 685.000       |
| iNDF      | 2     | 377.000    | 39.598  | 349.000       | 405.000       |
| nhNDF     | 2     | 3.078      | 0.345   | 2.835         | 3.322         |
| TAF       | 2     | 5.500      | 6.364   | 1.000         | 10.000        |
| Mjölksyra | 2     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 2     | 2.500      | 3.536   | 0.000         | 5.000         |
| Socket    | 2     | 24.500     | 6.364   | 20.000        | 29.000        |
| PRF       | 2     | 1.000      | 1.414   | 0.000         | 2.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| BUF       | 2     | 2.000      | 1.414   | 1.000         | 3.000         |
| AATp20    | 2     | 73.121     | 3.254   | 70.820        | 75.422        |
| PBVp20    | 2     | -35.183    | 28.316  | -55.205       | -15.160       |
| NELp20    | 2     | 4.239      | 0.314   | 4.017         | 4.462         |
| OE*       | 2     | 8.165      | 0.742   | 7.640         | 8.690         |
| Ca        | 2     | 2.650      | 3.465   | 0.200         | 5.100         |
| P         | 2     | 2.050      | 0.354   | 1.800         | 2.300         |
| Mg        | 2     | 1.000      | 0.990   | 0.300         | 1.700         |
| K         | 2     | 12.300     | 0.141   | 12.200        | 12.400        |
| Na        | 2     | 1.600      | 0.141   | 1.500         | 1.700         |
| Cl        | 2     | 0.650      | 0.071   | 0.600         | 0.700         |
| S         | 2     | 1.650      | 0.636   | 1.200         | 2.100         |
| CAB       | 2     | 262.708    | 35.251  | 237.782       | 287.635       |
| Fe        | 1     | 200.000    | .       | 200.000       | 200.000       |
| Mn        | 1     | 44.000     | .       | 44.000        | 44.000        |
| Zn        | 1     | 156.000    | .       | 156.000       | 156.000       |
| Cu        | 1     | 6.000      | .       | 6.000         | 6.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 11    | 403.364    | 117.180 | 261.000       | 547.000       |
| Aska      | 11    | 69.091     | 11.131  | 58.000        | 85.000        |
| OS smbh   | 11    | 71.382     | 3.101   | 67.700        | 74.700        |
| Råprot    | 11    | 139.364    | 11.664  | 120.000       | 150.000       |
| sRåprot   | 11    | 497.000    | 72.823  | 425.000       | 595.000       |
| NH3-N     | 11    | 65.091     | 47.855  | 19.000        | 120.000       |
| NDF       | 11    | 387.636    | 67.300  | 310.000       | 478.000       |
| iNDF      | 11    | 261.909    | 55.560  | 215.000       | 321.000       |
| nhNDF     | 11    | 2.966      | 0.600   | 2.134         | 3.403         |
| Stä       | 11    | 119.636    | 72.503  | 47.000        | 217.000       |
| TAF       | 11    | 56.364     | 32.010  | 22.000        | 95.000        |
| Mjölksyra | 11    | 34.000     | 21.601  | 6.000         | 57.000        |
| Ättiksyra | 11    | 17.000     | 11.171  | 4.000         | 27.000        |
| Socker    | 11    | 47.000     | 27.063  | 27.000        | 65.000        |
| PRF       | 11    | 4.545      | 3.417   | 0.000         | 8.000         |
| BUF       | 11    | 0.818      | 1.662   | 0.000         | 3.000         |
| AATp20    | 11    | 82.744     | 5.285   | 74.529        | 88.935        |
| PBVp20    | 11    | 16.171     | 12.487  | -0.123        | 30.336        |
| NELp20    | 11    | 5.969      | 0.374   | 5.429         | 6.314         |
| OE*       | 11    | 10.367     | 0.543   | 9.690         | 11.000        |
| Ca        | 11    | 8.018      | 1.935   | 6.000         | 9.900         |
| P         | 11    | 3.891      | 1.042   | 3.000         | 5.100         |
| Mg        | 11    | 3.355      | 1.360   | 2.400         | 5.400         |
| K         | 11    | 18.573     | 5.250   | 13.900        | 26.200        |

\* = Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 11    | 2.209      | 1.305   | 1.100         | 4.400         |
| Cl        | 11    | 4.673      | 1.989   | 2.900         | 8.000         |
| S         | 11    | 2.582      | 0.268   | 2.300         | 3.000         |
| CAB       | 11    | 278.063    | 94.003  | 123.573       | 373.529       |
| Fe        | 5     | 281.000    | 74.111  | 183.000       | 377.000       |
| Mn        | 5     | 108.000    | 22.989  | 73.000        | 131.000       |
| Zn        | 5     | 90.400     | 39.202  | 45.000        | 134.000       |
| Cu        | 5     | 18.200     | 8.198   | 8.000         | 28.000        |

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 568.000    | .       | 568.000       | 568.000       |
| Aska      | 1     | 63.000     | .       | 63.000        | 63.000        |
| OS smbh   | 1     | 78.600     | .       | 78.600        | 78.600        |
| Råprot    | 1     | 148.000    | .       | 148.000       | 148.000       |
| sRåprot   | 1     | 533.000    | .       | 533.000       | 533.000       |
| NH3-N     | 1     | 55.000     | .       | 55.000        | 55.000        |
| NDF       | 1     | 400.000    | .       | 400.000       | 400.000       |
| iNDF      | 1     | 139.558    | .       | 139.558       | 139.558       |
| nhNDF     | 1     | 4.611      | .       | 4.611         | 4.611         |
| Stä       | 1     | 116.000    | .       | 116.000       | 116.000       |
| Socket    | 1     | 70.000     | .       | 70.000        | 70.000        |
| NELp20    | 1     | 0.000      | .       | 0.000         | 0.000         |
| Cl        | 1     | 2.600      | .       | 2.600         | 2.600         |

\*= Parametrar från det gamla svenska fodervärderingssystemet